

①

FILE 'REGISTRY' ENTERED AT 15:20:21 ON 21 OCT 2003
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2003 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 20 OCT 2003 HIGHEST RN 607332-91-2
DICTIONARY FILE UPDATES: 20 OCT 2003 HIGHEST RN 607332-91-2

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2003

Please note that search-term pricing does apply when
conducting SmartSELECT searches.


Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. See HELP
PROPERTIES for more information. See STN Note 27, Searching Properties
in the CAS Registry File, for complete details:
<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

=>
Uploading 10009611.str

L1 STRUCTURE UPLOADED

=> d l1
L1 HAS NO ANSWERS
L1 STR



G1 C, H, Ak

G2 COOH, Hy, SO2, C

Structure attributes must be viewed using STN Express query preparation.

=> s l1
SAMPLE SEARCH INITIATED 15:20:51 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 5312 TO ITERATE

18.8% PROCESSED 1000 ITERATIONS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

1 ANSWERS

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**
PROJECTED ITERATIONS: 101871 TO 110609
PROJECTED ANSWERS: 1 TO 244

L2 1 SEA SSS SAM L1

=> s l1 sss full
FULL SEARCH INITIATED 15:20:59 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 105265 TO ITERATE

100.0% PROCESSED 105265 ITERATIONS 222 ANSWERS
SEARCH TIME: 00.00.03

L3 222 SEA SSS FUL L1

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	148.15	148.36

FILE 'CAPLUS' ENTERED AT 15:21:06 ON 21 OCT 2003
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 21 Oct 2003 VOL 139 ISS 17
FILE LAST UPDATED: 20 Oct 2003 (20031020/ED)


This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l3
L4 50 L3

=> d ibib abs hitstr tot

L4 ANSWER 1 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 2003:284652 CAPLUS
 DOCUMENT NUMBER: 139:17110
 TITLE: Discovery and Structure-Activity Relationship of Oxalylarylamino benzoic Acids as Inhibitors of Protein Tyrosine Phosphatase 1B
 AUTHOR(S): Liu, Gang; Szczepankiewicz, Bruce G.; Pei, Zhonghua; Janowick, David A.; Xin, Zhili; Hajduk, Philip J.; Abed-Zapatero, Cele; Liang, Heng; Hutchins, Charles W.; Pesik, Stephen W.; Ballaron, Steve J.; Stashko, Mike A.; Lubben, Tom; Mika, Amanda K.; Zinker, Bradley
 CORPORATE SOURCE: A.; Trevillyan, James M.; Jirousek, Michael R. Metabolic Disease Research and Advanced Technology Global Pharmaceutical Research and Development, Abbott
 SOURCE: Laboratories, Abbott Park, IL, 60064-6098, USA
 JOURNAL OF MEDICINAL CHEMISTRY (2003), 46(11), 2093-2103
 CODEN: JMCMAR; ISSN: 0022-2623
 PUBLISHER: American Chemical Society
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 AB Protein Tyrosine phosphatase 1B (PTP1B) has been implicated as a key neg. regulator of both insulin and leptin signaling pathways. Using an NMR-based screening approach with 15N- and 13C-labeled PTP1B, we have identified 2,3-dimethylphenyloxalylaminobenzoic acid (1) as a general, reversible, and competitive PTPase inhibitor. Structure-based approach guided by X-ray crystallog. facilitated the development of 1 into a novel series of potent and selective PTP1B inhibitors occupying both the catalytic site and a portion of the noncatalytic, second phosphotyrosine binding site. Interestingly, oral bioavailability has been obsd. in rats for some compds. Furthermore, we demonstrated in vivo plasma glucose lowering effects with compd. 12d in ob/ob mice.
 IT 537021-32-2P
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (prepn. and structure-activity relationships of oxalylarylamino benzoic acids as inhibitors of protein tyrosine phosphatase 1B)
 RN 537021-32-2 CAPLUS
 CN Benzoic acid, 2-[(carboxycarbonyl)[2-(phenylmethyl)phenyl]amino]- (9CI) (CA INDEX NAME)

L4 ANSWER 1 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




REFERENCE COUNT: 34 THERE ARE 34 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE
 FORMAT

L4 ANSWER 2 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 2003:672226 CAPLUS
 DOCUMENT NUMBER: 137:224075
 TITLE: Triarylamine structure-containing diphenols and their aromatic polycarbonates for electrophotographic photoreceptors
 INVENTOR(S): Sasaki, Masaomi; Kawamura, Shinichi; Nagai, Kazukiyo; Li, Hung-guo; Morooka, Katsuhiko; Suzuki, Susumu
 PATENT ASSIGNEE(S): Ricoh Co., Ltd. Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 35 pp.
 CODEN: JKKXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2002249472	A2	20020906	JP 2001-368274	20011203
US 2002147278	A1	20021010	US 2001-82	20011204
PRIORITY APPLN. INFO.:			JP 2000-368297	A 20001204


OTHER SOURCE(S): MARPAT 137:224075
 AB The diphenols are represented by HOAr1RAr2NAr3(2NAr3)nAr4R'Ar5OH [Ar3 = (un)substituted aryl; Z = arylene, Ar5ZAr6; Ar1, Ar2, Ar4, Ar5, Ar6 = (un)substituted arylene; Z = O, S, alkylene; R, R' = linear or branched alkylene; n = 0, 1]. Arom. polycarbonates derived from the diphenols are contained in photosensitive layers on conductive supports of electrophotog. photoreceptors. The polycarbonates may be represented by OC6H3RaRc6H3RbNAr3(2NAr3)nC6H3RcR'C6H3RdOCOC2XO2C (Ar3, Z, R, R', and n are same as above; Ra-Rd = alkyl). Electrophotog. method, app., and process cartridges using the photoreceptors are also claimed. The polycarbonates having charge-transporting structure give photoreceptors with high sensitivity and durability.

IT 454703-86-7 454703-95-8
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (triarylamine structure-contg. diphenols and their arom. polycarbonates for electrophotog. photoreceptors)
 RN 454703-86-7 CAPLUS
 CN Benzenamine, N-[4-[2-(4-methoxyphenyl)ethyl]phenyl]-3-methyl- (9CI) (CA INDEX NAME)



RN 454703-95-8 CAPLUS
 CN Benzenamine, 4-[2-(4-methoxyphenyl)ethyl]-N-[4-[2-(4-methoxyphenyl)ethyl]phenyl]- (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



L4 ANSWER 3 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER:

2002:171837 CAPLUS

DOCUMENT NUMBER:

136:232111

TITLE:

Process for making N-arylanthranilic acids and their derivatives

INVENTOR(S):

Chen, Michael Hui Gu; Davis, Edward Mark; Magano, Javier; Nannings, Thomas Norman; Winkle, Derick Dale

PATENT ASSIGNEE(S):

Warner-Lambert Company, USA

SOURCE:

PCT Int. Appl., 149 pp.

CODEN: PIXXD2

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT:

1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002018319	A1	20020307	WO 2001-US22948	20010720
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RM:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
AU 2001077044	A5	20020313	AU 2001-77044	20010720
EP 1313694	A1	20030528	EP 2001-954824	20010720
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR			
BR 2001013520	A	20030624	BR 2001-13520	20010720
NO 2003000844	A	20030225	NO 2003-844	20030224
PRIORITY APPLN. INFO.:			US 2000-228206P	P 20000825
			WO 2001-US22948	W 20010720

OTHER SOURCE(S):

CASREACT 136:232111; MARPAT 136:232111

AB N-arylanthranilic acids, their esters, amides, and hydroxamic esters are prep'd. by coupling 1 equiv. of an aniline deriv. with 1 equiv. of an arom.

carboxylic acid carrying a leaving group, such as halo, alkyl- or arylsulfonyloxy, or phosphate, in presence of approx. 10 equiv. base. Thus, 2,3,4-PIC6H2CO2H was coupled with 2,4-Cl(1)C6H3NH2 in presence of LiN(CHMe)2 in THF. The base was added at intervals at -20.degree. with warming to room temp between addns. and the yield of

3,4-PIC6H3NHCH3(1)Cl-4,2 was 78%. This comp'd. was converted to the acid chloride and treated with cyclopropylmethoxyamine hydrochloride to give the N-cyclopropylmethoxyamide. The process is suitable for industrial prodn.

IT 313674-97-4P 313675-05-7P

RL: IMF (Industrial manufacture); SPN (Synthetic preparation); PREP (Preparation)

(process for making N-arylanthranilic acids and their deriva.)

CN 313674-97-4 CAPLUS

BN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]- (9CI)

(CA INDEX NAME)

L4 ANSWER 4 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER:

2002:146398 CAPLUS

DOCUMENT NUMBER:

137:33101

TITLE:

A simple and efficient synthesis of 2-anilinobenzoic acids

AUTHOR(S):

Chen, M. H.; Beylin, V. G.; Iakovleva, E.; Kesten, S. J.; Magano, J.; Vrieze, D.

CORPORATE SOURCE:

Pfizer Global Research and Development, Ann Arbor, MI,

SOURCE:

48105, USA

Synthetic Communications (2002), 32(3), 411-417

CODEN: SYNCAV; ISSN: 0039-7911

Marcel Dekker, Inc.

PUBLISHER:

Journal

DOCUMENT TYPE:

English

LANGUAGE:

CASREACT 137:33101

OTHER SOURCE(S):

AB A new method for the synthesis of 2-anilinobenzoic acids is presented. with 2-fluorobenzoic acids and anilines as starting materials. Several exptl. conditions as well as the factors influencing the outcome of the reaction are described.

IT 313674-97-4P


RL: SPN (Synthetic preparation); PREP (Preparation)

(prepn. of anilinobenzoic acids from aniline and fluorobenzoate)

CN 313674-97-4 CAPLUS

BN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]- (9CI)

(CA INDEX NAME)




REFERENCE COUNT: 13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS

RECORD. ALL CITATIONS AVAILABLE IN THE RE

FORMAT

L4 ANSWER 3 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN


(Continued)



RN 313675-05-7 CAPLUS

CN Benzoic acid, 2-[[4-[3-(3,4-dichlorophenyl)propyl]phenyl]amino]- (9CI)

(CA INDEX NAME)



REFERENCE COUNT:

6

THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS

RECORD. ALL CITATIONS AVAILABLE IN THE RE

FORMAT

L4 ANSWER 5 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER:

2001:50471 CAPLUS

DOCUMENT NUMBER:

134:120934

TITLE:

Albumin-binding compounds that prevent nonenzymatic glycation and may be used for treatment of glycation-related pathologies

INVENTOR(S):

Cohen, Margo

PATENT ASSIGNEE(S):

Exocell, Inc., USA

SOURCE:

PCT Int. Appl., 38 pp.

DOCUMENT TYPE:

CODEN: PIXXD2

LANGUAGE:

Patent

FAMILY ACC. NUM. COUNT:

English

PATENT INFORMATION:

4

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001003684	A2	20010118	WO 2000-US18449	20000706
WO 2001003684	A3	20020606		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, GR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

RM: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG

US 6355680 B1 20020312 US 1999-349853 19990708

AU 2000059151 A5 20010130 AU 2000-59151 20000706

EP 1242069 A2 20020925 EP 2000-945171 20000706

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL

JP 2001504328 T2 20030204 JP 2001-508965 20000706

PRIORITY APPLN. INFO.:

US 1999-349853 A 19990708

US 1996-603147 B2 19960220

WO 1997-US2622 A2 19970219

US 1998-15148 A2 19980129

WO 2000-US18449 W 20000706

OTHER SOURCE(S):

MARPAT 134:120934

AB The present invention is directed to compns. that inhibit the nonenzymic glycation of albumin, as well as methods of using compds. that inhibit albumin glycation for the treatment of glycation-related pathologies. An example of such compd. is 2-[[3-(3-chlorophenyl)amino]phenyl]acetic acid.

IT 320777-06-8

RL: BAC (Biological activity or effector, except adverse); BSU

(Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES


(Uses)

(albumin-binding compds. that prevent nonenzymic glycation for treatment of glycation-related pathologies)

RN 320777-06-8 CAPLUS

CN Benzoic acid, 2-[[2,6-dichloro-3-(phenylmethyl)phenyl]amino]- (9CI) (CA INDEX NAME)

L4 ANSWER 5 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)





L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER: 2000:900433 CAPLUS
 DOCUMENT NUMBER: 134:56480
 TITLE: Method of inhibiting amyloid protein aggregation, treating Alzheimer's disease, and imaging amyloid deposits using [1-(phenylalkyl)phenyl]amino]benzoic acids and analogs
 INVENTOR(S): Augelli-Szafran, Corinne Elizabeth; Barvian, Mark Robert; Bigge, Christopher Franklin; Glase, Shelly Ann; Hechiya, Shunichiro; Kelly, John Steven; Kimura Takenori; Lai, Yingjie; Sakakab, Annette Theresa;
 Suto, Mark James; Walker, Lary Craswell; Yasunaga, Tomoyuki;
 Zhuang, Nian
 PATENT ASSIGNEE(S): Warner-Lambert Company, USA; Yamanouchi Company, Ltd.; et al.
 SOURCE: PCT Int. Appl., 135 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000076489	A2	20001221	WO 2000-US15071	20000531
WO 2000076489	A3	20020530		
W: AE, AG, AL, AU, BA, BB, BG, BR, CA, CN, CR, CU, CZ, DM, DZ, EE, GE, GR, HR, HU, ID, IL, IN, IS, JP, KR, LC, LK, LR, LT, LV, MA, MG, MK, MM, MN, MO, NZ, PL, RO, SG, SI, SK, SL, TR, TT, UA, US, UZ, VN, YU, ZA, AM, AZ, BY, KG, KZ, MD, RU, TJ, TH, RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
BR 2000011728	A	20020226	BR 2000-11728	20000531
EP 1225886	A2	20020731	EP 2000-939471	20000531
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL				
JP 2003504310	T2	20030204	JP 2001-502823	20000531
EE 200100673	A	20030217	EE 2001-673	20000531
NO 2001005995	A	20020204	NO 2001-5995	20011207
BG 106293	A	20020628	BG 2002-106293	20020109
PRIORITY APPLN. INFO.: US 1999-138550P P 19990610 WO 2000-US15071 W 20000531				
OTHER SOURCE(S): MARPAT 134:56480				
GI				

L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




AB The invention provides a method of treating Alzheimer's disease using compds. I and their pharmaceutically acceptable salts [wherein: R = H, alkyl, alkanoyl; n = 0-5; R1-R7 = H, halo, OH, (un)substituted NH2 or cyclic amino, CO2H or derivs., NO2, alkoxy, CF3, cyano, (un)substituted OPH, etc.; or R1R2 = OCH2O; R8 = CO2H, tetrazolyl, SO2R9, CONHSO2R9; R9 = H, alkyl, CF3, or Ph; A = CH or N]. Also provided is a method of inhibiting the aggregation of amyloid proteins using I, and a method of imaging amyloid deposits, as well as new compds. Claims further include pharmaceutical formulations contg. I. Examples include 163 synthetic examples and 4 bioassays. For instance, title compd. II was prepd. by a sequence of: (1) reaction of 4-(bromomethyl)-1,2-dichlorobenzene with

PPh3 to give a bromophosphorane (i.e., phosphonium salt) (78%); (2) Swern oxidn. of 4-(4-nitrophenyl)butan-1-ol to the aldehyde (65%); (3) Wittig reaction of the above 2 products to give an alkene (99%); (4) hydrogenation of the alkene and nitro functions (46%); and (5) lithiation and coupling of the amine with 2-fluoro-5-nitrobenzoic acid (75%). In an assay for inhibition of self-seeded amyloid fibril growth, II had an IC50 of 0.9 .mu.M. A combinatorial methodol. for prepn. of I is also described.


IT 313675-05-7P, 2-[[4-[3-(3,4-dichlorophenyl)propyl]phenyl]amino]benzoic acid 313675-61-5P, 2-[[4-[3-(4-nitrophenyl)propyl]phenyl]amino]benzoic acid 313675-63-7P, 2-[[4-[3-(4-aminophenyl)propyl]phenyl]amino]benzoic acid 313676-48-1P, 2-[[4-[2-(3,4-dimethoxyphenyl)ethyl]phenyl]amino]benzoic acid 313676-64-1P, 2-[[4-[2-(3,4,5-trimethoxyphenyl)ethyl]phenyl]amino]benzoic acid
 R1: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(drug candidate; prepn. and use of [(phenylalkyl)phenyl]amino]benzoic acids and analogs as amyloid protein aggregation inhibitors)
 RN 313675-05-7 CAPLUS
 CN Benzoic acid, 2-[[4-[3-(3,4-dichlorophenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313675-61-5 CAPLUS
 CN Benzoic acid, 2-[[4-[3-(4-nitrophenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313675-63-7 CAPLUS
 CN Benzoic acid, 2-[[4-[3-(4-aminophenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313676-48-1 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dimethoxyphenyl)ethyl]phenyl]amino]- (CA INDEX NAME)



RN 313676-64-1 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4,5-trimethoxyphenyl)ethyl]phenyl]amino]- (CA INDEX NAME)

L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS ON STN (Continued)



IT 313674-97-4P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]benzoic acid 313674-98-5P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-5-nitrobenzoic acid 313674-99-6P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-4-methoxy-5-nitrobenzoic acid 313675-00-2P, 2-[[4-[2-(3,4-Dihydroxyphenyl)ethyl]phenyl]amino]benzoic acid 313675-01-3P, 2-[[4-[2-(4-Dibutylaminophenyl)ethyl]phenyl]amino]benzoic acid 313675-02-4P, 2-[[4-[2-(3,4,5-Trihydroxyphenyl)ethyl]phenyl]amino]benzoic acid 313675-03-5P, 2-[[4-[2-(3,4-Dichlorophenyl)propyl]phenyl]amino]-4-methoxy-5-nitrobenzoic acid 313675-04-6P, 2-[[4-[2-(3,4-Dichlorophenyl)propyl]phenyl]amino]-4-imidazol-1-yl-5-nitrobenzoic acid 313675-05-8P, 2-[[4-[4-(3,4-Dichlorophenyl)butyl]phenyl]amino]benzoic acid 313675-07-9P, 2-[[4-[4-(3,4-Dichlorophenyl)butyl]phenyl]amino]-5-nitrobenzoic acid 313675-08-0P, 2-[[4-[4-(3,4-Dichlorophenyl)butyl]phenyl]amino]-3,5-dinitrobenzoic acid 313675-09-1P, 2-[[4-[5-(3,4-Dichlorophenyl)pentyl]phenyl]amino]-5-nitrobenzoic acid 313675-10-4P, 2-[[4-[5-(3,4-Dichlorophenyl)pentyl]phenyl]amino]-4-methoxy-5-nitrobenzoic acid 313675-11-5P, 2-[[4-[3,4-Dichlorophenyl]phenyl]amino]benzoic acid 313675-12-6P, 2-[[4-[2-(3,4-Dimethylphenyl)ethyl]phenyl]amino]-5-nitrobenzoic acid 313675-13-7P, 2-[[4-[2-(3,4-Difluorophenyl)ethyl]phenyl]amino]-5-nitrobenzoic acid 313675-14-8P, 2-[[4-[2-(4-Chloro-3-trifluoromethylphenyl)ethyl]phenyl]amino]benzoic acid 313675-15-9P, 2-[[4-[2-Biphenyl-4-ylethyl]phenyl]amino]-5-nitrobenzoic acid 313675-16-0P, 5-Nitro-2-[[4-(phenethylphenyl)amino]benzoic acid 313675-17-1P, 2-[[4-(Phenethylphenyl)amino]benzoic acid 313675-18-2P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-5-methoxybenzoic acid 313675-19-3P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]terephthalic acid 313675-20-6P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-5-methylbenzoic acid 313675-21-7P, 4-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]isophtalic acid 313675-22-8P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-5-(methanesulfonyl)benzoic acid 313675-23-9P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-5-imidazol-1-ylbenzoic acid 313675-24-0P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-6-nitrobenzoic acid 313675-25-1P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-4-nitrobenzoic acid 313675-26-2P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-3-nitrobenzoic acid 313675-27-3P, 5-Cyano-2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]benzoic acid 313675-28-4P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-4,6-difluorobenzoic acid 313675-29-5P, 6-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-2,3-difluorobenzoic acid 313675-30-6P, 2-[[4-[2-(3,4-

L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS ON STN (Continued)
2-[[4-[2-(3-Aminophenyl)ethyl]phenyl]amino]benzoic acid 313675-75-1P, 2-[[4-[3-(4-Dimethylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-76-2P, 2-[[4-[2-(4-Acetylamino)phenyl]ethyl]phenyl]amino]benzoic acid 313675-77-3P, 2-[[4-[2-(3-Acetylamino)phenyl]ethyl]phenyl]amino]benzoic acid 313675-78-4P, 2-[[4-[2-(3-Dipropylaminophenyl)ethyl]phenyl]amino]benzoic acid monohydrochloride 313675-79-5P, 2-[[4-[2-(3-Dibutylaminophenyl)ethyl]phenyl]amino]benzoic acid monohydrochloride 313675-80-6P, 2-[[4-[3-(4-Acetylamino)propyl]phenyl]amino]benzoic acid 313675-81-7P, 2-[[4-[3-(3-Acetylamino)propyl]phenyl]amino]benzoic acid 313675-82-0P, 2-[[4-[2-(3-Diethylaminophenyl)ethyl]phenyl]amino]benzoic acid monohydrochloride 313675-83-1P, 2-[[4-[2-(3-Piperidin-1-yl)phenyl]ethyl]phenyl]amino]benzoic acid monohydrochloride 313675-84-2P, 2-[[4-[3-(4-Dipropylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-86-4P, 2-[[4-[3-(4-Dibutylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-87-5P, 2-[[4-[3-(3-Dibutylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-89-7P, 2-[[4-[3-(4-(1H-Pyrral-1-yl)phenyl)propyl]phenyl]amino]benzoic acid 313675-91-1P, 2-[[4-[3-(4-Piperidin-1-yl)phenyl]propyl]phenyl]amino]benzoic acid 313675-92-2P, 2-[[4-[3-(4-(Diethylcarbamoyl)phenyl)propyl]phenyl]amino]benzoic acid 313675-93-3P, 2-[[4-[3-(4-Carboxyphenyl)propyl]phenyl]amino]benzoic acid 313675-94-4P, 2-[[4-[3-(4-(Diethylamino)methyl]phenyl]propyl]phenyl]amino]benzoic acid 313675-95-5P, 2-[[4-[3-(4-Propylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-96-6P, 2-[[4-[3-(3-Propylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-97-7P, 2-[[4-[3-(4-Pyrrolidin-1-yl)phenyl]propyl]phenyl]amino]benzoic acid 313675-98-0P, 2-[[4-[3-(3-Piperidin-1-yl)phenyl]propyl]phenyl]amino]benzoic acid 313676-03-8P, 2-[[4-[3-(3,4-Dichlorophenyl)propyl]phenyl]amino]-5-methylbenzoic acid 313676-04-9P, N-(2-[[4-[3-(3,4-Dichlorophenyl)propyl]phenyl]amino]benzoyl)methanesulfonamide 313676-05-0P, 2-[[4-[2-(4-Chloro-3-trifluoromethylphenyl)ethyl]phenyl]amino]-5-nitrobenzoic acid 313676-06-1P, 2-[[4-[2-(4-Fluoro-3-trifluoromethylphenyl)ethyl]phenyl]amino]benzoic acid 313676-07-2P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-2-(1H-tetrazol-5-yl)phenyl]amine 313676-08-3P, 2-[[4-[2-(4-Fluoro-3-trifluoromethylphenyl)ethyl]phenyl]amino]-5-nitrobenzoic acid 313676-09-4P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-5-fluorobenzoic acid 313676-10-5P, 2-[[4-[2-(3-Chlorophenyl)ethyl]phenyl]amino]-5-nitrobenzoic acid 313676-11-6P, 2-[[4-[2-(4-Chlorophenyl)ethyl]phenyl]amino]-5-nitrobenzoic acid 313676-12-7P, 2-[[4-[2-(4-Chlorophenyl)ethyl]phenyl]amino]-5-nitrobenzoic acid 313676-13-8P, 2-[[4-[2-(2-Chlorophenyl)ethyl]phenyl]amino]-5-nitrobenzoic acid 313676-14-9P, 2-[[4-[2-(2,4-Dichlorophenyl)ethyl]phenyl]amino]-5-nitrobenzoic acid 313676-15-0P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-5-dimethylaminobenzoic acid 313676-17-4P, 2-[[4-[2-(3,5-Dichlorophenyl)ethyl]phenyl]amino]benzoic acid 313676-18-5P, 2-[[4-[2-(4-(4aS,8aR)-Octahydroisoquinolin-2-yl)phenyl]ethyl]phenyl]amino]benzoic acid 313676-26-5P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]benzoic acid 313676-27-6P, 5-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]isophtalic acid 313676-28-7P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-4,5-dimethoxybenzoic acid 313676-29-8P, 2-[[4-[2-(3-Chloro-4-methylphenyl)ethyl]phenyl]amino]-3-nitrobenzoic acid 313676-30-1P, 3-[[4-[2-(3-Chloro-4-


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS ON STN (Continued)
Dichlorophenyl]ethyl]phenyl]amino]-6-fluorobenzoic acid 313675-31-9P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-3-fluorobenzoic acid 313675-32-0P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-3-methylbenzoic acid 313675-33-1P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-4-fluorobenzoic acid 313675-34-2P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-3,5-difluorobenzoic acid 313675-35-3P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-3-trifluoromethylbenzoic acid 313675-36-4P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-6-trifluoromethylbenzoic acid 313675-37-5P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-5-trifluoromethylbenzoic acid 313675-38-6P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-5-pyrrol-1-ylbenzoic acid 313675-39-7P, 2-[[4-[2-(4-Benzyloxyphenyl)ethyl]phenyl]amino]benzoic acid 313675-40-0P, 2-[[4-[2-(4-(3-Dimethylaminopropoxy)phenyl)ethyl]phenyl]amino]benzoic acid 313675-41-3P, 2-[[4-[2-(4-Diethylaminophenyl)ethyl]phenyl]amino]benzoic acid 313675-42-2P, 2-[[4-[2-(4-Phenoxyphenyl)ethyl]phenyl]amino]benzoic acid 313675-43-3P, 2-[[4-[2-(4-Octyloxyphenyl)ethyl]phenyl]amino]benzoic acid 313675-44-4P, 2-[[4-[2-(4-Ethoxy-1-(ethoxymethyl)ethyl]phenyl]ethyl]phenyl]amino]benzoic acid 313675-45-5P, 2-[[4-[2-(4-Pyrrol-1-ylphenyl)ethyl]phenyl]amino]benzoic acid 313675-46-6P, 2-[[4-[2-(4-Cyrylphenyl)ethyl]phenyl]amino]benzoic acid 313675-47-7P, 2-[[4-[2-(4-Ethylbiphenyl-4-yl)ethyl]phenyl]amino]benzoic acid 313675-48-8P, 2-[[4-[2-(4-Octylphenyl)ethyl]phenyl]amino]benzoic acid 313675-49-9P, 2-[[4-[2-(3,5-Dichlorophenoxy)phenyl]ethyl]phenyl]amino]benzoic acid 313675-50-2P, 2-[[4-[2-(4-Chloro-6-fluorobenzyloxy)phenyl]ethyl]phenyl]amino]benzoic acid 313675-51-3P, 2-[[4-[2-(4-Pyrazol-1-ylphenyl)ethyl]phenyl]amino]benzoic acid 313675-52-4P, 2-[[4-[2-(4-Diphenylaminophenyl)ethyl]phenyl]amino]benzoic acid 313675-53-5P, 2-[[4-[2-(4-(3,4-Dichlorobenzoyloxy)phenyl]ethyl]phenyl]amino]benzoic acid 313675-54-6P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-5-aminobenzoic acid 313675-56-8P, 2-[[4-[3-(3,4-Dichlorophenyl)propyl]phenyl]amino]-5-nitrobenzoic acid 313675-60-4P, 2-[[4-[3-(4-Diethylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-62-6P, 2-[[4-[3-(3-Nitrophenyl)propyl]phenyl]amino]benzoic acid 313675-64-8P, 2-[[4-[3-(4-Aminophenyl)propyl]phenyl]amino]benzoic acid 313675-65-9P, 2-[[4-[2-(4-Aminophenyl)ethyl]phenyl]amino]benzoic acid 313675-66-0P, 2-[[4-[2-(4-Dipropylaminophenyl)ethyl]phenyl]amino]benzoic acid monohydrochloride 313675-67-1P, 2-[[4-[2-(4-Diethylaminophenyl)ethyl]phenyl]amino]benzoic acid monohydrochloride monohydrate 313675-68-2P, 2-[[4-[3-(3-Dipropylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-69-3P, 2-[[4-[3-(3-Dimethylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-70-6P, 2-[[4-[3-(4-Diethylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-71-7P, 2-[[4-[3-(4-Diethylaminophenyl)propyl]phenyl]amino]-N-ethylamino]benzoic acid 313675-72-8P, 2-[[4-[2-(3-(Diethylaminophenyl)ethyl]phenyl]amino]benzoic acid 313675-73-9P, 2-[[4-[3-(3-Diethylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-74-0P

L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS ON STN (Continued)
methylphenyl]ethyl]phenyl]amino]benzoic acid 313676-31-2P, 5-[[4-[2-(3-Chloro-4-methylphenyl)ethyl]phenyl]amino]isophtalic acid 313676-32-3P, 2-[[4-[2-(3-Chloro-4-methylphenyl)ethyl]phenyl]amino]benzoic acid 313676-33-4P, 4-[[4-[2-(4-(4aS,8aR)-Octahydroisoquinolin-2-yl)phenyl]ethyl]phenyl]amino]benzoic acid 313676-34-5P, 2-[[4-[3-(4-Diethylaminophenyl)propyl]phenyl]amino]-5-methoxybenzoic acid 313676-35-6P, 2-[[4-[2-(3-Methoxyphenyl)ethyl]phenyl]amino]benzoic acid 313676-36-7P, 2-[[4-[2-(3-Bromophenyl)ethyl]phenyl]amino]benzoic acid 313676-37-8P, 2-[[4-[2-(3-Fluorophenyl)ethyl]phenyl]amino]benzoic acid 313676-39-0P, 2-[[4-[2-(3-Fluoro-4-methylphenyl)ethyl]phenyl]amino]benzoic acid 313676-40-3P, 2-[[4-[3-(4-Diethylaminophenyl)propyl]phenyl]amino]-5-nitrobenzoic acid 313676-41-4P, 2-[[4-[3-(4-Diethylaminophenyl)propyl]phenyl]amino]benzoic acid 313676-42-5P, 4-[[4-[3-(4-Diethylaminophenyl)propyl]phenyl]amino]-3-methoxybenzoic acid 313676-43-6P, 2-[[4-[2-(3-Chloro-4-methylphenyl)ethyl]phenyl]amino]-5-methoxybenzoic acid 313676-46-9P, 2-[[4-[3-(4-Diethylaminophenyl)propyl]phenyl]amino]-3-nitrobenzoic acid 313676-47-0P, 3-[[4-[3-(4-Diethylaminophenyl)propyl]phenyl]amino]benzoic acid 313676-49-2P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]benzoic acid monosodium salt 313676-50-3P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]benzoic acid monopotassium salt 313676-51-6P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]benzoic acid calcium salt (1:1) 313676-52-7P, [2-Hydroxy-1,1-bis(hydroxymethyl)ethyl]ammonium 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]benzoate 313676-53-8P, 2-[[4-[4-(3,4-Dichlorophenyl)butyl]phenyl]amino]-5-methoxybenzoic acid 313676-54-9P, 2-[[4-[2-(3,4-Difluorophenyl)ethyl]phenyl]amino]benzoic acid 313676-55-0P, 2-[[3-[2-(4-Chlorophenyl)ethyl]phenyl]amino]benzoic acid 313676-56-1P, 2-[[3-[2-(3,4-Dimethylphenyl)ethyl]phenyl]amino]benzoic acid 313676-57-2P, 2-[[4-[2-(2,4-Dimethoxyphenyl)ethyl]phenyl]amino]benzoic acid 313676-58-3P, 2-[[4-[2-(2-Chlorophenyl)ethyl]phenyl]amino]benzoic acid 313676-59-4P, 2-[[4-[2-(2-Hydroxyphenyl)ethyl]phenyl]amino]benzoic acid 313676-60-7P, 2-[[4-[2-(3-Chlorophenyl)ethyl]phenyl]amino]benzoic acid 313676-61-8P, 2-[[4-[2-Biphenyl-4-ylethyl]phenyl]amino]benzoic acid 313676-62-9P, 2-[[4-[2-(2,4-Dichlorophenyl)ethyl]phenyl]amino]benzoic acid 313676-63-0P, 4-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]benzoic acid 313676-65-2P, 2-[[4-[5-(3,4-Dichlorophenyl)pentyl]phenyl]amino]benzoic acid 313676-67-4P, 4-[[4-[3-(3,4-Dichlorophenyl)propyl]phenyl]amino]-2-methoxy-5-nitrobenzoic acid 313676-69-6P, 2-[[4-[3-(3,4-Dichlorophenyl)propyl]phenyl]amino]-5-fluorobenzoic acid 313676-70-9P, 5-Amino-2-[[4-[5-(3,4-Dichlorophenyl)pentyl]phenyl]amino]benzoic acid 313676-71-0P, N-(2-[[4-[3-(3,4-Dichlorophenyl)propyl]phenyl]amino]benzoyl)-C-C-C-trifluoromethanesulfonamide 313676-72-1P, N-(2-[[4-[3-(3,4-Dichlorophenyl)propyl]phenyl]amino]benzoyl)benzenesulfonamide 313676-73-2P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-4-trifluoromethylbenzoic acid 313676-74-3P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]methylamino]-5-dimethylaminobenzoic acid 313676-75-4P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]methylaminobenzoic acid 313676-76-5P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-5-dipropylaminobenzoic acid 313676-77-6P, 5-Dibutylamino-2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]benzoic acid 313676-78-7P,


Habe

10/21/2003


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-5-diethylaminobenzoic acid 313676-79-8P, 2,2'-[[1,2-Ethanediy]bis(4,1-phenyleneimino)]bisbenzoic acid
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BLOL (Biological study); PREP (Preparation); USES (Uses) (drug candidate; prepn. and use of [[(phenylalkyl)phenyl]amino]benzoic acids and analogs as amyloid protein aggregation inhibitors)
 RN 313674-97-4 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]- (9CI)
 (CA INDEX NAME)




RN 313674-98-5 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-5-nitro- (9CI) (CA INDEX NAME)




RN 313674-99-6 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-4-methoxy-5-nitro- (9CI) (CA INDEX NAME)




L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313675-04-6 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-4-methoxy-5-nitro- (9CI) (CA INDEX NAME)



RN 313675-06-8 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-4-methoxy-5-nitro- (9CI) (CA INDEX NAME)




RN 313675-07-9 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-4-methoxy-5-nitro- (9CI) (CA INDEX NAME)




L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)


RN 313675-00-2 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dihydroxyphenyl)ethyl]phenyl]amino]- (9CI)
 (CA INDEX NAME)



RN 313675-01-3 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(4-(diethylamino)phenyl)ethyl]phenyl]amino]- (9CI)
 (CA INDEX NAME)




RN 313675-02-4 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4,5-trihydroxyphenyl)ethyl]phenyl]amino]- (9CI)
 (CA INDEX NAME)




RN 313675-03-5 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-4-methoxy-5-nitro- (9CI) (CA INDEX NAME)

L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)


RN 313675-08-0 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)butyl]phenyl]amino]-3,5-dinitro- (9CI) (CA INDEX NAME)




RN 313675-09-1 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)pentyl]phenyl]amino]-5-nitro- (9CI) (CA INDEX NAME)



RN 313675-10-4 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)pentyl]phenyl]amino]-4-methoxy-5-nitro- (9CI) (CA INDEX NAME)




RN 313675-11-5 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)methyl]phenyl]amino]- (9CI) (CA INDEX NAME)




L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)


RN 313675-12-6 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(3,4-dimethylphenyl)ethyl)phenyl]amino]-5-nitro-
 (9CI) (CA INDEX NAME)



RN 313675-13-7 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(3,4-difluorophenyl)ethyl)phenyl]amino]-5-nitro-
 (9CI) (CA INDEX NAME)




RN 313675-14-8 CAPLUS
 CN Benzoic acid, 2-[[4-(2-[4-chloro-3-(trifluoromethyl)phenyl]ethyl)phenyl]amino]-
 (9CI) (CA INDEX NAME)




RN 313675-15-9 CAPLUS
 CN Benzoic acid, 2-[[4-(2-[1,1'-biphenyl]-4-ylethyl)phenyl]amino]-5-nitro-
 (9CI) (CA INDEX NAME)


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313675-20-6 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(3,4-dichlorophenyl)ethyl)phenyl]amino]-5-methyl-
 (9CI) (CA INDEX NAME)




RN 313675-21-7 CAPLUS
 CN 1,3-Benzenedicarboxylic acid, 4-[[4-(2-(3,4-dichlorophenyl)ethyl)phenyl]amino]-
 (9CI) (CA INDEX NAME)




RN 313675-22-8 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(3,4-dichlorophenyl)ethyl)phenyl]amino]-5-
 (methylsulfonyl)- (9CI) (CA INDEX NAME)


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313675-16-0 CAPLUS
 CN Benzoic acid, 5-nitro-2-[[4-(2-phenylethyl)phenyl]amino]- (9CI) (CA
 INDEX NAME)



RN 313675-17-1 CAPLUS
 CN Benzoic acid, 2-[[4-(2-phenylethyl)phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-18-2 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(3,4-dichlorophenyl)ethyl)phenyl]amino]-5-methoxy-
 (9CI) (CA INDEX NAME)




RN 313675-19-3 CAPLUS
 CN 1,4-Benzenedicarboxylic acid, 2-[[4-(2-(3,4-dichlorophenyl)ethyl)phenyl]amino]-
 (9CI) (CA INDEX NAME)

L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313675-23-9 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(3,4-dichlorophenyl)ethyl)phenyl]amino]-5-(1H-imidazol-1-yl)-
 (9CI) (CA INDEX NAME)


PAGE 1-A




PAGE 2-A




L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
 RN 313675-24-0 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-6-nitro-
 (9CI) (CA INDEX NAME)



RN 313675-25-1 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-4-nitro-
 (9CI) (CA INDEX NAME)




RN 313675-26-2 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-3-nitro-
 (9CI) (CA INDEX NAME)




RN 313675-27-3 CAPLUS
 CN Benzoic acid, 5-cyano-2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-
 (9CI) (CA INDEX NAME)


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313675-31-9 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-3-fluoro-
 (9CI) (CA INDEX NAME)



RN 313675-32-0 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-3-methyl-
 (9CI) (CA INDEX NAME)




RN 313675-33-1 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-4-fluoro-
 (9CI) (CA INDEX NAME)




RN 313675-34-2 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-3,5-
 difluoro- (9CI) (CA INDEX NAME)

Habte


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313675-28-4 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-4,6-
 difluoro- (9CI) (CA INDEX NAME)




RN 313675-29-5 CAPLUS
 CN Benzoic acid, 6-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-2,3-
 difluoro- (9CI) (CA INDEX NAME)




RN 313675-30-8 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-6-fluoro-
 (9CI) (CA INDEX NAME)


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313675-35-3 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-3-
 (trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 313675-36-4 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-6-
 (trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 313675-37-5 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-5-
 (trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 313675-38-6 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-5-(1H-
 pyrrol-1-yl)- (9CI) (CA INDEX NAME)

10/21/2003

L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)


PAGE 1-A



PAGE 2-A




RN 313675-39-7 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(4-(phenylmethoxy)phenyl)ethyl]phenyl]amino]- (9CI)
 (CA INDEX NAME)




RN 313675-40-0 CAPLUS
 CN Benzoic acid, 2-[[4-[2-[3-(dimethylamino)propoxy]phenyl]ethyl]phenyl]amino]- (9CI)
 (CA INDEX NAME)

L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313675-45-5 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(4-(1H-pyrrol-1-yl)phenyl)ethyl]phenyl]amino]- (9CI)
 (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 313675-46-6 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(4-(2-phenylethenyl)phenyl)ethyl]phenyl]amino]- (9CI)
 (CA INDEX NAME)


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313675-41-1 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(4-(diethylamino)phenyl)ethyl]phenyl]amino]- (9CI)
 (CA INDEX NAME)



RN 313675-42-2 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(4-phenoxyphenyl)ethyl]phenyl]amino]- (9CI)
 (CA INDEX NAME)




RN 313675-43-3 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(4-(octyloxy)phenyl)ethyl]phenyl]amino]- (9CI)
 (CA INDEX NAME)




RN 313675-44-4 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(4-(ethoxymethyl)ethyl]phenyl)ethyl]phenyl]amino]- (9CI)
 (CA INDEX NAME)


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313675-47-7 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(4-(1,1'-biphenyl-4-yl)ethyl]phenyl]amino]- (9CI)
 (CA INDEX NAME)



RN 313675-48-8 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(4-(octylphenyl)ethyl]phenyl]amino]- (9CI)
 (CA INDEX NAME)




RN 313675-49-9 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,5-dichlorophenoxy)phenyl]ethyl]phenyl]amino]- (9CI)
 (CA INDEX NAME)




RN 313675-50-2 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(4-(2-chloro-6-fluorophenyl)ethoxy)phenyl]ethyl]phenyl]amino]- (9CI)
 (CA INDEX NAME)


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313675-51-3 CAPLUS
CN Benzoic acid, 2-[[4-[2-[(1H-pyrazol-1-yl)phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313675-52-4 CAPLUS
CN Benzoic acid, 2-[[4-[2-[(diphenylamino)phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-53-5 CAPLUS
CN Benzoic acid, 2-[[4-[2-[(3,4-dichlorophenyl)methoxy]phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-54-6 CAPLUS
CN Benzoic acid, 5-amino-2-[[4-[2-[(3,4-dichlorophenyl)ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)

L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)


RN 313675-64-8 CAPLUS
CN Benzoic acid, 2-[[4-[3-(3-aminophenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313675-65-9 CAPLUS
CN Benzoic acid, 2-[[4-[3-(3-aminophenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-66-0 CAPLUS
CN Benzoic acid, 2-[[4-[3-(3-aminophenyl)propyl]phenyl]amino]-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 313675-67-1 CAPLUS
CN Benzoic acid, 2-[[4-[3-(3-aminophenyl)propyl]phenyl]amino]-, monohydrochloride, monohydrate (9CI) (CA INDEX NAME)


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313675-56-8 CAPLUS
CN Benzoic acid, 2-[[4-[3-(3,4-dichlorophenyl)propyl]phenyl]amino]-5-nitro- (9CI) (CA INDEX NAME)




RN 313675-60-4 CAPLUS
CN Benzoic acid, 2-[[4-[3-(3-nitrophenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313675-62-6 CAPLUS
CN Benzoic acid, 2-[[4-[3-(3-nitrophenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)




L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




● HCl

● H₂O


RN 313675-68-2 CAPLUS
CN Benzoic acid, 2-[[4-[3-(3-nitrophenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313675-69-3 CAPLUS
CN Benzoic acid, 2-[[4-[3-(3-nitrophenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313675-70-6 CAPLUS
CN Benzoic acid, 2-[[4-[3-(3-nitrophenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-71-7 CAPLUS
CN Benzoic acid, 2-[[4-[3-(3-nitrophenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)


Habte

10/21/2003


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313675-72-8 CAPLUS
CN Benzoic acid, 2-[[4-[2-[3-(bis(phenylmethyl)amino)phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313675-73-9 CAPLUS
CN Benzoic acid, 2-[[4-[3-[3-(diethylamino)phenyl]propyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-74-0 CAPLUS
CN Benzoic acid, 2-[[4-[2-[3-(aminophenyl)ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-75-1 CAPLUS
CN Benzoic acid, 2-[[4-[3-[4-(dimethylamino)phenyl]propyl]phenyl]amino]- (9CI) (CA INDEX NAME)

L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




● HCl


RN 313675-80-8 CAPLUS
CN Benzoic acid, 2-[[4-[3-[4-(acetylamino)phenyl]propyl]phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313675-81-9 CAPLUS
CN Benzoic acid, 2-[[4-[3-[4-(acetylamino)phenyl]propyl]phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313675-82-0 CAPLUS
CN Benzoic acid, 2-[[4-[2-[3-(diethylamino)phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)




● HCl


RN 313675-83-1 CAPLUS
CN Benzoic acid, 2-[[4-[2-[3-(1-piperidiny)phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)

Habe


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313675-76-2 CAPLUS
CN Benzoic acid, 2-[[4-[2-[4-(acetylamino)phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313675-77-3 CAPLUS
CN Benzoic acid, 2-[[4-[2-[3-(acetylamino)phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-78-4 CAPLUS
CN Benzoic acid, 2-[[4-[2-[3-(dipropylamino)phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)



● HCl


RN 313675-79-5 CAPLUS
CN Benzoic acid, 2-[[4-[2-[3-(dibutylamino)phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)

L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




● HCl


RN 313675-84-2 CAPLUS
CN Benzoic acid, 2-[[4-[3-[4-(dipropylamino)phenyl]propyl]phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313675-86-4 CAPLUS
CN Benzoic acid, 2-[[4-[3-[4-(dibutylamino)phenyl]propyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-87-5 CAPLUS
CN Benzoic acid, 2-[[4-[2-[3-(dibutylamino)phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-89-7 CAPLUS
CN Benzoic acid, 2-[[4-[3-[4-(1H-pyrrol-1-yl)phenyl]propyl]phenyl]amino]- (9CI) (CA INDEX NAME)

10/21/2003


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313675-91-1 CAPLUS
CN Benzoic acid, 2-[[4-[(1-piperidinyl)phenyl]propyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-92-2 CAPLUS
CN Benzoic acid, 2-[[4-[(diethylamino)carbonyl]phenyl]propyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-93-3 CAPLUS
CN Benzoic acid, 2-[[4-[(4-carboxyphenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313675-98-8 CAPLUS
CN Benzoic acid, 2-[[4-[(3-(1-piperidinyl)phenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313676-03-8 CAPLUS
CN Benzoic acid, 2-[[4-[(3,4-dichlorophenyl)propyl]phenyl]amino]-5-methyl- (9CI) (CA INDEX NAME)




RN 313676-04-9 CAPLUS
CN Benzenamine, N-[4-[(3,4-dichlorophenyl)propyl]phenyl]-2-(1H-tetrazol-5-yl)- (9CI) (CA INDEX NAME)


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313675-94-4 CAPLUS
CN Benzoic acid, 2-[[4-[(3-(diethylamino)methyl)phenyl]propyl]phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313675-95-5 CAPLUS
CN Benzoic acid, 2-[[4-[(3-(propylamino)phenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-96-6 CAPLUS
CN Benzoic acid, 2-[[4-[(3-(propylamino)phenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-97-7 CAPLUS
CN Benzoic acid, 2-[[4-[(3-(1-pyrrolidinyl)phenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313676-05-0 CAPLUS
CN Benzoic acid, 2-[[4-[(2-(4-chloro-3-(trifluoromethyl)phenyl)ethyl]phenyl]amino]-5-nitro- (9CI) (CA INDEX NAME)




RN 313676-06-1 CAPLUS
CN Benzoic acid, 2-[[4-[(2-(4-fluoro-3-(trifluoromethyl)phenyl)ethyl]phenyl]amino]-5-nitro- (9CI) (CA INDEX NAME)




RN 313676-07-2 CAPLUS
CN Benzenamine, N-[4-[(2-(3,4-dichlorophenyl)ethyl]phenyl]-2-(1H-tetrazol-5-yl)- (9CI) (CA INDEX NAME)


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313676-08-3 CAPLUS
 CN Benzoic acid,
 2-[[4-[[2-(4-fluoro-3-(trifluoromethyl)phenyl)ethyl]phenyl]amino]-5-nitro- (9CI) (CA INDEX NAME)




RN 313676-09-4 CAPLUS
 CN Benzoic acid, 2-[[4-[[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-5-fluoro- (9CI) (CA INDEX NAME)




RN 313676-11-8 CAPLUS
 CN Benzoic acid, 2-[[4-[[2-(3-chlorophenyl)ethyl]phenyl]amino]-5-nitro- (9CI) (CA INDEX NAME)


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313676-15-2 CAPLUS
 CN Benzoic acid,
 2-[[4-[[2-[[4-[[2-(4-dibutylamino)phenyl]ethyl]phenyl]amino]-5-nitro- (9CI) (CA INDEX NAME)



RN 313676-16-3 CAPLUS
 CN Benzoic acid, 2-[[4-[[2-[[4-[[2-(4-dibutylamino)phenyl]ethyl]phenyl]amino]-5-nitro- (9CI) (CA INDEX NAME)




RN 313676-17-4 CAPLUS
 CN Benzoic acid, 2-[[4-[[2-[[4-[[2-(4-dibutylamino)phenyl]ethyl]phenyl]amino]-5-nitro- (9CI) (CA INDEX NAME)




Habe


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313676-12-9 CAPLUS
 CN Benzoic acid, 2-[[4-[[2-(4-chlorophenyl)ethyl]phenyl]amino]-5-nitro- (9CI) (CA INDEX NAME)



RN 313676-13-0 CAPLUS
 CN Benzoic acid, 2-[[4-[[2-(2-chlorophenyl)ethyl]phenyl]amino]-5-nitro- (9CI) (CA INDEX NAME)




RN 313676-14-1 CAPLUS
 CN Benzoic acid, 2-[[4-[[2-(2,4-dichlorophenyl)ethyl]phenyl]amino]-5-nitro- (9CI) (CA INDEX NAME)


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

RN 313676-18-5 CAPLUS
 CN Benzoic acid, 2-[[4-[[2-[[4-[[2-(4-dibutylamino)phenyl]ethyl]phenyl]amino]-5-nitro-phenyl]ethyl]phenyl]amino]-5-nitro- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 313676-26-5 CAPLUS
 CN Benzoic acid, 3-[[4-[[2-[[4-[[2-(4-dibutylamino)phenyl]ethyl]phenyl]amino]-5-nitro-phenyl]ethyl]phenyl]amino]-5-nitro- (9CI) (CA INDEX NAME)




RN 313676-27-6 CAPLUS
 CN 1,3-Benzenedicarboxylic acid,
 5-[[4-[[2-[[4-[[2-(4-dibutylamino)phenyl]ethyl]phenyl]amino]-5-nitro-phenyl]ethyl]phenyl]amino]-5-nitro- (9CI) (CA INDEX NAME)




RN 313676-28-7 CAPLUS
 CN Benzoic acid, 3-[[4-[[2-[[4-[[2-(4-dibutylamino)phenyl]ethyl]phenyl]amino]-5-nitro-phenyl]ethyl]phenyl]amino]-5-nitro- (9CI) (CA INDEX NAME)

10/21/2003


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313676-29-8 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3-chloro-4-methylphenyl)ethyl]phenyl]amino]-3-nitro- (9CI) (CA INDEX NAME)



RN 313676-30-1 CAPLUS
 CN Benzoic acid, 3-[[4-[2-(3-chloro-4-methylphenyl)ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313676-31-2 CAPLUS
 CN 1,3-Benzenedicarboxylic acid, 5-[[4-[2-(3-chloro-4-methylphenyl)ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313676-32-3 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3-chloro-4-methylphenyl)ethyl]phenyl]amino]- (9CI)


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313676-36-7 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3-bromophenyl)ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313676-37-8 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3-fluorophenyl)ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313676-39-0 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3-fluoro-4-methylphenyl)ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313676-40-3 CAPLUS
 CN Benzoic acid, 2-[[4-[3-[4-(diethylamino)phenyl]propyl]phenyl]amino]-5-nitro- (9CI) (CA INDEX NAME)

L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313676-33-4 CAPLUS
 CN Benzoic acid, 4-[[4-[2-[[4-[[4aS,8aR]-octahydro-2(1H)-isoquinolinyl]phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 313676-34-5 CAPLUS
 CN Benzoic acid, 2-[[4-[3-[4-(diethylamino)phenyl]propyl]phenyl]amino]-5-methoxy- (9CI) (CA INDEX NAME)




RN 313676-35-6 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3-methoxyphenyl)ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313676-41-4 CAPLUS
 CN Benzoic acid, 4-[[4-[3-[4-(diethylamino)phenyl]propyl]phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313676-42-5 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3-methoxyphenyl)ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313676-43-6 CAPLUS
 CN Benzoic acid, 2-[[4-[3-[4-(diethylamino)phenyl]propyl]phenyl]amino]-3-methoxy- (9CI) (CA INDEX NAME)




RN 313676-46-9 CAPLUS
 CN Benzoic acid, 2-[[4-[3-[4-(diethylamino)phenyl]propyl]phenyl]amino]-3-nitro- (9CI) (CA INDEX NAME)


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313676-47-0 CAPLUS
 CN Benzoic acid, 3-[[4-[3-(diethylamino)phenyl]propyl]phenyl]amino]- (9CI)
 (CA INDEX NAME)




RN 313676-49-2 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-, monosodium salt (9CI) (CA INDEX NAME)



● Na


RN 313676-50-5 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-, monopotassium salt (9CI) (CA INDEX NAME)

L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




CM 2


CRN 77-86-1
 CMF C4 H11 N O3



RN 313676-53-8 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)butyl]phenyl]amino]-5-methoxy- (9CI) (CA INDEX NAME)




RN 313676-54-9 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-difluorophenyl)ethyl]phenyl]amino]- (9CI)
 (CA INDEX NAME)




Habte

L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



● K

RN 313676-51-6 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-, calcium salt (1:1) (9CI) (CA INDEX NAME)



● Ca


RN 313676-52-7 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-, compd. with 2-amino-2-(hydroxymethyl)-1,3-propanediol (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 313674-97-4
 CMF C21 H17 Cl2 N O2

L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)


RN 313676-55-0 CAPLUS
 CN Benzoic acid, 2-[[3-[2-(4-chlorophenyl)ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313676-56-1 CAPLUS
 CN Benzoic acid, 2-[[3-[2-(3,4-dimethylphenyl)ethyl]phenyl]amino]- (9CI)
 (CA INDEX NAME)



RN 313676-57-2 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(2,4-dimethoxyphenyl)ethyl]phenyl]amino]- (9CI)
 (CA INDEX NAME)




RN 313676-58-3 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(2-chlorophenyl)ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313676-59-4 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(2-hydroxyphenyl)ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)

10/21/2003


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313676-60-7 CAPLUS
CN Benzoic acid, 2-[[4-([2-(3-chlorophenyl)ethyl]phenyl)amino]- (9CI) (CA INDEX NAME)



RN 313676-61-8 CAPLUS
CN Benzoic acid, 2-[[4-([2-(1,1'-biphenyl)-4-ylethyl]phenyl)amino]- (9CI) (CA INDEX NAME)




RN 313676-62-9 CAPLUS
CN Benzoic acid, 2-[[4-([2-(2,4-dichlorophenyl)ethyl]phenyl)amino]- (9CI) (CA INDEX NAME)




RN 313676-63-0 CAPLUS
CN Benzoic acid, 4-[[4-([2-(3,4-dichlorophenyl)ethyl]phenyl)amino]- (9CI) (CA INDEX NAME)


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313676-70-9 CAPLUS
CN Benzoic acid, 5-amino-2-[[4-([5-(3,4-dichlorophenyl)pentyl]phenyl)amino]- (9CI) (CA INDEX NAME)




RN 313676-71-0 CAPLUS
CN Benzamide, 2-[[4-([3-(3,4-dichlorophenyl)propyl]phenyl)amino]-N-((trifluoromethyl)sulfonyl)- (9CI) (CA INDEX NAME)




RN 313676-72-1 CAPLUS
CN Benzamide, 2-[[4-([3-(3,4-dichlorophenyl)propyl]phenyl)amino]-N-(phenylsulfonyl)- (9CI) (CA INDEX NAME)


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313676-65-2 CAPLUS
CN Benzoic acid, 2-[[4-([5-(3,4-dichlorophenyl)pentyl]phenyl)amino]- (9CI) (CA INDEX NAME)




RN 313676-67-4 CAPLUS
CN Benzoic acid, 4-[[4-([3-(3,4-dichlorophenyl)propyl]phenyl)amino]-2-methoxy-5-nitro- (9CI) (CA INDEX NAME)




RN 313676-69-6 CAPLUS
CN Benzoic acid, 2-[[4-([3-(3,4-dichlorophenyl)propyl]phenyl)amino]-5-fluoro- (9CI) (CA INDEX NAME)


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313676-73-2 CAPLUS
CN Benzoic acid, 2-[[4-([2-(3,4-dichlorophenyl)ethyl]phenyl)amino]-4-(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 313676-74-3 CAPLUS
CN Benzoic acid, 2-[[4-([2-(3,4-dichlorophenyl)ethyl]phenyl)methylamino]-5-(dimethylamino)- (9CI) (CA INDEX NAME)



RN 313676-75-4 CAPLUS
CN Benzoic acid, 2-[[4-([2-(3,4-dichlorophenyl)ethyl]phenyl)methylamino]-5-(dimethylamino)- (9CI) (CA INDEX NAME)




RN 313676-76-5 CAPLUS


10/21/2003

Habte


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-5-(dipropylamino)- (9CI) (CA INDEX NAME)




RN 313676-77-6 CAPLUS
 CN Benzoic acid, 5-(diethylamino)-2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313676-78-7 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-5-(diethylamino)- (9CI) (CA INDEX NAME)




RN 313676-79-8 CAPLUS
 CN Benzoic acid, 2,2'-[1,2-ethenediylbis(4,1-phenyleneimino)]bis- (9CI) (CA INDEX NAME)




IT 313676-82-3P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-5-nitrobenzoic acid methyl ester 313676-85-6P,


L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313676-89-0 CAPLUS
 CN Benzoic acid, 2-[[4-[3-(3,4-dichlorophenyl)propyl]phenyl]amino]-4-(1H-imidazol-1-yl)-5-nitro-, methyl ester (9CI) (CA INDEX NAME)



RN 313676-90-3 CAPLUS
 CN Benzoic acid, 2-[[4-[3-(3,4-dichlorophenyl)propyl]phenyl]amino]-, methyl ester (9CI) (CA INDEX NAME)



RN 313676-96-9 CAPLUS
 CN Benzoic acid, 2-[[4-[5-(3,4-dichlorophenyl)pentyl]phenyl]amino]-4-methoxy-5-nitro-, methyl ester (9CI) (CA INDEX NAME)




L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
 2-[[4-[2-(3,4,5-Trimethoxyphenyl)ethyl]phenyl]amino]benzoic acid methyl ester 313676-88-9P, 2-[[4-[3-(3,4-Dichlorophenyl)propyl]phenyl]amino]-4-methoxy-5-nitrobenzoic acid methyl ester 313676-89-0P, 2-[[4-[3-(3,4-Dichlorophenyl)propyl]phenyl]amino]-4-imidazol-1-yl-5-nitrobenzoic acid methyl ester 313676-90-3P, 2-[[4-[3-(3,4-Dichlorophenyl)propyl]phenyl]amino]benzoic acid methyl ester


313676-96-9P, 2-[[4-[5-(3,4-Dichlorophenyl)pentyl]phenyl]amino]-4-methoxy-5-nitrobenzoic acid methyl ester 313676-97-0P, 2-[[4-[3-(3,4-Dichlorophenyl)propyl]phenyl]amino]-5-nitrobenzoic acid methyl ester 313676-98-1P, 2-[[4-[2-(3,4-Dimethylphenyl)ethyl]phenyl]amino]-5-nitrobenzoic acid methyl ester 313677-02-0P, 2-[[4-[3-(4-Aminophenyl)propyl]phenyl]amino]benzoic acid methyl ester 313677-03-1P, 2-[[4-[3-(4-Diethylaminophenyl)propyl]phenyl]amino]benzoic acid methyl ester 313677-04-2P, 2-[[4-[3-(4-Ethylaminophenyl)propyl]phenyl]amino]benzoic acid methyl ester

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (intermediate; prepn. and use of [(phenylalkyl)phenyl]amino]benzoic acids and analogs as amyloid protein aggregation inhibitors)

RN 313676-82-3 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-5-nitro-, methyl ester (9CI) (CA INDEX NAME)




RN 313676-85-6 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4,5-trimethoxyphenyl)ethyl]phenyl]amino]-, methyl ester (9CI) (CA INDEX NAME)




RN 313676-88-9 CAPLUS
 CN Benzoic acid, 2-[[4-[3-(3,4-dichlorophenyl)propyl]phenyl]amino]-4-methoxy-5-nitro-, methyl ester (9CI) (CA INDEX NAME)




L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313676-97-0 CAPLUS
 CN Benzoic acid, 2-[[4-[3-(3,4-dichlorophenyl)propyl]phenyl]amino]-5-nitro-, methyl ester (9CI) (CA INDEX NAME)




RN 313676-98-1 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dimethylphenyl)ethyl]phenyl]amino]-5-nitro-, methyl ester (9CI) (CA INDEX NAME)




RN 313677-02-0 CAPLUS
 CN Benzoic acid, 2-[[4-[3-(4-aminophenyl)propyl]phenyl]amino]-, methyl ester (9CI) (CA INDEX NAME)




RN 313677-03-1 CAPLUS
 CN Benzoic acid, 2-[[4-[3-(4-(diethylamino)phenyl)propyl]phenyl]amino]-, methyl ester (9CI) (CA INDEX NAME)



L4 ANSWER 6 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313677-04-2 CAPLUS
 CN Benzoic acid, 2-[[4-[3-[4-(ethylamino)phenyl]propyl]phenyl]amino]-, methyl ester (9CI) (CA INDEX NAME)



L4 ANSWER 7 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER: 2000:832137 CAPLUS

DOCUMENT NUMBER: 134:71951

TITLE: Preparation of meta-polyaniline and its related poly(iminoarylene)s by nickel-catalyzed polycondensation of aryl dichlorides with aryl

primary

diamines

AUTHOR(S): Kanbara, Takaki; Miyazaki, Yuko; Hasegawa, Kiyoshi; Yanamoto, Takakazu

CORPORATE SOURCE: Chemical Resources Laboratory, Tokyo Institute of Technology, Yokohama, 226-8503, Japan

SOURCE: Journal of Polymer Science, Part A: Polymer Chemistry (2000), 38(23), 4194-4199

CODEN: JPACED; ISSN: 0887-624X

PUBLISHER: John Wiley & Sons, Inc.

DOCUMENT TYPE: Journal

LANGUAGE: English

AB The catalyst system generated from com. available bis(1,5-cyclooctadiene)nickel(0) and 1,1'-bis(diphenylphosphino)ferrocene is shown

to be effective in polymn. of aryl dichlorides with aryl primary diamines.

The system was also used for prepn. of m-polyaniline from m-dichlorobenzene and m-phenylenediamine. The polymers obtained were characterized with respect to their structure, polydispersity, and solv. in org. solvents.

IT 315660-69-6P 315660-73-2P


RL: SPN (Synthetic preparation); PREP (Preparation) (prepn. of meta-polyaniline and its related poly(iminoarylene)s by nickel-catalyzed polycondensation of aryl dichlorides with aryl

primary

diamines)

RN 315660-69-6 CAPLUS


CN Poly[imino(5-cyano-1,3-phenylene)imino-1,4-phenylenemethylene-1,4-phenylene] (9CI) (CA INDEX NAME)



RN 315660-73-2 CAPLUS

CN Poly[imino(5-methyl-1,3-phenylene)imino-1,4-phenylenemethylene-1,4-phenylene] (9CI) (CA INDEX NAME)

L4 ANSWER 7 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



REFERENCES COUNT: 31 THERE ARE 31 CITED REFERENCES AVAILABLE FOR THIS

FORMAT

RECORD. ALL CITATIONS AVAILABLE IN THE RE

L4 ANSWER 8 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER: 1999:233957 CAPLUS

DOCUMENT NUMBER: 130:282863

TITLE: Stabilized isocyanate-reactive compound and polyurethane foam obtained therefrom

INVENTOR(S): Calabrese, Ronald A.; Boccuzzi, Rosemarie A.

PATENT ASSIGNEE(S): Uniroyal Chemical Company, Inc., USA

SOURCE: PCT Int. Appl., 33 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9916821	A1	19990408	WO 1998-US20349	19980929
W: BR, CA, MX, US				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2302707	AA	19990408	CA 1998-2302707	19980929
EP 1023377	A1	20000802	EP 1998-949599	19980929
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
BR 9815386	A	20001121	BR 1998-15386	19980929
US 6348514	B1	20020219	US 2000-486762	20000301
PRIORITY APPLN. INFO.:			US 1997-60568P	P 19970930
			WO 1998-US20349	W 19980929

AB Disclosed is an isocyanate-reactive compn. comprising an isocyanate-reactive compd. having an equiv. wt. of from about 400 to


about 12000, and a stabilizing amt. of Me 3-(4-hydroxy-3,5-di-tert-butylphenyl)propionate with optional costabilizers selected from another phenolic, an amine, a phosphite, a thioether, or a lactone stabilizer to form a stabilizer package which may be further used in a process for prepg. a flexible polyurethane foam comprising reacting together an org. polyisocyanate with an isocyanate-reactive compn. in the presence of a blowing agent to form the polyurethane foam. These stabilizer packages impart phys. and color scorch protection to the polyurethane foam products.

IT 222855-41-6

RL: MDA (Modifier or additive use); USES (Uses) (optional costabilizer; Me- (di-tert-butylhydroxyphenyl)propionate-stabilized isocyanate-reactive compds. for scorch-resistant polyurethane foams)

RN 222855-41-6 CAPLUS

CN Benzenamine, 4-(1,1-dimethylethyl)-N-[4-(2-phenylethyl)phenyl]- (9CI) (CA INDEX NAME)



REFERENCES COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS

FORMAT

Habte


10/21/2003

L4 ANSWER 8 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

L4 ANSWER 9 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER: 1998:811797 CAPLUS
 DOCUMENT NUMBER: 130:117304
 TITLE: Charge-transporting material and electrophotographic photoreceptor using same
 INVENTOR(S): Kurimoto, Eiji; Umeda, Minoru; Sakon, Yota; Ikegami, Takaaki
 PATENT ASSIGNEE(S): Ricoh Co., Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 408 pp.
 CODEN: JKKXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 10333347	A2	19981218	JP 1997-160127	19970530
PRIORITY APPLN. INFO.:			JP 1997-160127	19970530
OTHER SOURCE(S):		MARPAT 130:117304		




AB The charge-transporting material contains a compd. $[R1NR2Yom(CH2)nOCO2]px$ (R1, R2 = H, (substituted) alkyl, (substituted) aryl; Y = (substituted) arylene; m = 0, 1; n = 0-6; p = 1, 2; when p = 1, X = (substituted) alkyl or (substituted) aryl and when p = 2, X = alkylene or dialkylene ether] and .gtoreq.1 selected from an amino- and oxycarboxyloxy-contg. triphenylmethyl compd. of 1 (R1, R4 = H, alkyl, aryl; R2, R3 = H, alkyl, aryl, halo; Ar1, Ar2 = aryl) and other 35 types of compds. such as a compd. Ar1CR1:CR2(CH:CH)NR2NR3R4 (R1 = (substituted) lower alkyl or (substituted) aryl; R2-4 = H, (substituted) lower alkyl, (substituted) aryl; Ar1 = (substituted) aryl, Ar1 and R1 may form a ring; Ar2 = (substituted) arylene; n = 0, 1). The photoreceptor comprises a conductive support laminated with either (a) a monolayer photosensitive layer contg. the material or (b) a charge-transporting layer contg. the material and a charge-generating layer. The photoreceptor shows high photosensitivity and durability in repeated use.

IT 219622-11-4 219622-11-6
 RL: DEV (Device component use); MOA (Modifier or additive use); USES (Uses)
 (electrophotog. photoreceptor using charge-transporting material of)


RN 219622-11-4 CAPLUS

L4 ANSWER 9 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

CN Benzenamine,
 3-methyl-N-[4-[2-(4'-methyl[1,1'-biphenyl]-4-yl)ethyl]phenyl]-3-methyl- (9CI) (CA INDEX NAME)




RN 219622-13-6 CAPLUS
 CN Benzenamine, N-[4-[2-(4'-methoxy[1,1'-biphenyl]-4-yl)ethyl]phenyl]-3-methyl- (9CI) (CA INDEX NAME)



L4 ANSWER 10 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER: 1998:627446 CAPLUS
 DOCUMENT NUMBER: 129:296148
 TITLE: Electrophotographic photoreceptor
 INVENTOR(S): Sakon, Yota; Umeda, Minoru; Ikegami, Takaaki; Kurimoto, Eiji
 PATENT ASSIGNEE(S): Ricoh Co., Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 274 pp.
 CODEN: JKKXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 10254154	A2	19980925	JP 1997-76650	19970312
PRIORITY APPLN. INFO.:			JP 1997-76650	19970312
OTHER SOURCE(S):		MARPAT 129:296148		



AB The title photoreceptor comprises a conductive support coated with a photosensitive layer contg. a divinylbenzene deriv. $o-RCH:CHC6H4CH:CHR$


II;
 R = carbazolyl, pyridyl, thienyl, indolyl, furyl, (un)substituted Ph, (un)substituted naphthyl, (un)substituted anthrthyl (the substituent is selected from di-lower-alkylamino, lower alkyl, lower alkoxy, halo, aralkylamino, and amino) and a triphenylamine deriv. II (R1-R3 = H, lower alkyl, lower alkoxy, Ph, PhO, halo). Alternatively, 28 types of arom. amines may be used in place of II. The photoreceptor may comprise a conductive support laminated with a charge-generating layer contg. a charge-generating agent and a charge-transporting layer contg. I and 1 compd. selected from II and the 28 types of compds. The photoreceptor shows high photosensitivity and durability in repeated use.

IT 214135-78-1
 RL: DEV (Device component use); USES (Uses)
 (electrophotog. photoreceptor contg. divinylbenzene deriv. combined with arom. amine)


RN 214135-78-1 CAPLUS
 CN Benzenamine, N-methyl-4-[2-(1-pyrenyl)ethyl]-N-[4-[2-(1-pyrenyl)ethyl]phenyl]- (9CI) (CA INDEX NAME)

L4 ANSWER 10 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

PAGE 1-A





PAGE 1-B



L4 ANSWER 11 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER: 1998:590841 CAPLUS
 DOCUMENT NUMBER: 129:296147
 TITLE: Electrophotographic photoreceptor with improved sensitivity and durability
 INVENTOR(S): Kurimoto, Eiji; Umetsu, Minoru; Sakon, Yota; Ikeue, Takaaki
 PATENT ASSIGNEE(S): Ricoh Co., Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 269 pp.
 CODEN: JKKXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 10239878	A2	19980911	JP 1997-59960	19970227
PRIORITY APPL. INFO.:			JP 1997-59960	19970227
OTHER SOURCE(S):			MARPAT 129:296147	




AB The title photoreceptor contains I (R1 = C1-11-alkyl, Ph, heterocyclyl; R2, R3 = H, lower alkyl, C1-4-hydroxyalkyl, C1-4-chloroalkyl; R4, R5 = H, lower alkyl, lower alkoxy, halo; R2-R3 may form N-contg. heterocycle) and II (R1 = H, halo; R2 = arom., heterocyclyl; R2 may include substituent selected from halo, CN, di-lower alkylamino, dialkylamino, lower alkyl, lower alkoxy, and NO2) in a photosensitive layer. 29 Other charge transport materials are also claimed with Markush structures.

IT 214135-78-1
 RL: DEV (Device component use); USES (Uses)
 (charge transport material in electrophotog. photoreceptor with improved sensitivity and durability)


L4 ANSWER 11 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

RN 214135-78-1 CAPLUS
 CN Benzenamine, N-methyl-4-[(2-(1-pyrenyl)ethyl)-N-(4-[2-(1-pyrenyl)ethyl]phenyl)-(9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B




L4 ANSWER 12 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER: 1997:266469 CAPLUS
 DOCUMENT NUMBER: 126:293141
 TITLE: Synthesis and properties of sulfo-containing diamines
 AUTHOR(S): Gitis, L. S.; Gitis, S. S.; Grudtsin, Yu. D.; Subbotin, V. A.; Fedotov, Yu. A.; Alifanova, E. N.
 CORPORATE SOURCE: Gos. Pedagog. Inst. im. Tolstogo, Tula, 300026, Russia
 SOURCE: Zhurnal Organicheskoi Khimii (1996), 32(10), 1563-1565
 PUBLISHER: Nauka
 DOCUMENT TYPE: Journal
 LANGUAGE: Russian
 CODEN: ZORKAE; ISSN: 0514-7492




AB Title compds. I (X = O, CH2; R = NH2) were prepd. by redn. of I (X = O, CH2; R = NO2), which were obtained by reaction of 4,4'-oxybis[aniline] and 4,4'-methylenebis[aniline] with 2-chloro-5-nitrobenzenesulfonic acid. Also prepd. was benzimidazole deriv. II. The pKa values of the products were examd.

IT 189025-25-0P
 RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
 (prepn. and basicity of)
 RN 189025-25-0 CAPLUS
 CN Benzenesulfonic acid, 5-amino-2-[[4-[(4-aminophenyl)methyl]phenyl]amino]- (9CI) (CA INDEX NAME)




IT 189025-22-7P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (prepn. and redn. of)
 RN 189025-22-7 CAPLUS
 CN Benzenesulfonic acid, 2-[[4-[(4-aminophenyl)methyl]phenyl]amino]-5-nitro-

L4 ANSWER 12 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
(9CI) (CA INDEX NAME)




L4 ANSWER 13 OF 50 CAPLUS COPYRIGHT 2003 ACS ON STN
ACCESSION NUMBER: 1995:735598 CAPLUS
DOCUMENT NUMBER: 123:127599
TITLE: Electrophotographic photoreceptor
INVENTOR(S): Enomoto, Kazuhiro
PATENT ASSIGNEE(S): Sharp KK, Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 16 pp.
CODEN: JKKXAP
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 07146574	A2	19950606	JP 1994-52168	19940323
PRIORITY APPLN. INFO.:			JP 1993-241410	19930928
GI				




AB	The title electrophotocg. photoreceptor contains the enamine [I; A, A' = alkyl, aryl, heterocyclyl; R1, R2 = H, C1-4 alkyl, aryl (R1, R2 may not
be	h amittaneously]; a, a' = H, lower alkyl, lower alkoxy, halo.; X = O, S, CR3R4 (R3, R4 = H, C1-oreq.4 alkyl, aryl), divalent monocyclic hydrocarbon]. The photoreceptor has high sensitivity and good durability.
IT	166317-28-8 RL: DEV (Device component use); USES (Uses) (electrophotocg. photoreceptor using)
RN	166317-28-8 CAPLUS
CN	Benzenamine, 4,4'-methylenebis[N-(2,2-diphenylethenyl)-3-methyl-N-(3-methylphenyl)- (9CI) (CA INDEX NAME)

L4 ANSWER 13 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



14 ANSWER 14 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
ACCESSION NUMBER: 1995:684256 CAPLUS
DOCUMENT NUMBER: 123:182651
TITLE: Lambda type main-chain polymers for SHG
AUTHOR(S): Tao, X. T.; Watanabe, T.; Shimoda, S.; Zou, D. C.; Miyata, S.
CORPORATE SOURCE: Faculty Technology, Tokyo University Agriculture and
SOURCE: Technology, Koganei, 184, Japan
Transactions of the Materials Research Society of
Japan (1994), 15A(Biomaterials, Organic and
Intelligent Materials), 555-8
CODEN: TMRJ3; ISSN: 1382-3469
PUBLISHER: Elsevier
DOCUMENT TYPE: Journal
LANGUAGE: English
AB Main-chain polymers with 2 directional charge transfer chromophores
(LAMBDA shaped conformation) were synthesized by nucleophilic
displacement polymn. by using bis(4-fluoro-3-nitrophenyl)sulfone with
both alph. and arom. diamines in aprotical solvents with very high yields.
The polymer films poled by corona discharging showed large 2nd order
nonlinear optical coeffs. Before poling pos. birefringences were obsd.
in all these polymers, for the polymers with rigid spacer units, even after
poling nte is still larger than ntm, indicating the polymer chains
preferentially oriented to the substrate plane.
IT 158400-83-0P
RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
(prepn. and birefringence and second-harmonic generation by poled
films of)
RN 158400-83-0 CAPLUS
CN Poly(sulfonyl (3-nitro-1,4-phenylene)imino(3-methyl-1,4-phenylene)-1,2-
ethanediy1 (2-methyl-1,4-phenylene)imino(2-nitro-1,4-phenylene)) (9CI)
(CA INDEX NAME)

PAGE 1-A




L4 ANSWER 14 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

PAGE 1-B

L4 ANSWER 15 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER: 1994:656463 CAPLUS
 DOCUMENT NUMBER: 121:256463
 TITLE: .LAMBDA.-Type Main-Chain Polymers for Second Harmonic Generation
 AUTHOR(S): Tao, X. T.; Watanabe, T.; Shimoda, S.; Zou, D. C.; Sato, H.; Miyata, S.
 CORPORATE SOURCE: Faculty of Technology, Tokyo University of Agriculture and Technology, Koganei, 184, Japan
 SOURCE: Chemistry of Materials (1994), 6(11), 1961-6
 CODEN: CMATEX; ISSN: 0897-4756
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 AB A novel series of main-chain polymers from .LAMBDA.-shaped mols. were synthesized by nucleophilic displacement polymn. These polymers were prepd. from bis(4-fluoro-3-nitrophenyl) sulfone with aliph. and arom. diamines in aprotic solvents. These main-chain polymers derived from .LAMBDA.-shaped mols. are amorphous, processable, contain high d. of nonlinear optical-active chromophores, and exhibit high glass transition temps. The corona discharge poled polymer films showed large second-order nonlinear optical coeffs. and good temporal stability at elevated temps. Before poling, all these polymers show pos. birefringence. For polymers having rigid spacer units, even after poling, the refractive indexes of nTE are still larger than those of nTM. The large pos. birefringence indicates a preference of polymer chains to orient along the film surface.
 IT 158400-83-0P
 RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (synthesis and properties of .LAMBDA.-type main-chain polyamine-polyulfones for second harmonic generation)
 RN 158400-83-0 CAPLUS
 CN Poly[sulfonyl(3-nitro-1,4-phenylene)imino(3-methyl-1,4-phenylene)-1,2-ethanediyl(2-methyl-1,4-phenylene)imino(2-nitro-1,4-phenylene)] (9CI)
 (CA INDEX NAME)

PAGE 1-A



L4 ANSWER 15 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)


PAGE 1-B

L4 ANSWER 16 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER: 1994:634420 CAPLUS
 DOCUMENT NUMBER: 121:234420
 TITLE: Antioxidants for functional fluids
 INVENTOR(S): Horodysky, Andrew G.; Hsu, Shih-Ying; Jeng, Andrew; Rudnick, Leslie R.
 PATENT ASSIGNEE(S): Mobil Oil Corp., USA
 SOURCE: U.S., 7 pp. Cont.-in-part of U.S. 5,194,167.
 CODEN: USXXAM
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 2
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5316420	A	19940809	US 1992-989861	19921214
US 5194167	A	19930316	US 1991-697039	19910508
			US 1991-697039	19910508


PRIORITY APPLN. INFO.: MARPAT 121:234420
 OTHER SOURCE(S):
 AB An arom. functional fluid, specifically a monoalkylated tetradecyl di-Ph oxide synthetic lubricant, contains a polymer-supported reaction product of an org. quaternary ammonium salt, derived from a mercapto-heterocycle and a quaternary ammonium salt. To produce the polymer-supported org. quaternary ammonium salt, the salt is reacted with a dicarboxylic acid or anhydride, specifically 2-dodecen-1-ylsuccinic anhydride. An arylamine antioxidant, such as alkylated Ph naphthylamine, can be added to the polymer supported org. quaternary ammonium salt-treated functional fluid to impart extra antioxidant and stability properties.
 IT 15721-79-6
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (in manuf. of antioxidant for functional fluids)
 RN 15721-79-6 CAPLUS
 CN Benzenamine, 4-(2-phenylethyl)-N-[4-(2-phenylethyl)phenyl]- (9CI) (CA INDEX NAME)



L4 ANSWER 17 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1994:435608 CAPLUS
 DOCUMENT NUMBER: 121:35608
 TITLE: Imidazole compounds, their preparation and use
 INVENTOR(S): Axelsson, Oskar; Peters, Dan; Oestergaard, Elsebet; Christophersen, Palle
 PATENT ASSIGNEE(S): Neurosearch A/S, Den.
 SOURCE: Can. Pat. Appl., 48 pp.
 CODEN: CPXKEB
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
CA 2092211	AA	19930927	CA 1993-2092211	19930323
CA 2092211	C	20030826		

PRIORITY APPLN. INFO.: NL 1992-401 A 19920326
 OTHER SOURCE(S): MARPAT 121:35608
 GI



AB A process for the prepn. of compds. of the formula I wherein X is C or N; Y is C or N. R11 and R13 are each independently hydrogen; halogen; CF3; CN; OH; alkyl; cycloalkyl; cycloalkylalkyl; alkenyl; alkynyl; alkoxy; phenylalkyl; amino; nitro; sulfamoyl; piperidyl; pyrrolidinyl; acyl; CO2H; CO2-alkyl; CO-amino; NH-CO-alkyl; phenylsulfonyl which may be substituted with halogen, CF3, CN, OH, alkyl, alkenyl, alkynyl, alkoxy, amino, or nitro; phenoxy which may be substituted with halogen, CF3, CN, OH, alkyl, alkenyl, alkynyl, alkoxy, amino, or nitro; phenylamino which may be substituted with halogen, CF3, CN, OH, alkyl, alkenyl, alkynyl, alkoxy, amino, or nitro; or aryl which may be substituted one or more times with halogen, CF3, CN, OH, alkyl, cycloalkyl, cycloalkylalkyl, alkenyl, alkynyl, alkoxy, phenoxy, phenylalkyl, amino, nitro, sulfamoyl, piperidyl, pyrrolidinyl, CO2H, CO2-alkyl, CO-amino, or NH-CO-alkyl; and R4, R5, R6 and R7 are each independently hydrogen; halogen; amino; nitro; CN; CF3; COOH; COO-alkyl; alkyl; acyl; alkoxy; -(CH2)n, -OH wherein n is 0, 1, 2, or 3; -(CH2)m-O-alkyl wherein m is 0, 1, 2, or 3; -(CH2)O-CO-alkyl wherein


L4 ANSWER 18 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1994:249135 CAPLUS
 DOCUMENT NUMBER: 120:249135
 TITLE: Lubricant for running a heat pump or refrigeration plant compressor with ammonia as refrigerant
 INVENTOR(S): Mall, Klaus; Kussi, Siegfried
 PATENT ASSIGNEE(S): Linde A.-G., Germany; Rhein Chemie Rheinau GmbH
 SOURCE: Eur. Pat. Appl., 6 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 585934	A1	19940309	EP 1993-114100	19930902
EP 585934	B1	19980422		


R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, PT, SE
 DE 4240733 A1 19940310 DE 1992-4240733 19921203
 US 5413728 A 19950509 US 1993-111858 19930826
 HU 66979 A2 19950130 HU 1993-2475 19930902
 PL 173352 B1 19980227 PL 1993-300277 19930902
 AT 165391 E 19980515 AT 1993-114100 19930902
 DE 1992-422936 A 19920903
 DE 1992-4240733 A 19921203

AB The lubricant is a mixt. of monofunctional and difunctional polyalkylene glycols (e.g., polyethylene glycol or polypropylene glycol) with an amine (e.g., di-Ph amine or a di-Ph amine deriv.).

IT 15721-79-6
 RL: USES (Uses)
 (lubricant contg. polyalkylene glycols and, for heat pump or refrigeration unit using ammonia)
 RN 15721-79-6 CAPLUS
 CN Benzenamine, 4-(2-phenylethyl)-N-[4-(2-phenylethyl)phenyl]- (9CI) (CA INDEX NAME)




L4 ANSWER 17 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
 is 0, 1, 2 or 3; and that if X is N then R4 is absent and that if Y is N then R7 is absent; or a pharmaceutically-acceptable addn. salt thereof. The compds. are useful as pharmaceuticals, for example, in the treatment of stroke, ischemia, anoxia, migraine and psychosis.
 IT 153935-10-59 153935-32-1P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (prepn. and reactions of, as calcium channel-blocking agents in treatment of CNS)
 RN 153935-10-5 CAPLUS
 CN 1,2-Benzenediamine, N1-[3-(2-phenylethyl)phenyl]-4-(trifluoromethyl)-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 153935-32-1 CAPLUS
 CN Benzenamine, 2-nitro-N-[3-(2-phenylethyl)phenyl]-4-(trifluoromethyl)- (9CI) (CA INDEX NAME)



L4 ANSWER 19 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1994:245169 CAPLUS
 DOCUMENT NUMBER: 120:245169
 TITLE: Imidazole compounds, their preparation and use
 INVENTOR(S): Axelsson, Oskar; Peters, Dan; Nielsen, Elsebet Oestergaard; Christophersen, Palle
 PATENT ASSIGNEE(S): Neurosearch A/S, Den.
 SOURCE: Eur. Pat. Appl., 32 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 563001	A1	19930929	EP 1993-610022	19930324
EP 563001	B1	19960228		

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE
 NO 9301080 A 19930927 NO 1993-1080 19930324
 AU 9335406 A1 19930930 AU 1993-35406 19930324
 AU 660219 B2 19950615
 ZA 9302090 A 19931015 ZA 1993-2090 19930324
 JP 06049037 A2 19940222 JP 1993-65688 19930324
 US 5360809 A 19941101 US 1993-16425 19930324
 AT 134621 E 19960315 AT 1993-610022 19930324
 ES 2085133 T3 19960516 ES 1993-610022 19930324
 PRIORITY APPLN. INFO.: DK 1992-401 19920326
 OTHER SOURCE(S): MARPAT 120:245169
 GI




AB The title compds., particularly the benzimidazole deriva. and 3H-imidazo[4,5-b]pyridine deriva., I (X, Y = carbon, nitrogen; R12, R13 = alkyl; R4-R7 = H, halo, amino, cyano, etc.) and their uses for the treatment of diseases responsive to blocking of calcium channels of the central nervous system are claimed. Such diseases include degenerative changes assoc. with stroke, ischemia, migraine, psychosis, Parkinson's disease, depression, epilepsy, or convulsive disorders. For example, 1-(4-iodophenyl)-4-fluorobenzimidazole (II) had an in vitro activity as L-type calcium channel blocker. Other I were tested for activity as H-type and P-type calcium channel blockers.
 IT 153935-10-5 153935-32-1
 RL: RCT (Reactant); RACT (Reactant or reagent)

L4 ANSWER 19 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
 (prepn. as intermediate for (phenyl)benzimidazole calcium channel blocker)
 RN 153935-10-5 CAPLUS
 CN 1,2-Benzenediamine, N1-[3-(2-phenylethyl)phenyl]-4-(trifluoromethyl)-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl


RN 153935-32-1 CAPLUS
 CN Benzenamine, 2-nitro-N-[3-(2-phenylethyl)phenyl]-4-(trifluoromethyl)- (9CI) (CA INDEX NAME)



L4 ANSWER 20 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
 CN 1,3-Benzenediamine, 5-([1,1'-biphenyl]-4-ylmethyl)-N,N'-bis(3-methylphenyl)- (9CI) (CA INDEX NAME)




RN 148935-35-7 CAPLUS
 CN 1,3-Benzenediamine, 5-([1,1'-biphenyl]-4-ylmethyl)-N,N'-bis(4-methylphenyl)- (9CI) (CA INDEX NAME)



L4 ANSWER 20 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1993:482898 CAPLUS
 DOCUMENT NUMBER: 119:82898
 TITLE: Preparation of [3,5-bis(diphenylamino)phenyl](p-biphenyl)methanes and electrophotographic photoreceptors using them as charge-transporting agents
 INVENTOR(S): Mizuta, Yasushi; Tanaka, Sakushiro; Nakamori, Hideo; Yamamoto, Ichiro
 PATENT ASSIGNEE(S): Mita Industrial Co Ltd, Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 10 pp.
 CODEN: JKKXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 05105650	A2	19930427	JP 1991-267883	19911016
PRIORITY APPLN. INFO.: JP 1991-267883 19911016				
OTHER SOURCE(S): MARPAT 119:82898				



AB The title compds. I (R1-2 = H, (un)substituted alkyl, alkoxy) and electrophotog. photoreceptors comprising an elec.-conductive support having thereon a photosensitive layer contg. I are claimed. The electrophotog. photoreceptors are excellent in sensitivity and durability in repeated use.
 IT 148935-34-6P 148935-35-7P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (prepn. and condensation of, with iodobenzenes, electrophotog. photoreceptor charge-transporting agents from)
 RN 148935-34-6 CAPLUS


L4 ANSWER 21 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1993:172334 CAPLUS
 DOCUMENT NUMBER: 118:172334
 TITLE: Substituted 1-aminonaphthalenes and stabilized compositions
 INVENTOR(S): Odorisio, Paul A.; Chasan, David E.; Pastor, Stephen D.
 PATENT ASSIGNEE(S): Ciba-Geigy Corp., USA
 SOURCE: U.S., 12 pp.
 CODEN: USXXAM
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5140647	A	19921103	US 1991-697123	19910507
EP 512950	A1	19921111	EP 1992-810303	19920428
EP 512950	B1	19960117		
R: BE, DE, ES, FR, GB, IT				
ES 2082424	T3	19960316	ES 1992-810303	19920428
CA 2088045	AA	19921108	CA 1992-2068045	19920505
BR 9201694	A	19921215	BR 1992-1694	19920506
JP 05194331	A2	19930803	JP 1992-140940	19920506
JP 3118732	B2	20001218		
US 5244953	A	19930914	US 1992-928254	19920810
PRIORITY APPLN. INFO.: US 1991-697123 A 19910507				
OTHER SOURCE(S): MARPAT 118:172334				




AB Title compds. (I) (R1, R2 = H, C1-18 alkyl; R3, R5 = substituted aryl) are prep'd. as stabilizers for lubricating oils (synthetic ester) which may addnl. contain a phenolic antioxidant, and for polymer compns. I are particularly effective in lubricating oil compns. when used with a diarylamine antioxidant. H2SO4 was added to N-[4-tert-octylphenyl]-1-naphthylamine in MeOH, and HCHO was added to the resulting mixt. to give after workup 4,4'-methylenebis[N-(4-tert-octylphenyl)-1-naphthylamine (II)]. In a test for performance of an aircraft turbine engine lubricating oil, a 1:1 mixt. of II and synthetic ester lubricating oil exceeded the requirement specified by Naval Air System Command.
 IT 146528-51-0P 146528-52-1P
 RL: PREP (Preparation)
 (prepn. of, as stabilizer for lubricating oil and polymers)
 RN 146528-51-0 CAPLUS
 CN 1-Naphthalenamine, 4-[[4-(4-octylphenyl)amino]phenyl]methyl]-N-phenyl- (9CI) (CA INDEX NAME)


L4 ANSWER 21 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 146528-52-1 CAPLUS
 CN 1-Naphthalenamine,
 4-[[4-[(1,1-dimethylethyl)phenyl]amino]phenyl]methyl-
 1-N-phenyl- (9CI) (CA INDEX NAME)




L4 ANSWER 22 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
 IT 146018-48-6
 RL: USES (Uses)
 (charge-transporting agent, electrophotog. photoreceptor using)
 RN 146018-48-6 CAPLUS
 CN Benzaldehyde,
 4-[[4-(2,2-diphenylethenyl)-3-(phenylmethyl)phenyl]phenylme-
 thyl]amino]-2-(phenylmethyl)-, diphenylhydrazone (9CI) (CA INDEX NAME)



L4 ANSWER 22 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1993:113074 CAPLUS
 DOCUMENT NUMBER: 118:113074
 TITLE: Electrophotographic photoreceptors using novel
 hydrazone-type charge-transporting agent
 INVENTOR(S): Hanatani, Yasuyuki; Muto, Nariaki; Iwasaki, Hiroaki
 PATENT ASSIGNEE(S): Mita Industrial Co., Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 11 pp.
 CODEN: JKKXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 04240652	A2	19920827	JP 1991-7303	19910124
PRIORITY APPLN. INFO.:			JP 1991-7303	19910124



AB The photoreceptors comprise a conductive substrate with a coating of a photosensitive layer contg. a hydrazone compd. I (R1-2 = OH, NO2, CN, (substituted) alkanoyl, (substituted) alkenyl, substituted alkyl, (substituted) aryl, substituted aralkyl, (substituted) condensed polycyclic group, (substituted) heterocycle; R3 = H, alkyl, aralkyl, aryl, condensed polycyclic group, heterocycle (all the groups may be substituted); R4-5 = aryl, alkyl, condensed polycyclic group, heterocycle (all the groups may be substituted); R6-7 = H, alkyl, aryl, condensed polycyclic group, heterocycle (all the groups may be substituted); R6 not eq. R7 noteq. H, R4 and R5 or R6 and R7 may form a ring). The photoreceptors show high photosensitivity and good durability. Thus, an A1 substrate was coated with a charge-generating layer contg. a bisazo compd. and with a charge-transporting layer contg. II to give a photoreceptor.


L4 ANSWER 23 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1993:97573 CAPLUS
 DOCUMENT NUMBER: 118:97573
 TITLE: Stabilized reagents and their use in peroxidase
 determination in EIA
 INVENTOR(S): Funayama, Masashi; Funayama, Masashi
 PATENT ASSIGNEE(S): Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 4 pp.
 CODEN: JKKXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 04325098	A2	19921113	JP 1990-418838	19901231
PRIORITY APPLN. INFO.:			JP 1990-418838	19901231

AB A compn. for peroxidase detn. in EIA consists of, e.g., (1) a compn. contg. 5 mM 2,2'-azinobis(3-ethylbenzothiazoline-6-sulfonic acid diammonium in 20 mM citric acid buffer with granular Zn (5 g/dL); and (2) a compn. contg. 0.02% H2O2. The compn. was stable for up to 24 mos. No or little color change was noted.

IT 101650-95-7
 RL: ANST (Analytical study)
 (stabilized reagents contg., for peroxidase detn. in EIA)

RN 101650-95-7 CAPLUS
 CN 1,4-Benzenediamine, 2-[(4-chlorophenyl)methyl]-N4-[3-[(4-chlorophenyl)methyl]-4-(dimethylamino)phenyl]-N1,N1-dimethyl- (9CI) (CA INDEX NAME)



L4 ANSWER 24 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1991:570898 CAPLUS
 DOCUMENT NUMBER: 115:170898
 TITLE: Electrophotographic photoconductors
 INVENTOR(S): Niimi, Tatsuya; Umeda, Minoru
 PATENT ASSIGNEE(S): Ricoh Co., Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 21 pp.
 CODEN: JXXXXP
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 03056967	A2	19910312	JP 1989-192870	19890726
JP 2893189	B2	19990517		

PRIORITY APPL. INFO.: JP 1989-192870 19890726
 OTHER SOURCE(S): MARPAT 115:170898
 Q1


* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB Charge carrier-generating layer of the photoconductors contain I and/or
 II
 (R1, R3-4 = H, amino, alkoxy, thioalkoxy, aryloxy, methylenedioxy, aryl;
 R2 = H, alkoxy, alkyl, halo; R1-4 are not simultaneously H; k, l, m, n =
 1-4;
 Ar = arylene; R5 = H, alkyl, alkoxy, aryloxy, dialkylamino, diarylamino,
 halo; R6-7 = alkyl, aryl; p = 1, 2). These agents provide much
 suppressed
 decrease of chargeability by previous exposure, and prompt increase of
 charged voltage after charging-exposure cycles. Thus, an Al-coated PET
 film was coated with a charge-generating layer contg. 2 parts bisazo dye
 III and 0.9 parts IV and poly(vinyl butyral), and with a
 charge-transporting layer contg. IV and polycarbonate. Obtained
 photoconductor was chargeable to -430 V by 1-s charging, and showed dark
 decay (10 s) to 81% voltage, and sensitivity (exposure required for half
 decay of voltage) 1.32 lx-s. After repeating charging and exposure for
 30 min, the photoconductor was chargeable by 1-s charging to -432 V, and
 showed dark decay to 86% voltage and sensitivity 1.42 lx-s.
 IT 136286-94-7
 RL: USES (Uses)
 (charge-generating layer of electrophotog. photoconductors contg.
 charge-generating agent and, for prompt charging behavior)
 RN 136286-94-7 CAPLUS
 CN Benzenamine, N,4-dimethyl-N-[4-(4-phenylbutyl)phenyl]- (9CI) (CA INDEX
 NAME)

L4 ANSWER 25 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1990:194925 CAPLUS
 DOCUMENT NUMBER: 112:194925
 TITLE: Enzymic method and kit for the determination of
 NAD(P)H and serum analytes, and preparation of
 chromogens for the method
 INVENTOR(S): Aoyama, Norihito; Tatano, Toshio; Miike, Akira
 PATENT ASSIGNEE(S): Kyowa Medex Co., Ltd., Japan
 SOURCE: Eur. Pat. Appl., 17 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 342984	A2	19891123	EP 1989-105054	19890518
EP 342984	A3	19920311		


R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, LU, NL, SE
 JP 02049600 A2 19900219 JP 1989-123050 19890517
 PRIORITY APPL. INFO.: JP 1988-121458 19880518
 OTHER SOURCE(S): MARPAT 112:194925
 G1




AB The invention provides a method and kit for the detn. of NAD(P)H in a
 sample, e.g. a clin. sample, which comprises reducing pyruvic acid or a
 salt thereof with NAD(P)H in the presence of lactate dehydrogenase to
 form
 lactic acid, oxidizing the lactic acid in the presence of lactate oxidase
 to form H2O2, and detg. the H2O2 by reaction with peroxidase in the
 presence of a chromogen unresponsive to NAD(P)H. The method is esp.
 useful in detn. of analytes, e.g. bile acid or phosphohexose isomerase
 (PHI), in serum contg. lactic acid, in which case the sample is initially
 reacted with lactate oxidase to convert the lactic acid to pyruvic acid
 and H2O2, which is then decompd., the pyruvic acid produced in that case
 providing at least a proportion of the pyruvic acid which is subsequently
 converted back to lactic acid. A variety of aryl compds. useful as
 chromogens in the above method are also prepd. or provided. Thus, 50-400
 IU PHI/L was detd. with a 1st reagent (pH 7.5) contg. NaH2PO4, Triton
 X-100, MgCl2, peroxidase, lactate dehydrogenase, glucose-6-phosphate
 dehydrogenase, lactate oxidase, pyruvic acid, NAD, and I; and a 2nd
 reagent (pH 7.5) contg. NaH2PO4, Triton X-100, 4-aminoantipyrine, and
 fructose-6-phosphate. A calibration curve for the detn. is shown.
 IT 101650-91-3 101650-95-7 101650-96-8
 RL: ANST (Analytical study)
 (in enzymic NAD(P)H detn., as chromogen)
 RN 101650-91-3 CAPLUS
 CN 1,4-Benzenediamine,

Habte


L4 ANSWER 24 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




L4 ANSWER 25 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
 4-ylmethyl]-4-(dimethylamino)phenyl]-N1,N1-dimethyl- (9CI) (CA INDEX
 NAME)



RN 101650-95-7 CAPLUS
 CN 1,4-Benzenediamine, 2-[(4-chlorophenyl)methyl]-N4-[3-[(4-chlorophenyl)methyl]-4-(dimethylamino)phenyl]-N1,N1-dimethyl- (9CI) (CA
 INDEX NAME)



RN 101650-96-8 CAPLUS
 CN 1,4-Benzenediamine, 2-[(4-bromophenyl)methyl]-N4-[3-[(4-bromophenyl)methyl]-4-(dimethylamino)phenyl]-N1,N1-dimethyl- (9CI) (CA
 INDEX NAME)




10/21/2003

L4 ANSWER 26 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER: 1989:633924 CAPLUS
 DOCUMENT NUMBER: 111:233924
 TITLE: Manufacture of aromatic polyamines
 INVENTOR(S): Imai, Yoshio; Kakimoto, Masaeaki; Ooishi, Yoshuki;
 Munirachina, Padomanaban
 PATENT ASSIGNEE(S): Tokyo Institute of Technology, Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 6 pp.
 CODEN: JKKXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 01121324	A2	19890515	JP 1987-279403	19871106
JP 05056773	B4	19930820		

PRIORITY APPLN. INFO.: JP 1987-279403 19871106
 AB The polyamines (NH₂1NH-p-C₆H₄22C₆H₄-p)-n [Z1 = C₅-16 alkylene or arylene group bearing .ltoreq.2 N-hetero arom. rings; Z2 = CO, SO₂; n = 10-100] are prep'd. by polycondensation of R1R2R3SiNHZ1NHSiR4R5R6 (R1-6 = C.ltoreq.12 alkyl, cycloalkyl, aryl, arylalkyl) with Z2[C₆H₄X-p]₂ (X = halogen) in aprotic solvents. Heating 2.5 mmol [p-Me3SiNHC₆H₄]20, 5 mL DMSO, 50 mg CeP, and 2.5 mmol (p-FC₆H₄)2SO₂ at 100.degree. for 14 h and 150.degree. for 7 h gave a polyamine with intrinsic viscosity 0.61 dL/g, glass temp. 200.degree., and decompn. temp. 430.degree..
 IT 123851-64-9 123851-67-27
 RL: PREP (Preparation)
 (prepn. of. with high d.p.)
 RN 123851-64-9 CAPLUS
 CN Poly(sulfonyl-1,4-phenyleneimino-1,4-phenylenemethylene-1,4-phenyleneimino-1,4-phenylene) (9CI) (CA INDEX NAME)



RN 123851-67-2 CAPLUS
 CN Poly(imino-1,4-phenylenecarbonyl-1,4-phenyleneimino-1,4-phenylenemethylene-1,4-phenylene) (9CI) (CA INDEX NAME)

L4 ANSWER 27 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER: 1988:483333 CAPLUS
 DOCUMENT NUMBER: 109:83333
 TITLE: Electrophotographic photosensitive material
 containing
 bis(benzocarbazolyloxophenyl)amine derivative
 INVENTOR(S): Matsumoto, Masakazu
 PATENT ASSIGNEE(S): Canon K. K., Japan
 SOURCE: Ger. Offen., 24 pp.
 CODEN: GMLXXB
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 3723973	A1	19880128	DE 1987-3723973	19870720
DE 3723973	C2	19900208		
JP 63027849	A2	19880205	JP 1986-172579	19860722
JP 05005348	B4	19930122		
US 4820602	A	19890411	US 1987-73174	19870714
			JP 1986-172579	19860722

PRIORITY APPLN. INFO.:
 GI


* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB An electrophotog. photoreceptor with high sensitivity in the visible region and stable potential characteristics upon repeated use consists of an elec. conductive support and a photosensitive layer contg. a comp'd. of the formula I (R1-R12 = H, halogen, alkyl, aralkyl, alkoxy, NO₂, CN, F3C, or substituted NH₂; R13 = Ph with .gtoreq.1 alkoxy and alkyl group; R14 = Ph with .gtoreq.1 NO₂, CN, and halogen group and R5R6, R6R7, R7R8, R9R10, R10R11, and R11R12 together an form a condensed arom. ring) as a charge-generating agent. Thus, an ammoniacal casein soln.-coated Al plate was coated with a dispersion contg. II, poly(vinyl butyral), and EtOH to give a charge-generating layer and then overcoated with a soln. contg. p-diethylaminobenzaldehyde 1-naphthylphenylhydrazone, poly(Me methacrylate), and benzene to give a charge-transporting layer. The resultant electrophotog. photoreceptor showed both sufficient chargeability and sensitivity.

IT 115727-05-4
 RL: USES (Uses)
 (electrophotog. composite photoreceptor with charge carrier-generating layer contg. for improved chargeability and sensitivity)
 RN 115727-05-4 CAPLUS
 CN 11H-Benzo[a]carbazole-3-carboxamide,
 8-(dimethylamino)-2-hydroxy-1-{4-[4-


[2-hydroxy-8-nitro-3-[[[3-nitrophenyl]amino]carbonyl]-11H-benzo[a]carbazol-1-yl]-3-(phenylmethyl)phenyl]amino-2-(phenylmethyl)phenyl]-N-(4-methoxyphenyl)- (9CI) (CA INDEX NAME)

L4 ANSWER 26 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




L4 ANSWER 27 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

PAGE 1-A




PAGE 2-A



L4 ANSWER 28 OF 50 CAPLUS COPYRIGHT 2003 ACS ON STN
ACCESSION NUMBER: 1987:224453 CAPLUS
DOCUMENT NUMBER: 106:224453
TITLE: Electrophotographic charge-generating diaseo
photoconductors
INVENTOR(S): Matsumoto, Masakazu; Takiguchi, Takao; Yamashita,
Masataka; Umebara, Masashige; Ishikawa, Shozo
PATENT ASSIGNEE(S): Canon K. K., Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 25 pp.
CODEN: JKKXAP
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 61269165	A2	19861128	JP 1985-110100	19850524
JP 04017423	B4	19820325		
US 4760003	A	19880726	US 1986-065452	19860521
PRIORITY APPLN. INFO.:			JP 1985-110100	19850524
			JP 1985-113043	19850528

GI



AB The disazo compds. have the formula I (R1-R4 = H, halo, NO2, alkyl etc.;

A = coupler residue having one phenolic OH group). A composite photoconductor was prepd. by dispersing in poly(vinyl butyral) binder a diazo compd. of the formula I (R1-R4 = H; A = coupler residue from 3-hydroxy-2-anthracenecarboxylic acid anilide) to give a

charge-generating layer and dispersing in PMMA binder a hydrazone compd. to form a charge-transporting layer. It showed improved sensitivity and stability for practical use.

IT 108590-34-1

RL: USES (U

(electrophotog. photoconductor with charge-generating compd. from)


RN 108598-34-1 CAPLUS

CN 11H-Benzo[a]carbazole-3-carboxamide,

1,1'-[iminobis[3-(phenylmethyl)-4,1-phenylene]azo]bis[N-(2,3-dichlorophenyl)-2-hydroxy- (9CI) (CA INDEX NAME)

L4 ANSWER 29 OF 50 CAPLUS COPYRIGHT 2003 ACS ON STN
ACCESSION NUMBER: 1987:154276 CAPLUS
DOCUMENT NUMBER: 106:154276
TITLE: Electrophotographic photoreceptor
INVENTOR(S): Matsumoto, Masakazu
PATENT ASSIGNEE(S): Canon K. K., Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 18 pp.
CODEN: JJKXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 61173255	A2	19860804	JP 1985-13425	19850129
JP 05049106	B4	19930723		
PRIORITY APPLN. INFO.:			JP 1985-13425	19850129
GI				



II

AB The claimed electrophotog. photoreceptor contains I or II (R1 = H, alkyl, aryl, aralkyl; R2 = H, alkyl; X1, X2 = H, alkyl, aralkyl, alkoxy, halo;

R3
= aryl heterocyclyl; Z = arylene, heterocyclylene; m = 0, 1; n .gtoreq.

1) in the photoconductor layer. The photoreceptor exhibits excellent sensitivity and durability. The compts. I and II are esp. useful as charge carrier-transporting agents.

IT 107479-41-4

RL: BIOL (Biological study)
(electrophores. charge carrier-transporting agent)


(electrophotog.)
BN 107479-41-4 CARLIS

RN 107479-41-4 CAPLUS
CN Poly[imino-1,4-phenylene[1-ethyl-3-(4-pyridinyl)-2-propenylidene][3-(phenylmethyl)-1,4-phenylene]], .alpha.-[2-(phenylmethyl)phenyl]-.omega.-(phenylamino)-(9CI) (CA INDEX NAME)


Habte

L4 ANSWER 28 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)


PAGE 1-A



PAGE 1-B




L4 ANSWER 29 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




10/21/2003


L4 ANSWER 30 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1987:98389 CAPLUS
 DOCUMENT NUMBER: 106:98389
 TITLE: Guanase activity determination with new chromogen
 AUTHOR(S): Shiahino, Koji; Tokunaga, Kenji; Murase, Mitsuharu;
 Takeuchi, Nozomu
 CORPORATE SOURCE: Cent. Lab., Ehime Univ. Hosp., Shigenobu, 791-02,
 Japan
 SOURCE: Eisei Kenka (1986), 35(10), 1410-15
 CODEN: EIKAS; ISSN: 0367-052X
 DOCUMENT TYPE: Journal
 LANGUAGE: Japanese
 AB A colorimetric method was developed for the detn. of guanase by the
 hydrolysis of guanine in the presence of the chromogen
 bis[3-bis[(4-chlorophenyl)methyl-4-dimethylaminophenyl]amine and H2O2.
 The assay was monitored at 755 nm. The addn. of superoxide dismutase
 enhanced the assay sensitivity by 30%. The calibration curve was linear
 at .10-1.0 IU/L and neither ascorbate (<50 mg/L) nor bilirubin (<75
 mg/L) interfered in the detn. Guanase activity detd. by this method in
 240 subjects with normal liver function was 0.1-0.7 IU/L.
 IT 101650-95-7
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (oxdn. of, in guanase detn. by colorimetry)
 RN 101650-95-7 CAPLUS
 CN 1,4-Benzenediamine, 2-[[4-(chlorophenyl)methyl]-N4-[3-[(4-
 chlorophenyl)methyl]-4-(dimethylamino)phenyl]-N1,N1-dimethyl- (9CI) (CA
 INDEX NAME)



L4 ANSWER 31 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
 RN 101650-95-7 CAPLUS
 CN 1,4-Benzenediamine, 2-[[4-(chlorophenyl)methyl]-N4-[3-[(4-
 chlorophenyl)methyl]-4-(dimethylamino)phenyl]-N1,N1-dimethyl- (9CI) (CA
 INDEX NAME)




RN 101650-96-8 CAPLUS
 CN 1,4-Benzenediamine, 2-[[4-(bromophenyl)methyl]-N4-[3-[(4-
 bromophenyl)methyl]-4-(dimethylamino)phenyl]-N1,N1-dimethyl- (9CI) (CA
 INDEX NAME)




L4 ANSWER 31 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1986:164829 CAPLUS
 DOCUMENT NUMBER: 104:164829
 TITLE: Measurement of hydrogen peroxide and analysis based on
 hydrogen peroxide formation
 Aoyama, Norihito; Miike, Akira; Shimizu, Yoshiaki;
 Tadano, Toshio
 INVENTOR(S): Kyowa Medex Co., Ltd., Japan
 PATENT ASSIGNEE(S): Jpn. Kokai Tokkyo Koho, 8 pp.
 SOURCE: CODEN: JKKXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 60218069	A2	19851031	JP 1984-74713	19840413
PRIORITY APPL. INFO.:			JP 1984-74713	19840413
GI				




AB Phenothiazine, phenoxazine or diphenylamine deriva. I or II (Y = H or
 XC; Z
 (Z = O or S, X = H, alkyl, alkenyl, allyl, (un)substituted amino); R1 =
 OH, (un)substituted amino; R2 = H, OH, alkyl, alkoxy, allyl, alkenyl,
 (un)substituted amino; R3 = (un)substituted diphenylalkyl,
 (un)substituted
 biphenyl(alkyl), un(substituted) phenylalkyl; R4, R5, R6 = H, alkyl,
 alkenyl, aryl, allyl, halogen, nitro, (un)substituted diphenylalkyl,
 etc.,
 J = S, O, etc.) are chromogens for the colorimetric detn. of H2O2. As an
 example, uric acid detn. is based on the measurement of H2O2 formation.
 Thus, a 20-μm.L serum sample was treated with 3 mL of a reagent contg.
 II (R1 = NH2; R2 = NH; R3, R5 = diphenylmethyl; R4, R6 = H; Y = H), uricase,
 phenol, peroxidase, Triton X-100 and pH 6.5 buffer at 37.degree. for 10
 min. and absorbance was measured for the detn. of uric acid.
 IT 101650-91-3 101650-95-7 101650-96-8
 RL: ANST (Analytical study)
 (as chromogen, in hydrogen peroxide detn. by enzymic-calorimetric
 method)
 RN 101650-91-3 CAPLUS
 CN 1,4-Benzenediamine,
 2-[[1,1'-biphenyl]-4-ylmethyl]-N4-[3-[[1,1'-biphenyl]-
 4-ylmethyl]-4-(dimethylamino)phenyl]-N1,N1-dimethyl- (9CI) (CA INDEX
 NAME)

L4 ANSWER 32 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1981:66132 CAPLUS
 DOCUMENT NUMBER: 94:66132
 TITLE: Reductive polyheterocyclization - a new general
 method
 for the synthesis of polybenzazoles
 Korshak, V. V.; Rusanov, A. L.; Tugushi, D. S.;
 Kipiani, L. G.; Dzharipidze, Z. Sh.; Shubashvili, A.
 S.; Qverdtsteli, I. M.
 CORPORATE SOURCE: Tbilisi, Gos. Univ., Tbilisi, USSR
 SOURCE: Izvestiya Akademii Nauk Gruzinskoi SSR, Seriya
 Khimicheskaya (1980), 6(2), 122-8
 CODEN: IGSKDH; ISSN: 0132-6074
 DOCUMENT TYPE: Journal
 LANGUAGE: Russian
 GI



AB The title reaction was used for the prepn. of polybenz(ox)imidazoles (I,
 X
 = N, O; Z = m-C6H4, p-C6H4, p-C6H4OC6H4-p; Z1 = O, CH2, CMe2), and
 polybenzimidazoles (II, Z = O, CH2). I were prepd. by reacting
 bis(o-nitro amines) or bis(o-nitrophenols) with dicarboxylic acid
 chlorides, followed by redn. of the resulting poly(o-nitroamides) or
 poly(o-nitro esters) with Fe-HCl resulting in simultaneous cyclization.
 II were prepd. by reacting bis(anilines) with
 4,4'-sulfonylbis[1-chloro-2-
 nitrobenzene], redn. of the resulting poly(o-nitroamines), acylation with
 benzoyl chloride [98-88-4], and cyclization. Properties of I and II,
 and
 advantages of reductive polyheterocyclization over the previously
 employed
 method utilizing bis(o-diamines) were discussed.
 IT 57569-98-9P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (prepn., redn., acylation and cyclization of)
 RN 57569-98-9 CAPLUS
 CN Poly[sulfonyl(3-nitro-1,4-phenylene)imino-1,4-phenylenemethylene-1,4-
 phenyleneimino(2-nitro-1,4-phenylene)] (9CI) (CA INDEX NAME)

L4 ANSWER 32 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



L4 ANSWER 33 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER: 1981:46442 CAPLUS

DOCUMENT NUMBER: 94:46442

TITLE: Photochemical studies on an aromatic amine-methane polychloro derivative system. Part VIII. Photochemical activity of some aniline and phenol derivatives in dichloromethane and in a mixture of dichloromethane with benzene

AUTHOR(S): Latowski, Tadeusz; Latowska, Elzbieta; Poplawska, Barbara; Przytarska, Mirosława; Walczak, Maria; Zelent, Bogumil

CORPORATE SOURCE: Inst. Chem., Univ., Gdanak, 80952, Pol.
SOURCE: Polish Journal of Chemistry (1980), 54(5), 1073-80
CODEN: PJCHDQ; ISSN: 0137-5083

DOCUMENT TYPE: Journal

LANGUAGE: English


AB The title reactions give diphenylmethane derivs. via a reaction mechanism in which the main step is the formation of substituted phenylmethyl carbocations from the recombination of ClCH2.bul. with the radical cation of an electron donor.

IT 76176-95-9P 76190-68-6P

RL: SPN (Synthetic preparation); PREP (Preparation)
(prepn. of)


RN 76176-95-9 CAPLUS

CN Benzenamine, 2-[[[2-(phenylamino)phenyl]methyl]-N-[2-[[[2-(phenylamino)phenyl]methyl]phenyl]- (9CI) (CA INDEX NAME)



RN 76190-68-6 CAPLUS

CN Benzenamine, 4-[[[4-(phenylamino)phenyl]methyl]-N-[4-[[[4-(phenylamino)phenyl]methyl]phenyl]- (9CI) (CA INDEX NAME)



L4 ANSWER 34 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER: 1979:593668 CAPLUS

DOCUMENT NUMBER: 91:193668

TITLE: Synthesis of poly(1,2-diarylbenzimidazoles) by modified reductive polyheterocyclization
Rusanov, A. L.; Tuguehi, D. S.; Shubashvili, A. S.; Overdaiteli, I. M.; Korehak, V. V.
Tbilis. Gos. Univ., Tiflis, USSR
Vysokomolekulyarnye Soedineniya, Seriya A (1979), 21(8), 1873-7
CODEN: VYSAAF; ISSN: 0507-5475

CORPORATE SOURCE: Journal

SOURCE: Russian

DOCUMENT TYPE: Journal

LANGUAGE: Russian


AB The title polymers were prepd. by polymn. of bis(4-halo-3-nitrophenyl) sulfones with arom. diamines, redn. to poly(o-aminolamines, benzoylation, and thermal cyclization. Optimal reaction conditions, properties of polymers and intermediates, and the influence of diamine structure on polymer properties were detd. The products were thermally stable to 450-90.degree. (5% wt. loss in air).

IT 57569-98-9 69572-48-1 71981-12-9

RL: USES (Uses)
(in benzimidazole deriv. polymer prepn.)


RN 57569-98-9 CAPLUS

CN Poly[sulfonyl(3-amino-1,4-phenylene)imino-1,4-phenylenemethylene-1,4-phenyleneimino(2-nitro-1,4-phenylene)] (9CI) (CA INDEX NAME)



RN 69572-48-1 CAPLUS

CN Poly[sulfonyl(3-amino-1,4-phenylene)imino-1,4-phenylenemethylene-1,4-phenyleneimino(2-amino-1,4-phenylene)] (9CI) (CA INDEX NAME)




RN 71981-12-9 CAPLUS

CN Poly[sulfonyl(3-(benzoylamino)-1,4-phenylene)imino-1,4-phenylenemethylene-1,4-phenyleneimino(2-(benzoylamino)-1,4-phenylene)] (9CI) (CA INDEX NAME)

Habte

L4 ANSWER 34 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



10/21/2003

L4 ANSWER 35 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1979:1447354 CAPLUS
 DOCUMENT NUMBER: 91:47354
 TITLE: Electrophotographic recording material
 INVENTOR(S): Hashimoto, Mitsuru; Sasaki, Masaomi; Ohta, Masafumi;
 Teutsui, Kyoji; Sakai, Kiyoshi; Kazami, Takeo
 PATENT ASSIGNEE(S): Ricoh Co., Ltd., Japan
 SOURCE: Ger. Offen., 55 pp.
 CODEN: GWMXBX
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 2
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 2844507	A1	19790426	DE 1978-2844507	19781012
DE 2844507	C2	19841213		
JP 54059142	A2	19790512	JP 1977-125183	19771020
JP 60057588	B4	19851216		
JP 54065038	A2	19790525	JP 1977-131037	19771101
US 4209327	A	19800624	US 1978-952007	19781017
PRIORITY APPLN. INFO.:			JP 1977-125183	19771020
			JP 1977-131037	19771101

GI


* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB An electrophotog. imaging assembly with greatly improved sensitivity consists of an elec. conductive support coated with either a light-sensitive layer of a dispersion of a charge carrier-producing pigment in a charge-transfer medium or a light-sensitive bilayer composed of a layer (either top or bottom) contg. a dispersion of a charge carrier-producing pigment and another layer of a charge-transfer compd. In both cases the charge-transfer compds. have the formulae I (R1 = C1-7 alkyl; R2, R3 = H, halogen, NO2, or C1-4 alkyl; and m and n = 1 or 2 with .gtoreq.1 of m or n = 2), II (R4 = H, halogen, NO2, or C1-4 alkyl or alkoxy), [(R5C6H4)2NCH2-p-C6H4]2CH2 (R5 is same as R4 above), [(R6C6H4CH2)2N-p-C6H4]2O (R6 is same as R4 above), R9C6H4R8N(CHR7)NNR8C6H4R9 (R7, R8 = H or Ph or benzyl substituted by H, halogen, C1-4 alkyl, MeO, or NO2; R9 = H, halogen, NO2, MeO, or C1-4 alkyl; n is same as above), III (R10 = Ph or naphthyl with halogen, NO2, Me, MeO, CO2H, or Ph substituents; R11 = H, halogen, Me, MeO, or NO2), and IV (R12 = C1-4 alkyl or halogen-substituted benzyl; R13 = H, halogen, or Me). Thus, an electrophotog. imaging assembly comprised of an Al-coated polyester support coated with a dispersion of Diane Blue (V) (color index No. 21180) 2 in THF 98 parts to a dry layer thickness of 1 .mu. and overcoated with a compn. contg. 1,1-bis(4-N,N-benzylphenethylaminophenyl)propane 2, a polycarbonate resin 3, and THF 45 parts to a dry thickness of 9 .mu. was corona charged to -120 V and the surface potential measured after 20 s in the dark and exposed using a 20-lx W lamp to give a sensitivity of 6.9 lx.s (exposure needed to reduce the potential to 1/2 its original value) vs. >80 lx.s for a control


L4 ANSWER 35 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

L4 ANSWER 35 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
 without the charge carrier-producing agent V and charged to -1400 V.
 IT 70777-35-4
 RL: USES (Uses)
 (electrophotog. plate charge-transfer layer contg., for improved sensitivity)
 RN 70777-35-4 CAPLUS
 CN Methanediimine,
 N,N'-bis[4-[[4-bis[(4-methoxyphenyl)methyl]amino]phenyl]m
 ethyl]phenyl]-N,N'-bis(4-methylphenyl)- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 2-A



L4 ANSWER 36 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1979:122683 CAPLUS
 DOCUMENT NUMBER: 90:122683
 TITLE: Permelective composite membrane
 INVENTOR(S): Taketani, Yutaka; Ono, Tomoyoshi; Hayashi, Yuzuru;
 Kawaguchi, Takeyuki; Mori, Ko
 PATENT ASSIGNEE(S): Teijin Ltd., Japan
 SOURCE: Ger. Offen., 90 pp.
 CODEN: GWMXBX
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 2825247	A1	19781214	DE 1978-2825247	19780608
DE 2825247	B2	19810625		
DE 2825247	C3	19820401		
JP 54003153	A2	19790111	JP 1977-66601	19770608
JP 62012259	B4	19870317		
JP 54002980	A2	19790110	JP 1977-67847	19770610
JP 61007844	B4	19860310		
US 4260652	A	19810407	US 1978-912547	19780605
GB 2000163	A	19790104	GB 1978-26539	19780608
GB 2000163	B2	19820127		
FR 2393594	A1	19790105	FR 1978-17122	19780608
FR 2393594	B1	19840504		
CA 1128684	A1	19820727	CA 1978-304993	19780608
PRIORITY APPLN. INFO.:			JP 1977-66601	19770608
			JP 1977-67847	19770610

GI



AB The title membranes, useful for water desalination, consist of an ultrathin layer or film of a polybenzimidazolone on a microporous substrate and have good strength, permeability, chem. and biol. resistance, and flexibility. Thus, 18.85 g 3,3'-dinitro-4,4'-dichlorodiphenyl sulfone was added to a soln. of 10.0 g 4,4'-diaminodiphenyl ether and 10.6 g Na2CO3 in 120 mL Me2SO and heated

20

L4 ANSWER 36 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
 h at 120.degree., giving a polyether-polyamine (I, R = NO₂) [56912-12-0]
 with inherent viscosity 1.00, which was dissolved in aq. MeOH and treated
 with NaHSO₃ to give the amine deriv. (I, R = NH₂) [62721-12-4]. A soln.
 of 4.42 g of this product in 50 mL N-methylpyrrolidone was treated with
 0.95 g Na₂CO₃ and 2.19 g Et chlorocarbonate, stirred 1 h at room temp.,
 and heated 3 h at 160.degree., giving polybenzimidazolone II
 [62628-01-7], inherent viscosity 0.85. A Dacron felt of wt. 180 g/m² was
 fixed on a glass plate and covered with a thin layer of a soln. contg.

201 polysulfone and 15% Me Cellosolve in DMP. The polysulfone was gelled in
 a water bath, giving a fiber-reinforced microporous polysulfone membrane of
 thickness 40-140 .mu. and flow rate for pure water 3.6 .times. 10-3-5.7
 .times. 10-3 g/cm²-s-atm. This base membrane was impregnated with a
 soln.


of II 2.5, water 42, EtNH₂ 56, and AcNMe₂ 2 parts, drained of excess
 soln., and dried 10 min at 120.degree., giving a product with water flux
 16.1 L/m²-h and salt rejection 98.6%.

IT 57569-98-9D, reduced and cyclized 69572-48-1D, reduced
 and cyclized

RL: USES (Uses)
 (composite membranes, contg. polysulfones, for water desalination)


RN 57569-98-9 CAPLUS

CN Poly[sulfonyl(3-nitro-1,4-phenylene)imino-1,4-phenylenemethylene-1,4-
 phenyleneimino(2-nitro-1,4-phenylene)] (9CI) (CA INDEX NAME)



RN 69572-48-1 CAPLUS

CN Poly[sulfonyl(3-amino-1,4-phenylene)imino-1,4-phenylenemethylene-1,4-
 phenyleneimino(2-amino-1,4-phenylene)] (9CI) (CA INDEX NAME)




L4 ANSWER 37 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER: 1977:502832 CAPLUS
 DOCUMENT NUMBER: 87:102832
 TITLE: Aromatic nitrogen group-containing polyether
 polysulfones
 INVENTOR(S): Blinne, Gerd; Cordes, Claus
 PATENT ASSIGNEE(S): BASF A.-G., Fed. Rep. Ger.
 SOURCE: Ger. Offen., 15 pp.
 CODEN: GWXXBX
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 2557652	A1	19770623	DE 1975-2557652	19751220
FR 2335551	A1	19770715	FR 1976-37592	19761214
FR 2335551	B3	19790824		
BE 849441	A1	19770615	BE 1976-173291	19761215
GB 1559599	A	19800123	GB 1976-52725	19761217
			DE 1975-2557652	19751220

PRIORITY APPLN. INFO.:

GI



AB Arom. polyether-sulfones contg. amide or iminomethylene groups in the
 main

chain are prepd. from alkali metal salts of bis(4-hydroxyphenyl)
 sulfone(I) and bis(maleophenyl)-substituted compds. contg. the desired N
 grouping. Thus, 954 parts 4,4'-bis(p-chlorobenzoylamino)diphenyl ether
 was added to a soln. of I di-K salt prepd. by treating I 500,
 1,1-dioxotetrahydrothiophene 1200, and PhCl 3000 parts with 561 parts 60%
 aq. KOH, at 160.degree.. The mixt. was heated slowly to 220.degree. and
 condensed 6 h at this temp., giving a polyether-sulfone [63413-87-6] of
 structure II and inherent viscosity 0.26.


IT 63861-73-4P
 RL: IMP (Industrial manufacture); PREP (Preparation)
 (manuf. of)

RN 63861-73-4 CAPLUS

CN Poly[oxy-1,4-phenyleneiminocarbonyl-1,4-phenylene[(4-nitrobenzoyl)imino]-1,4-
 phenylenemethylene-1,4-phenylene[(4-nitrobenzoyl)imino]-1,4-
 phenyleneiminocarbonylimino-1,4-phenylene] (9CI) (CA INDEX NAME)


L4 ANSWER 36 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

L4 ANSWER 37 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




PAGE 1-A

PAGE 1-B




L4 ANSWER 38 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1977:145627 CAPLUS
 DOCUMENT NUMBER: 87:53627
 TITLE: Synthesis of polyarylamines by vinyllogous nucleophilic substitution polymerization of bis(4-chloro-3-nitrophenyl) sulfone with diamines
 AUTHOR(S): Imai, Yoshio; Ueda, Mitsuru; Otaira, Kouetsu
 CORPORATE SOURCE: Fac. Eng., Yamagata Univ., Yonezawa, Japan
 SOURCE: Journal of Polymer Science, Polymer Chemistry Edition (1977), 15(6), 1457-63
 CODEN: JPLCAT; ISSN: 0449-296X
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 AB A series of arom. polyamines was prep'd. by soln. polycondensation of bis(4-chloro-3-nitrophenyl)sulfone with arom. or aliph. diamines in polar aprotic solvents in the presence of an acid acceptor. The polyamines had inherent viscosity of 0.1-0.5, were amorphous, and were highly sol. in polar aprotic solvents. Thermogravimetric anal. indicated that rapid decompn. of the polyamines from arom. diamines began at 300.degree..
 IT 57569-98-9P
 RL: SPN (Synthetic preparation); PREP (Preparation) (prepn. of)
 RN 57569-98-9 CAPLUS
 CN Poly[sulfonyl(3-nitro-1,4-phenylene)imino-1,4-phenylenemethylene-1,4-phenyleneimino(2-nitro-1,4-phenylene)] (9CI) (CA INDEX NAME)



L4 ANSWER 39 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1977:140678 CAPLUS
 DOCUMENT NUMBER: 86:140678
 TITLE: Linear aromatic imine polymers
 INVENTOR(S): Hara, Shigeyoshi; Taketani, Yutaka; Mori, Ko; Senoo, Masao
 PATENT ASSIGNEE(S): Teijin, Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 31 pp.
 CODEN: JKJXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 52006800	A2	19770119	JP 1975-81974	19750704
PRIORITY APPLN. INFO.:			JP 1975-81974	19750704
AB	4,4'-Diaminodiphenyl ether-4,4'-dichloro-3,3'-dinitrodiphenyl sulfone copolymer (I) [56899-96-8] or similar copolymers were prep'd. Thus, 18.85 g 4,4'-dichloro-3,3'-dinitrodiphenyl sulfone was added to 120 mL Me2SO contg. 10 g 4,4'-diaminodiphenyl ether and 10.6 g Na2CO3 and heated at 120.degree. for 20 h to prep. I.			
IT	57569-98-9P RL: PREP (Preparation) (prepn. of)			
RN	57569-98-9 CAPLUS			
CN	Poly[sulfonyl(3-nitro-1,4-phenylene)imino-1,4-phenylenemethylene-1,4-phenyleneimino(2-nitro-1,4-phenylene)] (9CI) (CA INDEX NAME)			




L4 ANSWER 40 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1976:18050 CAPLUS
 DOCUMENT NUMBER: 84:18050
 TITLE: Polymers of aromatic amines
 INVENTOR(S): Hara, Shigeyoshi; Mori, Koh; Taketani, Yutaka; Senoo, Masao
 PATENT ASSIGNEE(S): Teijin, Ltd., Japan
 SOURCE: Ger. Offen., 99 pp.
 CODEN: GWXXBX
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 2507380	A1	19750904	DE 1975-2507380	19750220
DE 2507380	C3	19790104		
JP 50113599	A2	19750905	JP 1974-19373	19740220
US 4069206	A	19780117	US 1975-550738	19750218
CA 1073146	A1	19800304	CA 1975-220446	19750219
BE 825738	A1	19750616	BE 1975-153523	19750220
NL 7502026	A	19750822	NL 1975-2026	19750220
NL 168532	B	19811116		
NL 168532	C	19820416		
FR 2261305	A1	19750912	FR 1975-5325	19750220
FR 2261305	B1	19800814		
GB 1499754	A	19780201	GB 1975-7202	19750220
CH 630934	A	19820715	CH 1975-2115	19750220
PRIORITY APPLN. INFO.:			JP 1974-19373	19740220


GI For diagram(s), see printed CA issue.
 AB Hygroscopic and photosensitive polymers were prep'd. from dihalo arom. compds. (contg. electron-rich groups) and arom. or aliph. compds. contg.
 2 groups that could participate in nucleophilic displacement reactions with the halogens of the other arom. compd. Thus, O(C6H4NH2-4)2 was condensed with SO2[C6H3(NO2)Cl-3,4]2 to give a polymer [56899-96-8] with the repeating unit I. A 50 .mu. film of this polymer exhibited a tensile strength of 10 kg/cm2, elongation of 10% and scarcely any wt. loss when heated to 300.degree. at 5.degree./min.
 IT 57569-98-9P
 RL: USES (Uses) (heat-resistant)
 RN 57569-98-9 CAPLUS
 CN Poly[sulfonyl(3-nitro-1,4-phenylene)imino-1,4-phenylenemethylene-1,4-phenyleneimino(2-nitro-1,4-phenylene)] (9CI) (CA INDEX NAME)




L4 ANSWER 41 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1975:549953 CAPLUS
 DOCUMENT NUMBER: 83:1149953
 TITLE: Effect of the structure of the hydrocarbon chain of diphenylamine alkyl derivatives on their antioxidant effectiveness in oils
 AUTHOR(S): Zarubina, I. V.; Rogozhina, T. E.; Kagan, L. Kh.; Borukhova, M. S.; Nikonov, E. M.; Balashova, K. S.
 CORPORATE SOURCE: Nauchno-Issled. Inst. Neft. Prom., Moscow, USSR
 SOURCE: Neftepererabotka i Neftekhimiya (Moscow, Russian Federation) (1975), (6), 13-14
 CODEN: NNNSAP; ISSN: 0233-5727
 DOCUMENT TYPE: Journal
 LANGUAGE: Russian
 AB The structure and position of the alkyl radical had significant effect on the antioxidant properties of alkylidiphenylamine additive in oil. The introduction of isooalkyl radical in p-position decreased the formation of deposits in oil. The isooalkyl deriva. of Ph₂NH were the most efficient antioxidants as >200.degree. as compared with arom., terpenic, n-alkyl, and other deriva.
 IT 56863-61-7
 RL: USES (Uses)
 (lubricating oil antioxidants)
 RN 56863-61-7 CAPLUS
 CN Benzenamine, 4-(3-phenylpropyl)-N-[4-(3-phenylpropyl)phenyl]- (9CI) (CA INDEX NAME)



L4 ANSWER 43 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1974:448953 CAPLUS
 DOCUMENT NUMBER: 81:48953
 TITLE: Neighboring group effects of electron-impact-induced fragmentation of acetylated 2,2'-diaminodiphenylmethanes
 AUTHOR(S): Eckhardt, G.; Fehlaber, H. W.; Volk, H.; Welzel, P.
 CORPORATE SOURCE: Org. Chem. Inst., Univ. Bonn, Bonn, Fed. Rep. Ger.
 SOURCE: Organic Mass Spectrometry (1974), 9(1), 68-71
 CODEN: ORMSBG; ISSN: 0030-493X
 DOCUMENT TYPE: Journal
 LANGUAGE: German
 GI For diagram(s), see printed CA Issue.
 AB The mono- and bis-acetylated 2,2'-di-aminodiphenylmethanes (I, R = H, R1 = Ph, Ac; R = Ph, R1 = Ac) and (II, R = H, Ac) showed strong electron impact-induced elimination of H2O.
 IT 52812-79-0
 RL: PRP (Properties)
 (mass spectrum of)
 RN 52812-78-9 CAPLUS
 CN Acetamide, N-(4-methylphenyl)-N-[4-methyl-2-[[2-(phenylamino)phenyl]methyl]phenyl]- (9CI) (CA INDEX NAME)




RN 52812-79-0 CAPLUS
 CN Acetamide, N-[2-[[2-(acetyl(4-methylphenyl)amino)-5-methylphenyl]methyl]phenyl]-N-phenyl- (9CI) (CA INDEX NAME)




L4 ANSWER 42 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1975:516993 CAPLUS
 DOCUMENT NUMBER: 83:116993
 TITLE: Photosensitive material for electrophotography
 INVENTOR(S): Nishide, Katsuhiko; Yamanouchi, Teruo; Kinjo, Kikuo
 PATENT ASSIGNER(S): Canon K. K., Japan
 SOURCE: U.S., 7 pp.
 CODEN: USXXAM
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 3832172	A	19740827	US 1972-318886	19721227
PRIORITY APPL. INFO.:			US 1972-318886	19721227
GI For diagram(s), see printed CA Issue.				
AB Carbazolylmethane dyes (I, R = H, Cl, EtO, Me, NMe2, MeO; R1 = Et, 4-MeOC6H4, 4-ClC6H4, Me, Me2CH; R2 = Et, Bu, 4-ClC6H4, Me2CH, Me; R3 = H, Me, NMe2, MeO; R4 = R5 = H or R4R5 = direct bond; X = Cl, 4-MeC6H4SO3, BF4, SbCl6, ClO4) were prepd. and used as sensitizers for org. photoconductive materials. Thus, 3-chloro-9-ethylcarbazole [50668-20-7] was treated with HCHO [50-00-0] in HOAc in the presence of H2SO4 to give 6,6'-dichloro-9,9'-diethyl-3,3'-dicarbazolylmethane [56201-23-1] and its treatment with PhIClO4 in ClCH2CH2Cl gave photosensitizer I (R = R3 = Cl, R1 = R2 = Et, R4R5 = direct bond, X = ClO4) [50835-42-2]; the other I				
were				
similarly prepd.				
IT 56201-25-3P				
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)				
(prepn. and reaction with triphenylmethyl perchlorate)				
RN 56201-25-3 CAPLUS				
CN Benzenamine, 4-[(6-chloro-9-ethyl-9H-carbazol-3-yl)methyl]-N-ethyl-N-(4-methylphenyl)- (9CI) (CA INDEX NAME)				



L4 ANSWER 44 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1973:42982 CAPLUS
 DOCUMENT NUMBER: 78:42982
 TITLE: Syntheses of flufenamic acid metabolites I and II and other N-arylanthranilic acids
 AUTHOR(S): Bowman, R. E.; Brunt, K. D.; Godfrey, K. E.; Kruszynska, L.; Reynolds, A. A.; Thrift, R. I.; Waite, D.; Williamson, W. R. N.
 CORPORATE SOURCE: Dep. Chem., Parke, Davis and Co., Hounslow, UK
 SOURCE: Journal of the Chemical Society, Perkin Transactions 1: Organic and Bio-Organic Chemistry (1972-1999) (1973), (1), 1-4
 CODEN: JCPRB4; ISSN: 0300-922X
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 GI For diagram(s), see printed CA Issue.
 AB (Addnl. data considered in abstracting and indexing are available from a source cited in the original document.) 2,5-Cl(HO)C6H3CO2Et reacted with PhCH2Cl-NaOEt-EtOH to give, after hydrolysis, 2,5-Cl(PhCH2O)C6H3CO2H, which was condensed with n-F3CC6H4NH2 in the presence of Cu2+ to give 5-(benzyloxy)-N-(.alpha.,.alpha.,.alpha.-trifluoro-m-tolyl) anthranilic acid (I, R = PhCH2O, R1 = H). Hydrogenolysis gave I (R = OH, R1 = H). 2,5-Cl(O2N)C6H3CF3 was similarly converted into 2,5-PhCH2O(O2N)C6H3CF2; redn. of the NO2 group and condensation with 2-BrC6H4CO2K gave N-[4-(benzyloxy)-.alpha.,.alpha.,.alpha.-trifluoro-m-tolyl] anthranilic acid (I, R = H, R1 = PhCH2O) which gave I (R = H, R1 = OH) on hydrogenolysis. Other N-arylanthranilic acids were prepd. by similar Cu- or Cu salt-catalyzed condensations.
 IT 39189-56-5P 39189-58-7P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (prepn. of)
 RN 39189-56-5 CAPLUS
 CN Benzoic acid, 2-[[2,6-dimethyl-3-(phenylmethyl)phenyl]amino]- (9CI) (CA INDEX NAME)




RN 39189-58-7 CAPLUS
 CN Benzoic acid, 2-[[2,6-dimethyl-3-(4-methylphenyl)methyl]phenyl]amino]- (9CI) (CA INDEX NAME)



L4 ANSWER 44 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)


L4 ANSWER 45 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1972:421547 CAPLUS
 DOCUMENT NUMBER: 77:21547
 TITLE: Nitrodiphenylamine disperse dyes
 INVENTOR(S): Stingl, Hans A.
 PATENT ASSIGNEE(S): Toms River Chemical Corp.
 SOURCE: Patentschrift (Switz.), 6 pp.
 CODEN: SWXXAS
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
CH 516627	A	19711215	CH 1969-516627	19690110
PRIORITY APPLN. INFO.: CH 1971-14854 19690110				
AB Four title compds. (I, R = Me, NH ₂ ; Q = CH ₂ CH ₂ , p-C ₆ H ₄ , 4-C ₆ H ₄ CH ₂ C ₆ H ₄ -4), useful for dyeing poly(ethylene terephthalate) textile sublimation- and lightfast yellow shades, were prepd. For example, a mixt. of 4,3-Cl(O ₂ N)C ₆ H ₃ SO ₂ Me, (4-H ₂ NC ₆ H ₄) ₂ CH ₂ , anhyd. NaOAc, and 95% EtOH was heated 24 hr at 130.deg. to give a nitro dye (I, R = Me, Q = 4-C ₆ H ₄ CH ₂ C ₆ H ₄ -4) [35081-54-0]. The other I were prepd. similarly.				
IT 24304-10-7P 35081-54-0P				
RL: IMF (Industrial manufacture); PREP (Preparation) (prepn. of)				
RN 24304-10-7 CAPLUS				
CN Benzenesulfonamide, 4,4'-[methylenebis(4,1-phenyleneimino)]bis[3-nitro- (9CI) (CA INDEX NAME)]				




RN 35081-54-0 CAPLUS
 CN Benzenamine, 4,4'-methylenebis[N-[4-(methylsulfonyl)-2-nitrophenyl]- (9CI) (CA INDEX NAME)]

L4 ANSWER 45 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



L4 ANSWER 46 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1972:88268 CAPLUS
 DOCUMENT NUMBER: 76:88268
 TITLE: 3,5-Di-tert-butyl-4-hydroxybenzyl-substituted arylamine antioxidants for lubricating oils
 INVENTOR(S): Werzner, William F.; Miller, James Richard
 PATENT ASSIGNEE(S): Shell Internationale Research Maatschappij N. V.
 SOURCE: Ger. Offen., 15 pp.
 CODEN: GWXXBX
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 2135243	A	19720120	DE 1971-2135243	19710714
US 3673091	A	19720627	US 1970-55607	19700716
FR 2101649	A5	19720331	FR 1971-25644	19710713
GB 1358403	A	19740703	GB 1971-33067	19710714
CA 958019	A1	19741119	CA 1971-118227	19710714
US 3822284	A	19740702	US 1972-263013	19720615
PRIORITY APPLN. INFO.: US 1970-55607 19700716				
AB An alkylated carbazole (I), Ph ₂ NH, (p-C ₆ H ₄ CH ₂) ₂ NH, and phenyl-α-naphthylamine were prepd. by reaction of 4,3,5-HO(tert-Bu) ₂ C ₆ H ₂ CH ₂ OH (II) and the parent compds. in HOAc contg. catalytic H ₂ SO ₄ and used in 1% amls. as antioxidants in lubricating oils. Thus, 0.1 mole II in HOAc was added within 10 hr to 0.1 mole I in HOAc contg. 0.5 ml concd. H ₂ SO ₄ . Reaction for 3 hr at 30-5.degree. and 48 hr at .apprx.20.degree. gave (3,5-di-tert-butyl-4-hydroxybenzyl)carbazole (III, mixt. of 1- and 3-isomer). Lubricating oil contg. 50 vol. % HVI 100 neutral oil, 50 vol. % HVI 250 neutral oil, 0.04 wt. % C22-alkylated succinic acid, and 1 wt. % III had 126 hr until 1 mmole O uptake/g oil in a micro air oxidn. test (149.degree., 4.2 l. air/hr, 0.002% Fe Cu naphthenate oxidn. catalyst) as compared with 1.4 hr for oil without III.				
IT 35978-85-9				
RL: USES (Uses) (antioxidants, for lubricating oils)				
RN 35978-85-9 CAPLUS				
CN Phenol, 4,4'-[iminobis(2,1-phenylenemethylene)]bis[2,6-bis(1,1-dimethylethyl)- (9CI) (CA INDEX NAME)]				




L4 ANSWER 47 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1970:45007 CAPLUS
 DOCUMENT NUMBER: 72:45007
 TITLE: Nitro disperse dyes
 INVENTOR(S): Stingl, Alfred
 PATENT ASSIGNEE(S): Toms River Chemical Corp.
 SOURCE: Ger. Offen., 20 pp.
 CODEN: GWXXBX
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 1901499	A	19690828	DE 1969-1901499	19690114
US 3537811	A	19701103	US 1968-698142	19680116
FR 1601808	A	19700914	FR 1968-1601808	19681226
BE 726686	A	19690616	BE 1969-726686	19690109
CH 69309	A4	19720229	CH 1969-10969	19690110
CH 524013	A	19720615	CH 1969-524013	19690110
GB 1223403	A	19710224	GB 1969-1223403	19690114
CS 150237	P	19710904	CS 1969-290	19690116

PRIORITY APPLN. INFO.: US 1968-698142 19680116


GI For diagram(s), see printed CA Issue.
 AB A mixt. of 47 g 3,4-O2N(Cl)-C6H3SO2Me, 20 g (4-H2NC6H4)2CH2, 50 g NaOAc, and 650 g 95% EtOH was stirred at 130.degree. for 24 hr to give 52 g I
 [X
 = 4-C6H4CH2C6H4-4 (O), R = Me), a yellow powder which dyed poly(ethylene terephthalate) fibers (II) yellow shades fast to light and sublimation. Similarly, the following I were prepd. (X, R, and shade on II given): O, NH2, yellow; m-C6H4, Me, yellow; CH2CH2, Me, greenish yellow.
 IT 24304-10-7P
 RL: IMP (Industrial manufacture); PREP (Preparation) (prepn. of)
 RN 24304-10-7 CAPLUS
 CN Benzenesulfonamide, 4,4'-[methylenebis(4,1-phenyleneimino)]bis[3-nitro- (9CI) (CA INDEX NAME)]



L4 ANSWER 48 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
 RN 28704-65-6 CAPLUS
 CN Poly[imino-p-phenyleneisopropylidene-p-phenyleneimino(2-methyl-p-phenylene)methylene(3-methyl-p-phenylene)] (8CI) (CA INDEX NAME)]



L4 ANSWER 48 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1969:106954 CAPLUS
 DOCUMENT NUMBER: 70:106954
 TITLE: Effect of various atom groups on the properties of polyphenylenimines and polydiphenylenimines
 AUTHOR(S): Balakireva, R. S.; Nikitina, V. I.; Zgadzai, E. A.; Kuznetsov, E. V.
 CORPORATE SOURCE: Kazan. Khim.-Tekhnol. Inst. im. Kirova, Kazan, USSR
 SOURCE: Vyssokomolekulyarnye Soedineniya, Seriya B: Kratkie Soobshcheniya (1969), 11(2), 91-5
 CODEN: VYSBAI; ISSN: 0507-5483
 DOCUMENT TYPE: Journal
 LANGUAGE: Russian
 AB A series of the title polymers (I) was synthesized by the method of V. I. Nikitina (1964). All the I gave E.P.R. signals at room or at liq. N temp.; the concn. of the unpaired electrons in I was estd. at 1018-1019. The following properties of I are reported (polymer unit, m.p., 1 yield, 1 wt. loss on heating at 400.degree. for 1 hr. in the air, viscosity of 0.8% soln. in HCONMe2, elec. resistance at 25.degree. in ohm-1 cm.-1 given) (all the benzene rings are linked in the para position):
 HNC6H4CH2C6H4NHC6H4, >500.degree., 45, 4.6, -, 6.31 .times. 10-13;
 HNC6H4CH2C6H4C6H4NHC6H4C6H4, >500.degree., 55, 3.5, -, 1.77 .times. 10-13;
 HNC6H4CH2C6H4NHC6H4CMe2C6H4, 170.degree., 40, -, -, 1.00 .times. 10-12;
 HN(2-Me)C6H3CH2C6H3 (Me - 2)NHC6H4, 500.degree., 52, 4.9, -, 3.5 .times. 10-13;
 HN(2-Me)C6H3CH2C6H3 (Me - 2)NHC6H4C6H4, >500.degree., 50, 4.7, 2.5 .times. 10-13;
 HN(2-Me)C6H3CH2C6H4 (Me - 2)NHC6H4CMe2C6H4, 190-220.degree., 44, -, -, 1.78 .times. 10-13;
 HNC6H4SO2C6H4NHC6H4, >500.degree., 85, 5.3, -, 0.36 .times. 10-10;
 HNC6H4SO2C6H4NHC6H4C6H4, 500.degree., 60, 4.8, 0.15, 1.00 .times. 10-11;
 HNC6H4SO2C6H4NHC6H4CMe2C6H4, 200-220.degree., -, 0.03, 2.97 .times. 10-13;
 HNC6H4C6H4NHC6H4C6H4 (R is phthalidyl), >500.degree., 71, 9.5, 0.14, 0.14 .times. 10-9;
 HNC6H4NHC6H4C6H4C6H4, >500.degree., 52, 11.6, -, 0.26 .times. 10-9;
 HNR1NHC6H4 (R1 is 2,7-fluorenylene), >500.degree., 67, -, 0.25, 0.40 .times. 10-12;
 N(2-Me)C6H3C6H3 (O-Me2)NHC6H4, >500.degree., 55, -, -, 0.40 .times. 10-11.
 IT 28704-62-3 28704-65-6
 RL: PRP (Properties) (properties of)
 RN 28704-62-3 CAPLUS
 CN Poly[imino-p-phenyleneisopropylidene-p-phenyleneimino-p-phenylenemethylene-p-phenylene] (8CI) (CA INDEX NAME)]




L4 ANSWER 49 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 1965:479759 CAPLUS
 DOCUMENT NUMBER: 63:79759
 ORIGINAL REFERENCE NO.: 63:14621b
 TITLE: Oxidation inhibitors for lubricants
 PATENT ASSIGNEE(S): Distillers Co. Ltd.
 SOURCE: 10 pp.
 DOCUMENT TYPE: Patent
 LANGUAGE: Unavailable
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
NL 6413600		19650608	NL	

PRIORITY APPLN. INFO.: GB 19631207

AB Lubricants exhibited increased oxidn. resistance upon addn. of 0.5% of 2-hydroxyphenylamine derivs. (I). Particularly effective I are 3,5-di-tert-butyl-2-hydroxy-4'-methyldiphenylamine, 3,5-di-tert-butyl-2-hydroxy-4'-chlorodiphenylamine, 3,5-di-tert-butyl-2-hydroxy-4'-ethoxydiphenylamine, and N,N'-bis(3,5-di-tert-butyl-2-hydroxyphenyl)-o-phenylenediamine.
 IT 4810-25-7, Phenol, 2,2'-[methylenebis(p-phenyleneimino)]bis[4,6-di-tert-butyl- (as lubricant antioxidant)
 RN 4810-25-7 CAPLUS
 CN Phenol, 2,2'-[methylenebis(p-phenyleneimino)]bis[4,6-di-tert-butyl- (7CI, 8CI) (CA INDEX NAME)]



L4 ANSWER 50 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER: 1963:10598 CAPLUS

DOCUMENT NUMBER: 58:10598

ORIGINAL REFERENCE NO.: 58:5138c-d

TITLE: Magnetic susceptibility of the inner complex compounds

of bivalent copper, nickel, or cobalt with Mannich bases

AUTHOR(S): Trailina, E. P.; Zelentsov, V. V.; Savich, I. A.;

Bylyna, E. A.; Evdokimov, V. B.

CORPORATE SOURCE: M. V. Lomonosov State Univ., Moscow

SOURCE: Zhurnal Fizicheskoi Khimii (1961), 35, 960-2

CODEN: ZFKGUA9; ISSN: 0044-4537

DOCUMENT TYPE: Journal

LANGUAGE: Unavailable

AB The magnetic susceptibilities of complex compds. of Cu⁺⁺, Ni⁺⁺, and Co⁺⁺ with the derivs. of 8-quinolinol (Mannich bases) (CA 57, 3411e) detd. by the Faraday method (CA 53, 791i) were tabulated. On the basis of the

data some conclusions were made as to the stereochemistry of these compds.

The Cu. compds. had a planar structure. For Co and Ni the data indicate a tetrahedral coordination.

IT 108754-93-4, Nickel, bis[hydrogen p-[.alpha.-(8-hydroxy-7-quinolyl)toluidino]benzoato]-

(prepn. of)

RN 108754-93-4 CAPLUS

CN Nickel, bis[hydrogen


p-[.alpha.-(8-hydroxy-7-quinolyl)toluidino]benzoato]-

(7CI) (CA INDEX NAME)


L4 ANSWER 50 OF 50 CAPLUS COPYRIGHT 2003 ACS on STN

(Continued)

PAGE 1-B



PAGE 1-A

•2 H⁺

10/009,611

Page 40

2

=> s l4 and alzheimer?

L5 1 L4 AND ALZHEIMER?

=> d ibib abs hitstr

Habte

10/21/2003

L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS ON STN

ACCESSION NUMBER:

2000:900413 CAPLUS

DOCUMENT NUMBER:

134:56480

TITLE:

Method of inhibiting amyloid protein aggregation, treating Alzheimer's disease, and imaging amyloid deposits using

[[[(phenylalkyl)phenyl]amino]ben

INVENTOR(S):

Augelli-Safran, Corinne Elizabeth; Barvian, Mark Robert; Bigge, Christopher Franklin; Glase, Shelly Ann; Hachiyu, Shunichiro; Kelly, John Steven; Kimura, Takenori; Lai, Yingjie; Sakakib, Annette Theresa;

Suto,

Mark James; Walker, Lary Craawell; Yasunaga,

Tomoyuki;

Zhuang, Nian

PATENT ASSIGNEE(S):

Warner-Lambert Company, USA; Yamanouchi

Pharmaceutical

SOURCE:

Company, Ltd.; et al.

PCT Int. Appl., 135 pp.

DOCUMENT TYPE:

CODEN: PIXXD2

LANGUAGE:



English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000076489	A2	20001221	WO 2000-US15071	20000531
WO 2000076489	A3	20020530		
W:	AE, AG, AL, AU, BA, BB, BG, BR, CA, CN, CR, CU, CZ, DM, DZ, EE, GD, GE, HR, HU, ID, IL, IN, IS, JP, KP, KR, LC, LK, LR, LT, LV, MA, MG, MK, MN, MX, NZ, NO, NZ, PL, RO, SG, SI, SK, SL, TR, TT, UA, US, UZ, VN, YU, ZA, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SP, BJ, CP, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
BR 2000011728	A	20020226	BR 2000-11728	20000531
EP 1225866	A2	20020731	EP 2000-939471	20000531
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL			
JP 2003504310	T2	20030204	JP 2001-502823	20000531
EE 200100673	A	20030217	EE 2001-673	20000531
NO 2001005995	A	20020204	NO 2001-5995	20011207
NO 106293	A	20020628	NO 2002-106293	20020109
PRIORITY APPL. INFO.:			US 1999-13850P P	19990610
			WO 2000-US15071 W	20000531
OTHER SOURCE(S):			MARPAT 134:56480	
GI				

L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS ON STN (Continued)



AB The invention provides a method of treating Alzheimer's disease using compds. I and their pharmaceutically acceptable salts [wherein: R = H, alkyl, alkanoyl; n = 0-5; R1-R7 = H, halo, OH, (un)substituted NH2 or cyclic amino, CO2H or deriv., NO2, alkoxy, CF3, cyano, (un)substituted OPh, etc.; or R1R2 = OCH2O; R8 = CO2H, tetrazolyl, SO2R9, CONHSO2R9; R9 = H, alkyl, CF3, or Ph; A = CH or N]. Also provided is a method of inhibiting the aggregation of amyloid proteins using I, and a method of imaging amyloid deposits, as well as new compds. Claims further include pharmaceutical formulations contg. I. Examples include 163 synthetic examples and 4 bioassays. For instance, title compd. II was prep'd by a sequence of: (1) reaction of 4-(bromomethyl)-1,2-dichlorobenzene with


PPh3 to give a bromophosphorane (i.e., phosphonium salt) (78%); (2) Swern oxidn. of 4-(4-nitrophenyl)butan-1-ol to the aldehyde (65%); (3) Wittig reaction of the above 2 products to give an alkene (99%); (4) hydrogenation of the alkene and nitro functions (46%); and (5) lithiation and coupling of the amine with 2-fluoro-5-nitrobenzoic acid (75%). In an assay for inhibition of self-seeded amyloid fibril growth, II had an IC50 of 0.9 μM. A combinatorial methodol. for prep'n. of I is also described.

IT 313675-05-7P, 2-[[4-[[3-(3,4-Dichlorophenyl)propyl]phenyl]amino]benzoic acid 313675-61-5P, 2-[[4-[[3-(4-Nitrophenyl)propyl]phenyl]amino]benzoic acid 313675-63-7P, 2-[[4-[[3-(4-Aminophenyl)propyl]phenyl]amino]benzoic acid 313676-48-1P, 2-[[4-[[2-(3,4-Dimethoxyphenyl)ethyl]phenyl]amino]benzoic acid 313676-64-1P, 2-[[4-[[2-(3,4,5-Trimethoxyphenyl)ethyl]phenyl]amino]benzoic acid
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(drug candidate; prep'n. and use of [[(phenylalkyl)phenyl]amino]benzoic acids and analogs as amyloid protein aggregation inhibitors)

L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS ON STN (Continued)


RN 313675-05-7 CAPLUS

CN Benzoic acid, 2-[[4-[[3-(3,4-dichlorophenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-61-5 CAPLUS

CN Benzoic acid, 2-[[4-[[3-(4-nitrophenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-63-7 CAPLUS

CN Benzoic acid, 2-[[4-[[3-(4-aminophenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313676-48-1 CAPLUS

CN Benzoic acid, 2-[[4-[[2-(3,4-dimethoxyphenyl)ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313676-64-1 CAPLUS

CN Benzoic acid, 2-[[4-[[2-(3,4,5-trimethoxyphenyl)ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)

Habt

L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS ON STN (Continued)




10/21/2003

OWN W DTK


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
 Dichlorophenyl ethyl phenyl amino-3-methylbenzoic acid
 313675-31-1P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-4-fluorobenzoic acid 313675-34-2P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-3,5-difluorobenzoic acid 313675-35-3P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-3-trifluoromethylbenzoic acid 313675-36-4P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-6-trifluoromethylbenzoic acid 313675-37-5P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-5-trifluoromethylbenzoic acid 313675-38-6P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-5-pyrrol-1-ylbenzoic acid 313675-39-7P, 2-[[4-[2-(4-Benzyloxyphenyl)ethyl]phenyl]amino]benzoic acid 313675-40-8P, 2-[[4-[2-(4-(3-Dimethylaminopropoxy)phenyl)ethyl]phenyl]amino]benzoic acid 313675-41-9P, 2-[[4-[2-(4-Diethylaminophenyl)ethyl]phenyl]amino]benzoic acid 313675-42-2P, 2-[[4-[2-(4-Phenoxyphenyl)ethyl]phenyl]amino]benzoic acid 313675-43-3P, 2-[[4-[2-(4-Octyloxyphenyl)ethyl]phenyl]amino]benzoic acid 313675-44-4P, 2-[[4-[2-(4-Ethoxy-1-(ethoxymethyl)ethyl]phenyl]amino]benzoic acid 313675-45-5P, 2-[[4-[2-(4-Pyrrol-1-ylphenyl)ethyl]phenyl]amino]benzoic acid 313675-46-6P, 2-[[4-[2-(4-Styrylphenyl)ethyl]phenyl]amino]benzoic acid 313675-47-7P, 2-[[4-[2-(4-Ethylbiphenyl-4-yl)ethyl]phenyl]amino]benzoic acid 313675-48-8P, 2-[[4-[2-(4-Octylphenyl)ethyl]phenyl]amino]benzoic acid 313675-49-9P, 2-[[4-[2-(3,5-Dichlorophenoxy)phenyl]ethyl]phenyl]amino]benzoic acid 313675-50-2P, 2-[[4-[2-(4-(2-Chloro-5-fluorobenzyloxy)phenyl)ethyl]phenyl]amino]benzoic acid 313675-51-3P, 2-[[4-[2-(4-Pyrazol-1-ylphenyl)ethyl]phenyl]amino]benzoic acid 313675-52-4P, 2-[[4-[2-(4-Diphenylaminophenyl)ethyl]phenyl]amino]benzoic acid 313675-53-5P, 2-[[4-[2-(4-(3,4-Dichlorobenzyloxy)phenyl)ethyl]phenyl]amino]benzoic acid 313675-54-6P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-5-aminobenzoic acid 313675-56-8P, 2-[[4-[2-(3,4-Dichlorophenyl)propyl]phenyl]amino]-5-nitrobenzoic acid 313675-60-4P, 2-[[4-[2-(3-(4-Diethylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-62-6P, 2-[[4-[2-(3-Nitrophenyl)propyl]phenyl]amino]benzoic acid 313675-64-8P, 2-[[4-[2-(3-Aminophenyl)propyl]phenyl]amino]benzoic acid 313675-65-9P, 2-[[4-[2-(4-Aminophenyl)ethyl]phenyl]amino]benzoic acid 313675-66-0P, 2-[[4-[2-(4-Dipropylaminophenyl)ethyl]phenyl]amino]benzoic acid monohydrochloride 313675-67-1P, 2-[[4-[2-(4-Diethylaminophenyl)ethyl]phenyl]amino]benzoic acid monohydrochloride monohydrate 313675-68-2P, 2-[[4-[2-(3-Dipropylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-69-3P, 2-[[4-[2-(3-Dimethylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-70-6P, 2-[[4-[2-(3-(4-Ethylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-71-7P, 2-N-[[4-[2-(4-Diethylaminophenyl)propyl]phenyl]-N-ethylamino]benzoic acid 313675-72-8P, 2-[[4-[2-(3-Dibenzylaminophenyl)ethyl]phenyl]amino]benzoic acid 313675-73-9P, 2-[[4-[2-(3-Diethylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-74-0P, 2-[[4-[2-(3-Aminophenyl)ethyl]phenyl]amino]benzoic acid 313675-75-1P, 2-[[4-[2-(3-(4-Dimethylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-76-2P, 2-[[4-[2-(4-1-(3-Nitrobenzoic acid 313676-30-1P, 3-[[4-[2-(3-Chloro-4-methylphenyl)ethyl]phenyl]amino]benzoic acid 313676-31-2P, 5-[[4-[2-(3-Chloro-4-methylphenyl)ethyl]phenyl]amino]isophthalic acid 313676-32-3P, 2-[[4-[2-(3-Chloro-4-methylphenyl)ethyl]phenyl]amino]benzoic acid 313676-33-4P, 4-[[4-[2-(4-(4aS,8aR)-Octahydroisoquinolin-2-yl)phenyl]ethyl]phenyl]amino]benzoic acid 313676-34-5P, 2-[[4-[2-(4-Diethylaminophenyl)propyl]phenyl]amino]-5-methoxybenzoic acid 313676-35-6P, 2-[[4-[2-(3-Methoxyphenyl)ethyl]phenyl]amino]benzoic acid 313676-36-7P, 2-[[4-[2-(3-Bromophenyl)ethyl]phenyl]amino]benzoic acid 313676-37-8P, 2-[[4-[2-(3-Fluorophenyl)ethyl]phenyl]amino]benzoic acid 313676-39-0P, 2-[[4-[2-(3-Fluoro-4-methylphenyl)ethyl]phenyl]amino]benzoic acid 313676-40-3P, 2-[[4-[2-(4-Diethylaminophenyl)propyl]phenyl]amino]-5-nitrobenzoic acid 313676-41-4P, 4-[[4-[2-(4-Diethylaminophenyl)propyl]phenyl]amino]benzoic acid 313676-42-5P, 4-[[4-[2-(4-Diethylaminophenyl)propyl]phenyl]amino]-3-methoxybenzoic acid 313676-43-6P, 2-[[4-[2-(3-Chloro-4-methylphenyl)ethyl]phenyl]amino]-5-methoxybenzoic acid 313676-46-9P, 2-[[4-[2-(4-Diethylaminophenyl)propyl]phenyl]amino]-3-nitrobenzoic acid 313676-47-0P, 3-[[4-[2-(3-(4-Diethylaminophenyl)propyl]phenyl]amino]benzoic acid 313676-49-2P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]benzoic acid monosodium salt 313676-50-5P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]benzoic acid monopotassium salt 313676-51-6P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]benzoic acid calcium salt (1:1) 313676-52-7P, [2-Hydroxy-1,1-bis(hydroxymethyl)ethyl]ammonium 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]benzoate 313676-53-8P, 2-[[4-[2-(3,4-Dichlorophenyl)butyl]phenyl]amino]-5-methoxybenzoic acid 313676-54-9P, 2-[[4-[2-(3,4-Difluorophenyl)ethyl]phenyl]amino]benzoic acid 313676-55-0P, 2-[[3-[2-(4-Chlorophenyl)ethyl]phenyl]amino]benzoic acid 313676-56-1P, 2-[[3-[2-(3,4-Dimethylphenyl)ethyl]phenyl]amino]benzoic acid 313676-57-2P, 2-[[4-[2-(2,4-Dimethoxyphenyl)ethyl]phenyl]amino]benzoic acid 313676-58-3P, 2-[[4-[2-(2-Chlorophenyl)ethyl]phenyl]amino]benzoic acid 313676-59-4P, 2-[[4-[2-(2-Hydroxyphenyl)ethyl]phenyl]amino]benzoic acid 313676-60-7P, 2-[[4-[2-(3-Chlorophenyl)ethyl]phenyl]amino]benzoic acid 313676-61-8P, 2-[[4-[2-(2-Biphenyl-4-ylethyl)phenyl]amino]benzoic acid 313676-62-9P, 2-[[4-[2-(2,4-Dichlorophenyl)ethyl]phenyl]amino]benzoic acid 313676-63-0P, 4-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]benzoic acid 313676-65-2P, 2-[[4-[2-(3,4-Dichlorophenyl)pentyl]phenyl]amino]benzoic acid 313676-67-4P, 4-[[4-[2-(3,4-Dichlorophenyl)propyl]phenyl]amino]-2-methoxy-5-nitrobenzoic acid 313676-69-6P, 2-[[4-[2-(3,4-Dichlorophenyl)propyl]phenyl]amino]-5-fluorobenzoic acid 313676-70-9P, 5-Amino-2-[[4-[2-(3,4-dichlorophenyl)pentyl]phenyl]amino]benzoic acid 313676-71-0P, N-[[2-[[4-[2-(3,4-Dichlorophenyl)propyl]phenyl]amino]benzoyl]-C,C'-trifluoromethanesulfonamide 313676-72-1P, N-[[2-[[4-[2-(3,4-Dichlorophenyl)propyl]phenyl]amino]benzoyl]benzenesulfonamide 313676-73-2P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-4-trifluoromethylbenzoic acid 313676-74-3P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]methylamino]-5-dimethylaminobenzoic acid 313676-75-4P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]methylamino]benzoic acid 313676-76-5P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-5-dipropylaminobenzoic acid 313676-77-6P, 5-Dibutylamino-2-[[4-[2-(3,4-

L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
 Acetylaminophenyl)ethyl]phenyl]amino]benzoic acid 313675-77-3P, 2-[[4-[2-(3-Acetylaminophenyl)ethyl]phenyl]amino]benzoic acid 313675-78-4P, 2-[[4-[2-(3-Dipropylaminophenyl)ethyl]phenyl]amino]benzoic acid monohydrochloride 313675-79-5P, 2-[[4-[2-(3-Dibutylaminophenyl)ethyl]phenyl]amino]benzoic acid monohydrochloride 313675-80-6P, 2-[[4-[2-(3-(4-Acetylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-81-9P, 2-[[4-[2-(3-Acetylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-82-0P, 2-[[4-[2-(3-Diethylaminophenyl)ethyl]phenyl]amino]benzoic acid monohydrochloride 313675-83-1P, 2-[[4-[2-(3-Piperidin-1-ylphenyl)ethyl]phenyl]amino]benzoic acid monohydrochloride 313675-84-2P, 2-[[4-[2-(3-(4-Dipropylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-86-4P, 2-[[4-[2-(3-(4-Dibutylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-87-5P, 2-[[4-[2-(3-(4-Dibutylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-89-7P, 2-[[4-[2-(3-(4-(1H-Pyrrol-1-yl)phenyl)propyl]phenyl]amino]benzoic acid 313675-91-1P, 2-[[4-[2-(3-(4-Piperidin-1-ylphenyl)propyl]phenyl]amino]benzoic acid 313675-92-2P, 2-[[4-[2-(3-(4-Diethylcarbamoyl)phenyl]phenyl]amino]benzoic acid 313675-93-3P, 2-[[4-[2-(4-Carboxyphenyl)propyl]phenyl]amino]benzoic acid 313675-94-4P, 2-[[4-[2-(3-(4-((Diethylamino)methyl)phenyl)propyl]phenyl]amino]benzoic acid 313675-95-5P, 2-[[4-[2-(3-(4-Propylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-96-6P, 2-[[4-[2-(3-Propylaminophenyl)propyl]phenyl]amino]benzoic acid 313675-97-7P, 2-[[4-[2-(3-(4-Pyrrolidin-1-ylphenyl)propyl]phenyl]amino]benzoic acid 313675-98-8P, 2-[[4-[2-(3-(3-Piperidin-1-ylphenyl)propyl]phenyl]amino]benzoic acid 313676-03-8P, 2-[[4-[2-(3,4-Dichlorophenyl)propyl]phenyl]amino]-5-methylbenzoic acid 313676-04-9P, N-[[2-[[4-[2-(3,4-Dichlorophenyl)propyl]phenyl]amino]benzoyl]methanesulfonamide 313676-05-0P, 2-[[4-[2-(4-Chloro-3-trifluoromethylphenyl)ethyl]phenyl]amino]-5-nitrobenzoic acid 313676-06-1P, 2-[[4-[2-(4-Fluoro-3-trifluoromethylphenyl)ethyl]phenyl]amino]benzoic acid 313676-07-2P, 4-[[2-(3,4-Dichlorophenyl)ethyl]phenyl]2-(1H-tetrazol-5-yl)phenylamine 313676-08-3P, 2-[[4-[2-(4-Fluoro-3-trifluoromethylphenyl)ethyl]phenyl]amino]-5-nitrobenzoic acid 313676-09-4P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-5-fluorobenzoic acid 313676-11-6P, 2-[[4-[2-(3-Chlorophenyl)ethyl]phenyl]amino]-5-nitrobenzoic acid 313676-12-7P, 2-[[4-[2-(4-Chlorophenyl)ethyl]phenyl]amino]-5-nitrobenzoic acid 313676-13-8P, 2-[[4-[2-(2-Chlorophenyl)ethyl]phenyl]amino]-5-nitrobenzoic acid 313676-14-9P, 2-[[4-[2-(2-Dichlorophenyl)ethyl]phenyl]amino]-5-nitrobenzoic acid 313676-15-2P, 2-[[4-[2-(4-Dibutylaminophenyl)ethyl]phenyl]amino]-5-nitrobenzoic acid 313676-16-3P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-5-dimethylaminobenzoic acid 313676-17-4P, 2-[[4-[2-(3,5-Dichlorophenyl)ethyl]phenyl]amino]benzoic acid 313676-18-5P, 2-[[4-[2-(4-(4aS,8aR)-Octahydroisoquinolin-2-yl)phenyl]ethyl]phenyl]amino]benzoic acid 313676-26-5P, 3-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]benzoic acid 313676-27-6P, 5-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]isophthalic acid 313676-28-7P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-4,5-dimethoxybenzoic acid 313676-29-8P, 2-[[4-[2-(3-Chloro-4-methylphenyl)ethyl]phenyl]amino]


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
 dichlorophenyl)ethyl]phenyl]amino]benzoic acid 313676-78-7P, 2-[[4-[2-(3,4-Dichlorophenyl)ethyl]phenyl]amino]-5-diethylaminobenzoic acid 313676-79-8P, 2'-[[1,2-Ethanediylbis(4,1-phenyleneimino)]bis]benzoic acid
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses) (drug candidate; prep. and use of [(phenylalkyl)phenyl]amino]benzoic acids and analogs as amyloid protein aggregation inhibitors)
 RN 313674-97-4 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]- (9CI)
 (CA INDEX NAME)



RN 313674-98-5 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-5-nitro- (9CI) (CA INDEX NAME)




RN 313674-99-6 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-4-methoxy-5-nitro- (9CI) (CA INDEX NAME)




RN 313675-00-2 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dihydroxyphenyl)ethyl]phenyl]amino]- (9CI)


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
(CA INDEX NAME)



RN 313675-01-3 CAPLUS
CN Benzoic acid, 2-[[4-[2-(4-(dibutylamino)phenyl)ethyl]phenyl]amino]-4-(1H-imidazol-1-yl)-5-nitro- (9CI)
(CA INDEX NAME)




RN 313675-02-4 CAPLUS
CN Benzoic acid, 2-[[4-[2-(3,4,5-trihydroxyphenyl)ethyl]phenyl]amino]-4-methoxy-5-nitro- (9CI)
(CA INDEX NAME)




RN 313675-03-5 CAPLUS
CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)propyl]phenyl]amino]-4-methoxy-5-nitro- (9CI)
(CA INDEX NAME)


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313675-08-0 CAPLUS
CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)butyl]phenyl]amino]-3,5-dinitro- (9CI)
(CA INDEX NAME)



RN 313675-09-1 CAPLUS
CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)pentyl]phenyl]amino]-5-nitro- (9CI)
(CA INDEX NAME)




RN 313675-10-4 CAPLUS
CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-5-nitro- (9CI)
(CA INDEX NAME)




RN 313675-11-5 CAPLUS
CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)methyl]phenyl]amino]-5-nitro- (9CI)
(CA INDEX NAME)

Habte


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313675-04-6 CAPLUS
CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)propyl]phenyl]amino]-4-(1H-imidazol-1-yl)-5-nitro- (9CI)
(CA INDEX NAME)




RN 313675-06-8 CAPLUS
CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)butyl]phenyl]amino]-5-nitro- (9CI)
(CA INDEX NAME)




RN 313675-07-9 CAPLUS
CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)butyl]phenyl]amino]-5-nitro- (9CI)
(CA INDEX NAME)


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313675-12-6 CAPLUS
CN Benzoic acid, 2-[[4-[2-(3,4-dimethylphenyl)ethyl]phenyl]amino]-5-nitro- (9CI)
(CA INDEX NAME)




RN 313675-13-7 CAPLUS
CN Benzoic acid, 2-[[4-[2-(3,4-difluorophenyl)ethyl]phenyl]amino]-5-nitro- (9CI)
(CA INDEX NAME)




RN 313675-14-8 CAPLUS
CN Benzoic acid, 2-[[4-[2-(3,4-difluorophenyl)ethyl]phenyl]amino]-5-nitro- (9CI)
(CA INDEX NAME)

10/21/2003


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313675-15-9 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(1,1'-biphenyl)-4-ylethyl)phenyl]amino]-5-nitro- (9CI) (CA INDEX NAME)



RN 313675-16-0 CAPLUS
 CN Benzoic acid, 5-nitro-2-[[4-(2-phenylethyl)phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-17-1 CAPLUS
 CN Benzoic acid, 2-[[4-(2-phenylethyl)phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-18-2 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(3,4-dichlorophenyl)ethyl)phenyl]amino]-5-methoxy- (9CI) (CA INDEX NAME)

L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313675-22-8 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(3,4-dichlorophenyl)ethyl)phenyl]amino]-5-methylsulfonyl- (9CI) (CA INDEX NAME)




RN 313675-23-9 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(3,4-dichlorophenyl)ethyl)phenyl]amino]-5-(1H-imidazol-1-yl)- (9CI) (CA INDEX NAME)


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313675-19-3 CAPLUS
 CN 1,4-Benzenedicarboxylic acid, 2-[[4-(2-(3,4-dichlorophenyl)ethyl)phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-20-6 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(3,4-dichlorophenyl)ethyl)phenyl]amino]-5-methyl- (9CI) (CA INDEX NAME)



RN 313675-21-7 CAPLUS
 CN 1,3-Benzenedicarboxylic acid, 4-[[4-(2-(3,4-dichlorophenyl)ethyl)phenyl]amino]- (9CI) (CA INDEX NAME)

L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)


PAGE 1-A



PAGE 2-A




RN 313675-24-0 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(3,4-dichlorophenyl)ethyl)phenyl]amino]-6-nitro- (9CI) (CA INDEX NAME)




RN 313675-25-1 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(3,4-dichlorophenyl)ethyl)phenyl]amino]-4-nitro- (9CI) (CA INDEX NAME)


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
(9CI) (CA INDEX NAME)



RN 313675-26-2 CAPLUS
CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-3-nitro-
(9CI) (CA INDEX NAME)




RN 313675-27-3 CAPLUS
CN Benzoic acid, 5-cyano-2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-
(9CI) (CA INDEX NAME)




RN 313675-28-4 CAPLUS
CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-4,6-
difluoro- (9CI) (CA INDEX NAME)


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-3-methyl-
(9CI) (CA INDEX NAME)




RN 313675-33-1 CAPLUS
CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-4-fluoro-
(9CI) (CA INDEX NAME)



RN 313675-34-2 CAPLUS
CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-3,5-
difluoro- (9CI) (CA INDEX NAME)




RN 313675-35-3 CAPLUS
CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-3-
(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 313675-36-4 CAPLUS
CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-5-
(trifluoromethyl)- (9CI) (CA INDEX NAME)

Habte


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313675-29-5 CAPLUS
CN Benzoic acid, 6-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-2,3-
difluoro- (9CI) (CA INDEX NAME)



RN 313675-30-8 CAPLUS
CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-6-fluoro-
(9CI) (CA INDEX NAME)




RN 313675-31-9 CAPLUS
CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-3-fluoro-
(9CI) (CA INDEX NAME)




RN 313675-32-0 CAPLUS

L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313675-37-5 CAPLUS
CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-5-
(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 313675-38-6 CAPLUS
CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-5-(1H-
pyrrol-1-yl)- (9CI) (CA INDEX NAME)

PAGE 1-A




10/21/2003

L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)


PAGE 2-A




RN 313675-39-7 CAPLUS
 CN Benzoic acid, 2-[[4-[2-[4-(phenylmethoxy)phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313675-40-0 CAPLUS
 CN Benzoic acid,
 2-[[4-[2-[4-(3-(dimethylamino)propoxy)phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-41-1 CAPLUS
 CN Benzoic acid, 2-[[4-[2-[4-(diethylamino)phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313675-42-2 CAPLUS
 CN Benzoic acid, 2-[[4-[2-[4-(4-phenoxyphenyl)ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)

L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)


PAGE 1-A



PAGE 2-A




RN 313675-46-6 CAPLUS
 CN Benzoic acid, 2-[[4-[2-[4-(2-phenylethenyl)phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-47-7 CAPLUS
 CN Benzoic acid, 2-[[4-[2-[4-(4'-ethyl[1,1'-biphenyl]-4-yl)ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313675-43-3 CAPLUS
 CN Benzoic acid, 2-[[4-[2-[4-(octyloxy)phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-44-4 CAPLUS
 CN Benzoic acid,
 2-[[4-[2-[4-[2-ethoxy-1-(ethoxymethyl)ethyl]phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-45-5 CAPLUS
 CN Benzoic acid, 2-[[4-[2-[4-(1H-pyrrol-1-yl)phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313675-48-8 CAPLUS
 CN Benzoic acid, 2-[[4-[2-[4-(4-octylphenyl)ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313675-49-9 CAPLUS
 CN Benzoic acid,
 2-[[4-[2-[3-(3,5-dichlorophenoxy)phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-50-2 CAPLUS
 CN Benzoic acid,
 2-[[4-[2-[4-[(2-chloro-6-fluorophenyl)methoxy]phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-51-3 CAPLUS
 CN Benzoic acid, 2-[[4-[2-[4-(1H-pyrazol-1-yl)phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313675-52-4 CAPLUS
CN Benzoic acid, 2-[[4-[2-(4-(diphenylamino)phenyl)ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313675-53-5 CAPLUS
CN Benzoic acid, 5-amino-2-[[4-[2-(3,4-dichlorophenyl)methoxy]phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-54-6 CAPLUS
CN Benzoic acid, 5-amino-2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)




L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

RN 313675-65-9 CAPLUS
CN Benzoic acid, 2-[[4-[2-(4-aminophenyl)ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-66-0 CAPLUS
CN Benzoic acid, 2-[[4-[2-(4-(diethylamino)phenyl)ethyl]phenyl]amino]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 313675-67-1 CAPLUS
CN Benzoic acid, 2-[[4-[2-(4-(diethylamino)phenyl)ethyl]phenyl]amino]-, monohydrochloride, monohydrate (9CI) (CA INDEX NAME)




● HCl

● H2O


RN 313675-68-2 CAPLUS
CN Benzoic acid, 2-[[4-[2-(3-(diethylamino)phenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)

L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)


RN 313675-56-8 CAPLUS
CN Benzoic acid, 2-[[4-[3-(3,4-dichlorophenyl)propyl]phenyl]amino]-5-nitro- (9CI) (CA INDEX NAME)




RN 313675-60-4 CAPLUS
CN Benzoic acid, 2-[[4-[3-(4-(diethylamino)phenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-62-6 CAPLUS
CN Benzoic acid, 2-[[4-[3-(3-nitrophenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-64-8 CAPLUS
CN Benzoic acid, 2-[[4-[3-(3-aminophenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)




L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313675-69-3 CAPLUS
CN Benzoic acid, 2-[[4-[3-(3-(dimethylamino)phenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313675-70-6 CAPLUS
CN Benzoic acid, 2-[[4-[3-(4-(ethylamino)phenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-71-7 CAPLUS
CN Benzoic acid, 2-[[4-[3-(4-(diethylamino)phenyl)propyl]phenyl]ethylamino]- (9CI) (CA INDEX NAME)




RN 313675-72-8 CAPLUS
CN Benzoic acid, 2-[[4-[2-[3-bis(phenylmethyl)amino]phenyl]ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313675-73-9 CAPLUS
 CN Benzoic acid, 2-[[4-[3-(diethylamino)phenyl]propyl]phenyl]amino- (9CI)
 (CA INDEX NAME)



RN 313675-74-0 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3-aminophenyl)ethyl]phenyl]amino- (9CI) (CA INDEX NAME)




RN 313675-75-1 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(4-dimethylaminophenyl)propyl]phenyl]amino- (9CI) (CA INDEX NAME)




RN 313675-76-2 CAPLUS
 CN Benzoic acid, 2-[[4-[2-[4-(acetylamino)phenyl]ethyl]phenyl]amino- (9CI) (CA INDEX NAME)


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
 CN Benzoic acid, 2-[[4-[3-[4-(acetylamino)phenyl]propyl]phenyl]amino- (9CI) (CA INDEX NAME)



RN 313675-81-9 CAPLUS
 CN Benzoic acid, 2-[[4-[3-[4-(acetylamino)phenyl]propyl]phenyl]amino- (9CI) (CA INDEX NAME)




RN 313675-82-0 CAPLUS
 CN Benzoic acid, 2-[[4-[2-[3-(diethylamino)phenyl]ethyl]phenyl]amino- (9CI) (CA INDEX NAME)



● HCl


RN 313675-83-1 CAPLUS
 CN Benzoic acid, 2-[[4-[2-[3-(1-piperidinyl)phenyl]ethyl]phenyl]amino- (9CI) (CA INDEX NAME)




● HCl

RN 313675-84-2 CAPLUS
 CN Benzoic acid, 2-[[4-[3-[4-(dipropylamino)phenyl]propyl]phenyl]amino- (9CI) (CA INDEX NAME)


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313675-77-3 CAPLUS
 CN Benzoic acid, 2-[[4-[2-[3-(acetylamino)phenyl]ethyl]phenyl]amino- (9CI) (CA INDEX NAME)




RN 313675-78-4 CAPLUS
 CN Benzoic acid, 2-[[4-[2-[3-(dipropylamino)phenyl]ethyl]phenyl]amino- (9CI) (CA INDEX NAME)



● HCl


RN 313675-79-5 CAPLUS
 CN Benzoic acid, 2-[[4-[2-[3-(dibutylamino)phenyl]ethyl]phenyl]amino- (9CI) (CA INDEX NAME)




● HCl

RN 313675-80-8 CAPLUS


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313675-86-4 CAPLUS
 CN Benzoic acid, 2-[[4-[3-[4-(dibutylamino)phenyl]propyl]phenyl]amino- (9CI) (CA INDEX NAME)




RN 313675-87-5 CAPLUS
 CN Benzoic acid, 2-[[4-[3-[4-(dibutylamino)phenyl]propyl]phenyl]amino- (9CI) (CA INDEX NAME)




RN 313675-89-7 CAPLUS
 CN Benzoic acid, 2-[[4-[3-[4-(1H-pyrrol-1-yl)phenyl]propyl]phenyl]amino- (9CI) (CA INDEX NAME)


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313675-91-1 CAPLUS
 CN Benzoic acid, 2-[[4-[3-[(1-piperidinyl)phenyl]propyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-92-2 CAPLUS
 CN Benzoic acid, 2-[[4-[3-[(diethylamino)carbonyl]phenyl]propyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-93-3 CAPLUS
 CN Benzoic acid, 2-[[4-[3-[(4-carboxyphenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313675-98-8 CAPLUS
 CN Benzoic acid, 2-[[4-[3-[(1-piperidinyl)phenyl]propyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313676-03-8 CAPLUS
 CN Benzoic acid, 2-[[4-[3-[(3,4-dichlorophenyl)propyl]phenyl]amino]-5-methyl- (9CI) (CA INDEX NAME)




RN 313676-04-9 CAPLUS
 CN Benzoic acid, 2-[[4-[3-[(3,4-dichlorophenyl)propyl]phenyl]amino]-N-(methylsulfonyl)- (9CI) (CA INDEX NAME)


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313675-94-4 CAPLUS
 CN Benzoic acid, 2-[[4-[3-[(diethylamino)methyl]phenyl]propyl]phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313675-95-5 CAPLUS
 CN Benzoic acid, 2-[[4-[3-[(propylamino)phenyl]propyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-96-6 CAPLUS
 CN Benzoic acid, 2-[[4-[3-[(propylamino)phenyl]propyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313675-97-7 CAPLUS
 CN Benzoic acid, 2-[[4-[3-[(1-pyrrolidinyl)phenyl]propyl]phenyl]amino]- (9CI) (CA INDEX NAME)


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313676-05-0 CAPLUS
 CN Benzoic acid, 2-[[4-[2-[4-chloro-3-(trifluoromethyl)phenyl]ethyl]phenyl]amino]-5-nitro- (9CI) (CA INDEX NAME)




RN 313676-06-1 CAPLUS
 CN Benzoic acid, 2-[[4-[2-[4-fluoro-3-(trifluoromethyl)phenyl]ethyl]phenyl]amino]-5-nitro- (9CI) (CA INDEX NAME)




RN 313676-07-2 CAPLUS
 CN Benzenamine, N-[4-[2-[(3,4-dichlorophenyl)ethyl]phenyl]-2-(1H-tetrazol-5-yl)- (9CI) (CA INDEX NAME)


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313676-08-3 CAPLUS
 CN Benzoic acid,
 2-[(4-{2-(4-fluoro-3-(trifluoromethyl)phenyl)ethyl}phenyl)amino]-5-nitro- (9CI) (CA INDEX NAME)




RN 313676-09-4 CAPLUS
 CN Benzoic acid, 2-[(4-{2-(3,4-dichlorophenyl)ethyl}phenyl)amino]-5-fluoro- (9CI) (CA INDEX NAME)




RN 313676-11-8 CAPLUS
 CN Benzoic acid, 2-[(4-{2-(3-chlorophenyl)ethyl}phenyl)amino]-5-nitro- (9CI) (CA INDEX NAME)


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313676-15-2 CAPLUS
 CN Benzoic acid,
 2-[(4-{2-(4-(dibutylamino)phenyl)ethyl}phenyl)amino]-5-nitro- (9CI) (CA INDEX NAME)



RN 313676-16-3 CAPLUS
 CN Benzoic acid, 2-[(4-{2-(3,4-dichlorophenyl)ethyl}phenyl)amino]-5-(dimethylamino)- (9CI) (CA INDEX NAME)




RN 313676-17-4 CAPLUS
 CN Benzoic acid, 2-[(4-{2-(3,5-dichlorophenyl)ethyl}phenyl)amino]-5-nitro- (9CI) (CA INDEX NAME)




Habe


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313676-12-9 CAPLUS
 CN Benzoic acid, 2-[(4-{2-(4-chlorophenyl)ethyl}phenyl)amino]-5-nitro- (9CI) (CA INDEX NAME)



RN 313676-13-0 CAPLUS
 CN Benzoic acid, 2-[(4-{2-(2-chlorophenyl)ethyl}phenyl)amino]-5-nitro- (9CI) (CA INDEX NAME)




RN 313676-14-1 CAPLUS
 CN Benzoic acid, 2-[(4-{2-(2,4-dichlorophenyl)ethyl}phenyl)amino]-5-nitro- (9CI) (CA INDEX NAME)


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

RN 313676-18-5 CAPLUS
 CN Benzoic acid, 2-[(4-{2-[4-[(4aS,8aR)-octahydro-2(1H)-isoquinolinyl]phenyl]ethyl}phenyl)amino]-5-nitro- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 313676-26-5 CAPLUS
 CN Benzoic acid, 3-[(4-{2-(3,4-dichlorophenyl)ethyl}phenyl)amino]-5-nitro- (9CI) (CA INDEX NAME)




RN 313676-27-6 CAPLUS
 CN 1,3-Benzenedicarboxylic acid,
 5-[(4-{2-(3,4-dichlorophenyl)ethyl}phenyl)amino]- (9CI) (CA INDEX NAME)




RN 313676-28-7 CAPLUS
 CN Benzoic acid, 2-[(4-{2-(3,4-dichlorophenyl)ethyl}phenyl)amino]-4,5-dimethoxy- (9CI) (CA INDEX NAME)

10/21/2003


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313676-47-0 CAPLUS
 CN Benzoic acid, 3-[[4-(3-(diethylamino)phenyl)propyl]phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313676-49-2 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(3,4-dichlorophenyl)ethyl)phenyl]amino]-, monosodium salt (9CI) (CA INDEX NAME)



● Na


RN 313676-50-5 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(3,4-dichlorophenyl)ethyl)phenyl]amino]-, monopotassium salt (9CI) (CA INDEX NAME)

L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




CM 2


CRN 77-86-1
 CMF C4 H11 N O3



RN 313676-53-8 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(3,4-dichlorophenyl)butyl)phenyl]amino]-5-methoxy- (9CI) (CA INDEX NAME)




RN 313676-54-9 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(3,4-difluorophenyl)ethyl)phenyl]amino]- (9CI) (CA INDEX NAME)




Habte

L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



● K

RN 313676-51-6 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(3,4-dichlorophenyl)ethyl)phenyl]amino]-, calcium salt (1:1) (9CI) (CA INDEX NAME)



● Ca


RN 313676-52-7 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(3,4-dichlorophenyl)ethyl)phenyl]amino]-, compd. with 2-amino-2-(hydroxymethyl)-1,3-propanediol (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 313674-97-4
 CMF C21 H17 Cl2 N O2

L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)


RN 313676-55-0 CAPLUS
 CN Benzoic acid, 2-[[3-(2-(4-chlorophenyl)ethyl)phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313676-56-1 CAPLUS
 CN Benzoic acid, 2-[[3-(2-(3,4-dimethylphenyl)ethyl)phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313676-57-2 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(2,4-dimethoxyphenyl)ethyl)phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313676-58-3 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(2-chlorophenyl)ethyl)phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313676-59-4 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(2-hydroxyphenyl)ethyl)phenyl]amino]- (9CI) (CA INDEX NAME)

10/21/2003


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313676-60-7 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(3-chlorophenyl)ethyl)phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313676-61-8 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(1,1'-biphenyl)-4-ylethyl)phenyl]amino]- (9CI)
 (CA INDEX NAME)




RN 313676-62-9 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(2,4-dichlorophenyl)ethyl)phenyl]amino]- (9CI)
 (CA INDEX NAME)




RN 313676-63-0 CAPLUS
 CN Benzoic acid, 4-[[4-(2-(3,4-dichlorophenyl)ethyl)phenyl]amino]- (9CI)
 (CA INDEX NAME)


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313676-70-9 CAPLUS
 CN Benzoic acid, 5-amino-2-[[4-(5-(3,4-dichlorophenyl)pentyl)phenyl]amino]- (9CI) (CA INDEX NAME)




RN 313676-71-0 CAPLUS
 CN Benzamide, 2-[[4-(3-(3,4-dichlorophenyl)propyl)phenyl]amino]-N-((trifluoromethyl)sulfonyl)- (9CI) (CA INDEX NAME)




RN 313676-72-1 CAPLUS
 CN Benzamide, 2-[[4-(3-(3,4-dichlorophenyl)propyl)phenyl]amino]-N-(phenylsulfonyl)- (9CI) (CA INDEX NAME)


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313676-65-2 CAPLUS
 CN Benzoic acid, 2-[[4-(5-(3,4-dichlorophenyl)pentyl)phenyl]amino]- (9CI)
 (CA INDEX NAME)




RN 313676-67-4 CAPLUS
 CN Benzoic acid, 4-[[4-(3-(3,4-dichlorophenyl)propyl)phenyl]amino]-2-methoxy-5-nitro- (9CI) (CA INDEX NAME)




RN 313676-69-6 CAPLUS
 CN Benzoic acid, 2-[[4-(3-(3,4-dichlorophenyl)propyl)phenyl]amino]-5-fluoro- (9CI) (CA INDEX NAME)


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313676-73-2 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(3,4-dichlorophenyl)ethyl)phenyl]amino]-4-(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 313676-74-3 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(3,4-dichlorophenyl)ethyl)phenyl]amino]-5-(dimethylamino)- (9CI) (CA INDEX NAME)




RN 313676-75-4 CAPLUS
 CN Benzoic acid, 2-[[4-(2-(3,4-dichlorophenyl)ethyl)phenyl]amino]-5-(dimethylamino)- (9CI) (CA INDEX NAME)




RN 313676-76-5 CAPLUS

10/21/2003


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-5-(dipropylamino)- (9CI) (CA INDEX NAME)




RN 313676-77-6 CAPLUS
 CN Benzoic acid, 5-(dibutylamino)-2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]- (9CI) (CA INDEX NAME)



RN 313676-78-7 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-5-(diethylamino)- (9CI) (CA INDEX NAME)




RN 313676-79-8 CAPLUS
 CN Benzoic acid, 2,2'-[1,2-ethanediyl]bis(4,1-phenyleneimino)]bis- (9CI) (CA INDEX NAME)




IT 313676-82-3P, 2-[[4-[2-(3,4-Dichlorophenyl)propyl]phenyl]amino]-4-5-nitrobenzoic acid methyl ester 313676-85-6P,


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313676-89-0 CAPLUS
 CN Benzoic acid, 2-[[4-[3-(3,4-dichlorophenyl)propyl]phenyl]amino]-4-(1H-imidazol-1-yl)-5-nitro-, methyl ester (9CI) (CA INDEX NAME)



RN 313676-90-3 CAPLUS
 CN Benzoic acid, 2-[[4-[3-(3,4-dichlorophenyl)propyl]phenyl]amino]-, methyl ester (9CI) (CA INDEX NAME)



RN 313676-96-9 CAPLUS
 CN Benzoic acid, 2-[[4-[5-(3,4-dichlorophenyl)pentyl]phenyl]amino]-4-methoxy-5-nitro-, methyl ester (9CI) (CA INDEX NAME)




L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
 2-[[4-[2-(3,4,5-Trimethoxyphenyl)ethyl]phenyl]amino]benzoic acid methyl ester 313676-88-9P, 2-[[4-[3-(3,4-Dichlorophenyl)propyl]phenyl]amino]-4-methoxy-5-nitrobenzoic acid methyl ester 313676-89-0P, 2-[[4-[3-(3,4-Dichlorophenyl)propyl]phenyl]amino]-4-imidazol-1-yl-5-nitrobenzoic acid methyl ester 313676-90-3P, 2-[[4-[3-(3,4-Dichlorophenyl)propyl]phenyl]amino]benzoic acid methyl ester


313676-96-9P, 2-[[4-[5-(3,4-Dichlorophenyl)pentyl]phenyl]amino]-4-methoxy-5-nitrobenzoic acid methyl ester 313676-97-0P, 2-[[4-[3-(3,4-Dichlorophenyl)propyl]phenyl]amino]-5-nitrobenzoic acid methyl ester 313676-98-1P, 2-[[4-[2-(3,4-Dimethylphenyl)ethyl]phenyl]amino]-5-nitrobenzoic acid methyl ester 313677-02-0P, 2-[[4-[3-(4-Aminophenyl)propyl]phenyl]amino]benzoic acid methyl ester 313677-03-1P, 2-[[4-[3-(4-Diethylaminophenyl)propyl]phenyl]amino]benzoic acid methyl ester 313677-04-2P, 2-[[4-[3-(4-Ethylaminophenyl)propyl]phenyl]amino]benzoic acid methyl ester

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (intermediate; prepn. and use of [(phenylalkyl)phenyl]amino]benzoic acids and analogs as amyloid protein aggregation inhibitors)

RN 313676-82-3 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dichlorophenyl)ethyl]phenyl]amino]-5-nitro-, methyl ester (9CI) (CA INDEX NAME)




RN 313676-85-6 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4,5-trimethoxyphenyl)ethyl]phenyl]amino]-, methyl ester (9CI) (CA INDEX NAME)




RN 313676-88-9 CAPLUS
 CN Benzoic acid, 2-[[4-[3-(3,4-dichlorophenyl)propyl]phenyl]amino]-4-methoxy-5-nitro-, methyl ester (9CI) (CA INDEX NAME)


L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)




RN 313676-97-0 CAPLUS
 CN Benzoic acid, 2-[[4-[3-(3,4-dichlorophenyl)propyl]phenyl]amino]-5-nitro-, methyl ester (9CI) (CA INDEX NAME)



RN 313676-98-1 CAPLUS
 CN Benzoic acid, 2-[[4-[2-(3,4-dimethylphenyl)ethyl]phenyl]amino]-5-nitro-, methyl ester (9CI) (CA INDEX NAME)




RN 313677-02-0 CAPLUS
 CN Benzoic acid, 2-[[4-[3-(4-aminophenyl)propyl]phenyl]amino]-, methyl ester (9CI) (CA INDEX NAME)




RN 313677-03-1 CAPLUS
 CN Benzoic acid, 2-[[4-[3-(4-(diethylamino)phenyl)propyl]phenyl]amino]-, methyl ester (9CI) (CA INDEX NAME)

L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 113677-04-2 CAPLUS
CN Benzoic acid, 2-[[4-[3-[4-(ethylamino)phenyl]propyl]phenyl]amino]-,
methyl
ester (9CI) (CA INDEX NAME)



10/009,611

Page 56

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

234.31

382.67

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-33.20

-33.20

STN INTERNATIONAL LOGOFF AT 15:22:39 ON 21 OCT 2003

Habte

10/21/2003

(3)

FILE 'REGISTRY' ENTERED AT 15:35:41 ON 21 OCT 2003
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2003 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 20 OCT 2003 HIGHEST RN 607332-91-2
DICTIONARY FILE UPDATES: 20 OCT 2003 HIGHEST RN 607332-91-2

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2003

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. See HELP
PROPERTIES for more information. See STNote 27, Searching Properties
in the CAS Registry File, for complete details:
<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

=>


Uploading 10009611a.str

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



G1 C, H, Ak

G2 COOH, Hy, SO2, C

Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 15:36:02 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 7038 TO ITERATE

14.2% PROCESSED 1000 ITERATIONS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

6 ANSWERS

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

Habte

10/21/2003

BATCH **COMPLETE**
PROJECTED ITERATIONS: 135733 TO 145787
PROJECTED ANSWERS: 455 TO 1233

L2 6 SEA SSS SAM L1

=> s l1 sss full
FULL SEARCH INITIATED 15:36:09 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 140511 TO ITERATE

100.0% PROCESSED 140511 ITERATIONS 524 ANSWERS
SEARCH TIME: 00.00.06

L3 524 SEA SSS FUL L1

=> file caplus
COST IN U.S. DOLLARS SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST 148.15 148.36

FILE 'CAPLUS' ENTERED AT 15:36:20 ON 21 OCT 2003
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 21 Oct 2003 VOL 139 ISS 17
FILE LAST UPDATED: 20 Oct 2003 (20031020/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.


=> s l3
L4 272 L3

=> s l4 and alzheimer?
L5 4 L4 AND ALZHEIMER?

=> d ibib abs hitstr tot

L5 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 2002:964319 CAPLUS
 DOCUMENT NUMBER: 138:24720
 TITLE: Preparation of phenoxazine compounds for treatment of amyloid protein aggregation diseases
 INVENTOR(S): Lu, Jianqing
 PATENT ASSIGNEE(S): Peop. Rep. China
 SOURCE: PCT Int. Appl., 75 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: Chinese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002100843	A1	20021219	WO 2001-CN968	20010613
W: AB, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MM, MX, MY, NZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TO				
PRIORITY APPLN. INFO.: WO 2001-CN968 20010613				
OTHER SOURCE(S): MARPAT 138:24720				



AB Title compds I (R = alkyl; R1 = H, OH, halo, alkylamino, dialkylamino, alkoxy, etc.; R2 = H, OH, NO2, , carboxy, cyano, halo, etc.) and their pharmaceutical acceptable salts, esters, amides and prodrugs thereof, useful for treatment of amyloid protein aggregation diseases and for imaging amyloid deposits, are prepd. Thus, reaction of 2-(3-hydroxy-2-naphthylamino)-3,5-dinitrobenzoic acid with 3-amino-2-naphthol with aq. NaOAc gave 84% 2-[(3-hydroxy-2-naphthylamino)-3,5-dinitrobenzoic acid, refluxing of which with aq. NaOH gave 7% 3-nitro-12H-benzo[b]phenoxazine-1-carboxylic acid (II). II showed in vitro amyloid protein aggregation inhibitory activity.


IT 406205-45-6
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (prepn. of phenoxazine compds. for treatment of amyloid protein aggregation diseases)

RN 406205-45-6 CAPLUS

CN Benzoic acid, 2-[(4-hydroxy[1,1'-biphenyl]-3-yl)amino]-3,5-dinitro- (9CI)

L5 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 2002:253016 CAPLUS
 DOCUMENT NUMBER: 136:279462
 TITLE: Preparation of phenoxazine analogs for the treatment of amyloidosis-related diseases
 INVENTOR(S): Augelli-Szafran, Corinne Elizabeth; Lai, Yingjie; Yasunaga, Tomoyuki
 PATENT ASSIGNEE(S): Warner-Lambert Company, USA
 SOURCE: Eur. Pat. Appl., 30 pp.
 CODEN: EPXKDW
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1193260	A1	20020403	EP 2001-122733	20010921
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO US 2002143012 A1 20021003 US 2001-966534 20010927 JP 2002201186 A2 20020716 JP 2001-301315 20010928 BR 2001004344 A 20030305 BR 2001-4344 20010928				
PRIORITY APPLN. INFO.: US 2000-236966 P 20000929				
OTHER SOURCE(S): MARPAT 136:279462				



AB The title phenoxazine deriva. [I; R1 = hydrogen, lower alkyl, cycloalkyl; R2 = hydrogen, lower alkyl(oxy), halogen, hydroxy, aryl, heteroaryl, arylalkyl, heteroarylalkyl, arylalkoxy, heteroarylalkoxy, cyano, carboxy, alkoxy, carbonyl, carbamoyl, sulfamoyl, nitro, trifluoromethyl, amino, mono- or dialkylamino; R3, R4 = hydrogen, lower alkoxy, aryl, heteroaryl, halogen, hydroxy, cyano, carboxy, alkoxy, carbonyl, carbamoyl, sulfamoyl, nitro, trifluoromethyl, amino, mono- or dialkylamino, (un)substituted lower alkyl or lower alkenyl; R3R4 = (un)substituted carbocyclic group], useful for the treatment of amyloid protein aggregation diseases (e.g., Alzheimer's disease) and with labeled I compds. for imaging amyloid deposits, are prepd. and I-contg. pharmaceutical formulation presented. Thus, 3-aminonaphthalen-2-ol was condensed with 2-chloro-3,5-dinitrobenzoic acid to produce 2-[(3-hydroxy(2-naphthyl)amino)-3,5-dinitrobenzoic acid (m.p. 154-156.degree.) which was subjected to an intramol. cyclodehydration reaction, producing 3-nitrobenzo[b]phenoxazine-1-carboxylic acid (m.p. >230.degree.) which demonstrated an inhibition of amyloid protein aggregation in an assay.

IT 406205-45-6P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT


L5 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
 (CA INDEX NAME)



REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE

FORMAT

L5 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
 (Reactant or reagent)
 (in the prepn. of phenoxazine analogs for the treatment of amyloidosis-related diseases)
 RN 406205-45-6 CAPLUS
 CN Benzoic acid, 2-[(4-hydroxy[1,1'-biphenyl]-3-yl)amino]-3,5-dinitro- (9CI)
 (CA INDEX NAME)



REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE

FORMAT

L5 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER: 2000:900433 CAPLUS

DOCUMENT NUMBER: 134:56480

TITLE: Method of inhibiting amyloid protein aggregation, treating Alzheimer's disease, and imaging amyloid deposits using

[[[phenylalkyl]phenyl]amino]benzoic acids and analogs

INVENTOR(S): Augelli-Szafran, Corinne Elizabeth; Barvian, Mark Robert; Bigge, Christopher Franklin; Glase, Shelly Ann; Hachiyi, Shunichiro; Kelly, John Steven; Kimura, Takenori; Lai, Yingjie; Sakkah, Annette Theresa;

Suto, Mark James; Walker, Lary Craswell; Yasunaga,

Tomoyuki; Zhuang, Nian
PATENT ASSIGNEE(S): Warner-Lambert Company, USA; Yamanouchi Pharmaceutical Company, Ltd.; et al.

SOURCE: PCT Int. Appl., 135 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent


LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000076489	A2	20001221	WO 2000-US15071	20000531
WO 2000076489	A3	20020530		
W: AE, AG, AL, AU, BA, BB, BG, BR, CA, CN, CR, CU, CZ, DM, DZ, EE, GD, GE, HR, HU, ID, IL, IN, IS, JP, KP, KR, LC, LK, LR, LT, LV, MA, MG, MK, MN, MX, MZ, NO, NZ, PL, RO, SD, SI, SK, SL, TR, TT, UA, US, UZ, VN, YU, ZA, AM, AZ, BY, KG, KZ, MD, RU, TJ, TH				
RM: CH, CM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SP, BJ, CP, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
BR 2000011728	A	20020226	BR 2000-11728	20000531
EP 1225886	A2	20020731	EP 2000-939471	20000531
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL				
JP 2003504310	T2	20030204	JP 2001-502823	20000531
EE 200100673	A	20030217	EE 2001-673	20000531
NO 2001005995	A	20020204	NO 2001-5995	20011207
BQ 106293	A	20020628	BQ 2002-106293	20020109
PRIORITY APPL. INFO.: US 1999-138550 P 19990610				
WO 2000-US15071 W 20000531				
OTHER SOURCE(S): MARPAT 134:56480				
GI				

L5 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



AB The invention provides a method of treating Alzheimer's disease using compds. I and their pharmaceutically acceptable salts [wherein: R = H, alkyl, alkanoyl; n = 0-5; R1-R7 = H, halo, OH, (un)substituted NH2 or cyclic amino, CO2H or derivs., NO2, alkoxy, CF3, cyano, (un)substituted OPh, etc.; or R1R2 = OCH2O; R8 = CO2H, tetrazolyl, SO2R9, CONHSO2R9; R9 = H, alkyl, CF3, or Ph; A = CH or N]. Also provided is a method of inhibiting the aggregation of amyloid proteins using I, and a method of imaging amyloid deposits, as well as new compds. Claims further include pharmaceutical formulations contg. I. Examples include 163 synthetic examples and 4 bioassays. For instance, title compd. II was prepd. by a sequence of: (1) reaction of 4-(bromomethyl)-1,2-dichlorobenzene with

PPh3 to give a bromophosphorane (i.e., phosphonium salt) (78%); (2) Swern oxidn. of 4-(4-nitrophenyl)butan-1-ol to the aldehyde (65%); (3) Wittig reaction of the above 2 products to give an alkene (99%); (4) hydrogenation of the alkene and nitro functions (46%); and (5) lithiation and coupling of the amine with 2-fluoro-5-nitrobenzoic acid (75%). In an assay for inhibition of self-seeded amyloid fibril growth, II had an IC50 of 0.9 μ M. A combinatorial methodol. for prepn. of I is also described.

IT 313676-19-6P, 2-[(3',5'-Dichloro-3-methylbiphenyl-4-yl)amino]benzoic acid
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(drug candidate; prepn. and use of [[(phenylalkyl)phenyl]amino]benzoic acids and analogs as amyloid protein aggregation inhibitors)


RN 313676-19-6 CAPLUS
CN Benzoic acid, 2-[(3',5'-dichloro-3-methyl[1,1'-biphenyl]-4-yl)amino]- (9CI) (CA INDEX NAME)

L5 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

IT 313675-58-0P, 2-[[4-(3,4-Dichlorophenyl)phenyl]amino]benzoic acid
313676-20-9P, 2-[(3',5'-Dibromo-3-methylbiphenyl-4-yl)amino]benzoic acid 313676-21-0P, 2-[[4-(1,3-Benzodioxol-5-yl)-2-methylphenyl]amino]benzoic acid 313676-23-2P, 2-[(2,2',4'-Trichlorobiphenyl-4-yl)amino]benzoic acid 313676-24-3P, 2-[(2-Chloro-3',4'-difluorobiphenyl-4-yl)amino]benzoic acid 313676-25-4P, 2-[(3'-Bromo-2-chlorobiphenyl-4-yl)amino]benzoic acid 313676-66-3P, 2-[(3',5'-Dichlorobiphenyl-4-yl)amino]benzoic acid
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(drug candidate; prepn. and use of [[(phenylalkyl)phenyl]amino]benzoic acids and analogs as amyloid protein aggregation inhibitors)

RN 313675-58-0 CAPLUS
CN Benzoic acid, 2-[(3',4'-dichloro[1,1'-biphenyl]-4-yl)amino]- (9CI) (CA INDEX NAME)


RN 313676-20-9 CAPLUS
CN Benzoic acid, 2-[(3',5'-dibromo-3-methyl[1,1'-biphenyl]-4-yl)amino]- (9CI) (CA INDEX NAME)




Habte

L5 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)


RN 313676-21-0 CAPLUS
CN Benzoic acid, 2-[[4-(1,3-benzodioxol-5-yl)-2-methylphenyl]amino]- (9CI) (CA INDEX NAME)



RN 313676-23-2 CAPLUS
CN Benzoic acid, 2-[(2,2',4'-trichloro[1,1'-biphenyl]-4-yl)amino]- (9CI) (CA INDEX NAME)



RN 313676-24-3 CAPLUS
CN Benzoic acid, 2-[(2-chloro-3',4'-difluoro[1,1'-biphenyl]-4-yl)amino]- (9CI) (CA INDEX NAME)




RN 313676-25-4 CAPLUS
CN Benzoic acid, 2-[(3'-bromo-2-chloro[1,1'-biphenyl]-4-yl)amino]- (9CI) (CA INDEX NAME)


10/21/2003

own work

L5 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)



RN 313676-66-3 CAPLUS
CN Benzoic acid, 2-[(3',5'-dichloro[1,1'-biphenyl]-4-yl)amino]- (9CI) (CA INDEX NAME)



L5 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2003 ACS on STN


ACCESSION NUMBER: 1999:325898 CAPLUS
DOCUMENT NUMBER: 130:349400
TITLE: Compounds for the antemortem diagnosis of Alzheimer's disease and in vivo imaging and prevention of amyloid deposition
INVENTOR(S): Klunk, William E.; Pettegrew, Jay W.; Mathis, Chester A., Jr.
PATENT ASSIGNEE(S): University of Pittsburgh, USA
SOURCE: PCT Int. Appl., 179 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 5
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9924394	A2	19990520	WO 1998-US23598	19981106
WO 9924394	A3	19990819		
W:	AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BP, BJ, CP, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
US 6417178	B1	20020709	US 1997-968902	19971106
CA 2309626	AA	19990520	CA 1998-2309626	19981106
AU 9913833	A1	19990531	AU 1999-13833	19981106
EP 1028941	A2	20000823	EP 1998-957613	19981106
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI			
EE 200000278	A	20010815	EE 2000-200000278	19981106
JP 2001522829	T2	20011120	JP 2000-520408	19981106
BR 9812776	A	20030610	BR 1998-12776	19981106
NO 2000002380	A	20000704	NO 2000-2380	20000505
PRIORITY APPLN. INFO.:			US 1997-968902	A1 19971106
			US 1994-282289	B2 19940719
			US 1995-432019	B2 19950501
			US 1996-640704	B2 19960501
			WO 1998-US23598	W 19981106

OTHER SOURCE(S): MARPAT 130:349400
AB Amyloid binding compds. which are derive. of Chrysamine G, pharmaceutical compns. contg., and methods using such compds. to identify Alzheimer's brain in vivo and to diagnose other pathol. conditions characterized by amyloidosis, such as Down's Syndrome are described. Pharmaceutical compns. contg. Chrysamine G and derivs. thereof and methods using such compns. to prevent cell degeneration and amyloid-induced toxicity in amyloidosis assocd. conditions are also discussed. Methods using Chrysamine G derivs. to stain or detect amyloid deposits in biopsy or post-mortem tissue are also described. Methods using Chrysamine G derivs. to quantify amyloid deposits in homogenates of biopsy and post-mortem tissue are also presented. Syntheses of Chrysamine G derivs.

L5 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

are outlined.
IT 224820-58-0P
RL: SPN (Synthetic preparation); PREP (Preparation)
(compds. for diagnosis of Alzheimer's disease and in vivo imaging and prevention of amyloid deposition)
RN 224820-58-0 CAPLUS
CN Benzoic acid, 3,3'-bis-[(1,1'-biphenyl)-4,4'-diylidene]bis[6-hydroxy- (9CI) (CA INDEX NAME)



10/009,611

Page 7

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

20.28

168.64

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-2.60

-2.60

STN INTERNATIONAL LOGOFF AT 15:36:56 ON 21 OCT 2003